AQ3CO SENSOR

Carbon Monoxide (CO) Gas Sensor

The purpose of this document is to present the performance specification of the AQ3 Series AQ3CO Carbon Monoxide Gas Sensor.

DOCUMENT PURPOSE

This document should be used in conjunction with the AQ3CO Characterization Note and the Product Safety Datasheet (PSDS 15).

The data provided in this document is based on the assumption that the sensor is used at 20°C, 50% rH, and 1013 mBar for three months from the date of sensor manufacture. For guidance on sensor performance outside of these limits, please refer to the AQ3CO Characterization Note.

Output signal can drift below the lower limit over time. For guidance on the safe use of the sensor, please refer to the Characterization Note.



Sensor Part Number (without board): ABQ045-H00

Module Part Number (with board): QAB045-H00

PCBA Part Number: AQ3-BP01

FEATURES AND BENEFITS



High resolution



Low detection limit



Custom-built low noise board achieves high accuracy under ppb level



Individual compensation for temperature and cross sensitivity



High correlation with control station




AQ3CO Carbon Monoxide Gas Sensor Technical Specifications

TECHNICAL SPECIFICAT	IONS	
MEASUREMENT		
Technology	4-electrode electrochemical	
Measurement Range	0 ppm CO to 10 ppm CO	
Maximum Overload	without board: 50 ppm CO with board: 30 ppm CO	
Onboard Filter	to remove SOx/NOx and H_2S	
Sensitivity*	without board: 240 nA/ppm ±80 nA/ppm with board: 90 mV/ppm ±35 mV/ppm	
Response Time (T ₉₀)	≤ 70 seconds	
Resolution*	20 ppb when used with recommended circuitry	
Baseline Offset*	without board: -200 nA ~ 360 nA with board: -80 mV ~ 140 mV	
Repeatability*	< ±3% of signal	
Linearity**	linear	
Low Detection Limit*	40 ppb	
ELECTRICAL		
Recommended Load Resistor	68 Ω	
Sensor Bias Voltage	no bias (without board)	
Power Supply Required	5 Vdc (with board)	
Power Consumption	370 μA @ 5 Vdc (with board)	
MECHANICAL		
Weight	without board: < 22 g with board: < 30 g	
Weight Outer Plastic Body Material		
Outer Plastic Body	with board: < 30 g	
Outer Plastic Body Material Sealing Gasket	with board: < 30 g polycarbonate	
Outer Plastic Body Material Sealing Gasket Material	with board: < 30 g polycarbonate TPU	
Outer Plastic Body Material Sealing Gasket Material Contact Material	with board: < 30 g polycarbonate TPU mild steel with gold flash-over nickel plate	
Outer Plastic Body Material Sealing Gasket Material Contact Material Orientation Sensitivity	with board: < 30 g polycarbonate TPU mild steel with gold flash-over nickel plate	
Outer Plastic Body Material Sealing Gasket Material Contact Material Orientation Sensitivity ENVIRONMENTAL Operating	with board: < 30 g polycarbonate TPU mild steel with gold flash-over nickel plate none	
Outer Plastic Body Material Sealing Gasket Material Contact Material Orientation Sensitivity ENVIRONMENTAL Operating Temperature Range Recommended	with board: < 30 g polycarbonate TPU mild steel with gold flash-over nickel plate none -30°C to 50°C	
Outer Plastic Body Material Sealing Gasket Material Contact Material Orientation Sensitivity ENVIRONMENTAL Operating Temperature Range Recommended Storage Temperature Operating Humidity	with board: < 30 g polycarbonate TPU mild steel with gold flash-over nickel plate none -30°C to 50°C 0°C to 20°C in original sealed container 15% rH to 90% rH	
Outer Plastic Body MaterialSealing Gasket MaterialContact MaterialContact MaterialOrientation SensitivityENVIRONMENTALOperating Temperature RangeRecommended Storage TemperatureOperating Humidity RangeOperating Pressure	with board: < 30 g polycarbonate TPU mild steel with gold flash-over nickel plate none -30°C to 50°C 0°C to 20°C in original sealed container 15% rH to 90% rH non-condensing	
Outer Plastic Body MaterialSealing Gasket MaterialContact MaterialOrientation SensitivityENVIRONMENTALOperating Temperature RangeRecommended Storage TemperatureOperating Humidity RangeOperating Pressure Range	with board: < 30 g polycarbonate TPU mild steel with gold flash-over nickel plate none -30°C to 50°C 0°C to 20°C in original sealed container 15% rH to 90% rH non-condensing atmospheric ±10%	
Outer Plastic Body MaterialSealing Gasket MaterialContact MaterialContact MaterialOrientation SensitivityENVIRONMENTALOperating Temperature RangeRecommended Storage Temperature RangeOperating Pressure RangeOperating Pressure RangeTypical Applications	with board: < 30 g polycarbonate TPU mild steel with gold flash-over nickel plate none -30°C to 50°C 0°C to 20°C in original sealed container 15% rH to 90% rH non-condensing atmospheric ±10%	
Outer Plastic Body MaterialSealing Gasket MaterialContact MaterialContact MaterialOrientation SensitivityENVIRONMENTALOperating Temperature RangeRecommended Storage Temperature RangeOperating Humidity RangeOperating Pressure RangeTypical ApplicationsLIFETIME	with board: < 30 g polycarbonate TPU mild steel with gold flash-over nickel plate none -30°C to 50°C 0°C to 20°C in original sealed container 15% rH to 90% rH non-condensing atmospheric ±10% ambient environmental monitoring	
Outer Plastic Body MaterialSealing Gasket MaterialContact MaterialContact MaterialOrientation SensitivityENVIRONMENTALOperating Temperature RangeRecommended Storage TemperatureOperating Humidity RangeOperating Pressure RangeTypical ApplicationsLIFETIMEStorage LifeLong-Term Sensitivity	with board: < 30 g polycarbonate TPU mild steel with gold flash-over nickel plate none -30°C to 50°C 0°C to 20°C in original sealed container 15% rH to 90% rH non-condensing atmospheric ±10% ambient environmental monitoring 6 months in original sealed container	

*Specifications are valid at 20°C, 50% RH, and 1013 mbar using AQ3 low noise board. Performance characteristics outline the performance of sensors supplied within the first 3 months. Output signal can drift below the lower limit over time. Please be aware that sensors' performance also reflected by circuit board design.

** Linear through the concentration range across the whole operational environment range.

Product Dimensions



AQ3CO Carbon Monoxide Gas Sensor Technical Specifications

Filter Information

Removes acid gases such as SOx/NOx and $\rm H_2S$

Poisoning

Gas sensors are designed for operation in a wide range of environments and harsh conditions. However, it is important that exposure to high concentrations of solvent vapors is avoided, during storage, fitting into instruments, and operation.

When using sensors with printed circuit boards (PCBs), degreasing agents should be used before the sensor is fitted.

Do not glue directly on or near the sensor as the solvent may cause crazing of the plastic.

Cross Sensitivity Table

Whilst AQ3 Series gas sensors are designed to be highly specific to the gas they are intended to measure, they will still respond to some degree to various other gases. The table below is not exclusive and other gases not included in the table may still cause a sensor to react.

IMPORTANT NOTE: The cross sensitivity data shown below does not form part of the product specification and is supplied for guidance only. Values quoted are based on tests conducted on a small number of sensors and any batch may show significant variation. For the most accurate measurements, an instrument should be calibrated using the gas under investigation.

Gas	Gas Concentration	Cross Interference
Sulfur Dioxide (SO ₂)	5 ppm	0% <x%<7%< td=""></x%<7%<>
Nitrogen Dioxide (NO ₂)	5 ppm	-3% <x%<5%< td=""></x%<5%<>
Ozone (O ₃)	1 ppm	-7% <x%<4%< td=""></x%<4%<>
Isobutylene (C_4H_8)	1 ppm	~None

WARRANTY/REMEDY

Honeywell warrants goods of its manufacture as being free of defective materials and faulty workmanship during the applicable warranty period. Honeywell's standard product warranty applies unless agreed to otherwise by Honeywell in writing; please refer to your order acknowledgment or consult your local sales office for specific warranty details. If warranted goods are returned to Honeywell during the period of coverage, Honeywell will repair or replace, at its option, without charge those items that Honeywell, in its sole discretion, finds defective. The foregoing is buyer's sole remedy and is in lieu of all other warranties, expressed or implied, including those of merchantability and fitness for a particular purpose. In no event shall Honeywell be liable for consequential, special, or indirect damages.

While Honeywell may provide application assistance personally, through our literature and the Honeywell web site, it is buyer's sole responsibility to determine the suitability of the product in the application.

Specifications may change without notice. The information we supply is believed to be accurate and reliable as of this writing. However, Honeywell assumes no responsibility for its use.

A WARNING MISUSE OF DOCUMENTATION

- The information presented in this product sheet is for reference only. Do not use this document as a product installation guide.
- Complete installation, operation, and maintenance information is provided in the instructions supplied with each product.

Failure to comply with these instructions could result in death or serious injury.

SAFETY NOTE

This sensor is designed to be used in environmental applications. To ensure that the sensor and/or instrument in which it is used, are operating properly, it is a requirement that the function of the device is confirmed by exposure to target gas (bump check) before each use of the sensor and/or instrument. Failure to carry out such tests may jeopardize the safety of people and property.

FOR MORE INFORMATION

Honeywell Advanced Sensing Technologies services its customers through a worldwide network of sales offices and distributors. For application assistance, current specifications, pricing or the nearest Authorized Distributor, visit our <u>website</u> or call:

USA/Canada	+1 302 613 4491
Latin America	+1 305 805 8188
Europe	+44 1344 238258
Japan	+81 (0) 3-6730-7152
Singapore	+65 6355 2828
Greater China	+86 4006396841

Honeywell

Advanced Sensing Technologies

830 East Arapaho Road Richardson, TX 75081 sps.honeywell.com/ast

