


Pro-Watch® 4.3.5

Honeywell's Pro-Watch® software is a connected building platform for enterprise and critical infrastructure customers. It helps you meet the most stringent compliance requirements for your industry, and it reduces your total cost of ownership by increasing operator productivity with superior flexibility and scalability.

Integration with access control and video systems from Honeywell and third-party manufacturers makes it possible to leverage existing installed hardware as the system expands. Modular hardware and software options make it easy and cost-effective to expand a system to keep up with growing business needs.

With Pro-Watch Web Based Client, customers can utilize their existing network infrastructure to provide remote security management for badging, reporting, and alarm and event monitoring. Less software allows for savings on installation costs and time while continuing to provide optimal security protection.

Pro-Watch streamlines tasks with a common user interface to improve operator effectiveness and help organizations minimize training costs. Events may be routed to specific workstations and linked to automated system responses such as camera call-ups and outward notifications.



Pro-Watch provides comprehensive options for audit and reporting to address forensics, compliance and business intelligence data mining needs. The Reporting application includes basic report templates and the capability to generate custom reports. Reports can be exported as XLS, CSV and PDF formats.

Pro-Watch provides a solid and proven platform for an intelligent business management solution. It is successfully deployed in enterprises of many sizes and across various vertical applications such as manufacturing facilities, campuses, government facilities and critical infrastructure.

FEATURES

- Web Based Client for Badging, Reporting, Alarm and Event Monitoring
- Mobile Client for Badging, Badging Verification, and Door Control
- Server support including Windows® Server 2012/2012R2, SQL Server 2012/ 2014/ 2016, Windows 7/8/8.1/ 10 (32-bit and 64-bit)
- Single user interface for multiple security and business functions
- Honeywell Software Development Kit (HSDK) and Pro-Watch can be integrated with other building systems such as secondary fire, lighting and heating, ventilation, and air conditioning
- Web Services API enables Integration Options
- Certification Management
- Custom triggers and procedures
- Event/action associations including sending emails, running a stored procedure, or triggering a panel I/O point
- Pro-Watch-level triggered events for panel-to-panel and panel-to-software actions or within a panel for local actions
- Advanced Reports
- Virtualization support for VMWare and Microsoft® Hyper-V
- Compliance Reports that offer data and statistical reporting; auto generated reports upon schedules
- Easy system setup and maintenance with user definable hardware templates
- Database partitioning and definable operator permissions
- IP, serial and modem communications
- Mercury M5 (CASI) and MS Bridge (Software House) Controller
- Lite, Professional, Corporate and Enterprise editions

Pro-Watch 4.3.5 Connected Building Platform

The Pro-Watch suite offers base software licenses that address security needs from small sites to global enterprises:

Pro-Watch Lite Edition: Basic functionality for the small office with support for up to 32 doors on PW-Series panels.

Pro-Watch Professional Edition: Complete security functionality with more options for medium-sized organizations with up to 64 doors for organizations requiring integrated processes or regulatory compliance.

Pro-Watch Corporate Edition: Complete security for larger organizations and campuses. Additional high availability options make this edition the optimal choice for organizations requiring 24/7 business continuity plans for their security system.

Pro-Watch Enterprise Edition: Global security system that merges multiple Pro-Watch Corporate Edition systems to efficiently manage badgeholder data and report on events across the organization.

Small Systems:

Pro-Watch Lite and Pro-Watch Professional Editions

Pro-Watch Lite Edition (PWLTE) and Pro-Watch Professional Edition (PWPE) are optimized for the needs of smaller security systems.

These editions leverage Microsoft® SQL Express 2016 (included), so the server can be accommodated on either a workstation for a single PC or on a separate server. In either case, additional clients may be connected to the server up to supported limits. Refer to the specifications guide on page 5 for more details.

Pro-Watch Lite Edition offers basic functionality for the small office and features Pro-Watch PW Series access controllers. Additional client licenses can be added as needed up to a total of 4.

Pro-Watch Professional Edition is ideal for sites requiring more than 32 readers or up to 6 client workstations.

Medium & Large Systems:

Pro-Watch Professional and Pro-Watch Corporate Editions


Both Pro-Watch Professional Edition (PWPE) and Pro-Watch Corporate Edition (PWCE) are targeted for the needs of medium to large installations.

An IT topology deployment with a separate server is recommended. Workstations can be connected via LAN or WAN, making it convenient to manage multiple sites on a single server. Pro-Watch Professional Edition features Microsoft SQL Express 2016 (included).

Both editions offer numerous options to meet a variety of security needs. For limits on connectivity support in PWPE, refer to the specifications guide on page 5.

PWCE is truly the best fit for the largest systems and campuses because it has no restrictions on numbers of add-on readers or workstations. Honeywell also offers redundant solutions on PWCE for organizations requiring 24/7 operations.

Integrations available using Pro-Watch




Pro-Watch 4.3.5 Connected Building Platform

Enterprise Systems: Pro-Watch Enterprise Edition

Pro-Watch Enterprise Edition (PWEE) provides a security solution for the global organization by sharing badgeholder identities and event data across the organization.

With a PWEE system, an enterprise server facilitates two-way data sharing among regional servers. This enables single credential solutions across organizations.

If equipped with two or more Pro-Watch Corporate Editions (PWCE), an organization may easily upgrade its servers to become part of an Enterprise system. Each Corporate Edition server becomes a regional server and retains regional system control.



Pro-Watch 4.3.5 Connected Building Platform

PROFESSIONAL, CORPORATE & ENTERPRISE EDITIONS

- Standard Badging and Advanced Badging client
- Available IOS/Android Mobile Client with support for Badging functions and Door Control
- 2-D PDF417 barcode add-on license for badging
- Option for Transportation Security Clearinghouse (TSC) background checks in Pro-Watch AP (Airport) and Vendor management Portal
- Integration to Honeywell VISTA® panels 128 /250 FBP, FBPT, BPE, and BPT, and GX in North America and to Honeywell Galaxy Dimension GD-48, GD-96, GD-264, GD-520 in Europe
- Event Procedures triggers on consecutive duplicate events
- Mustering, anti-passback and guard tour
- Minimum and maximum occupancy enforcement
- Integrates video devices added in MAXPRO® VMS
- Supports Command intercom system servers GE200, GE300, GE700 and GE800
- Detailed historic records for tracking configuration changes, security operations and device events to comply with audit requirements for regulatory compliance
- Intercoms linked to readers and locations on maps provide quick access to specific units
- Options for integrating biometrics, third-party hardware, radar-video solutions and IT convergence
- High availability and redundant server solutions (Corporate Edition)
- Support for Wireless Locksets from Allegion, Assa Abloy, and Salto
- Support for Disconnected Locksets from Salto
- FICAM PACS Infrastructure APL Listed

Pro-Watch 4.3.5 Connected Building Platform

SPECIFICATIONS

	LITE	PROFESSIONAL	CORPORATE	ENTERPRISE ³
STANDARD CLIENT LICENSES (NON-BADGING)				
Quantity included with base system	1	1	1	2
Maximum quantity that can be added	2	5	Unrestricted	Unrestricted
BADGING/ADVANCE BADGING CLIENT LICENSES¹				
Quantity included with base system	1	1	1	N/A
Maximum quantity that can be added	2	5	Unrestricted	N/A
READER LICENSES				
Quantity included with base system	32	32	96	N/A
Maximum quantity that can be added	0	64	20,000	N/A
REGIONAL SERVER LICENSES				
Quantity included with base system	N/A	N/A	N/A	1
Maximum quantity that can be added	N/A	N/A	N/A	Unrestricted ²
COMPLIANCE REPORT MANAGER CLIENT LICENSES				
Quantity included with base system	N/A	N/A	N/A	N/A
Maximum quantity that can be added ³	Limited by Standard Client Licenses	Limited by Standard Client Licenses	Limited by Standard Client Licenses	N/A
DATABASE SUPPORT				
SQL 2016 Express (10 GB maximum database size)	Yes	Yes	Yes	No
SQL 2012/SQL 2016	No	No	Yes	Yes
SQL 2016	No	No	Yes	Yes

- 1 Must have a standard client license on a machine in order to run an Advanced Badging client license.
- 2 Must order one regional server in an Enterprise system for each PWCE server in the system.
- 3 Enterprise system capabilities align with Corporate for respective regional servers.
Enterprise systems link together two or more Corporate Edition systems to share badgeholder identities and events among the Corporate Edition systems.

PRO-WATCH CLIENT WORKSTATION¹ REQUIREMENTS

FEATURE	REQUIREMENT
Recommended Processor	Intel® Core™ i3, i5, or i7 Processor 2.8 GHz or higher.
Recommended Operating System	Windows® 8/8.1 (32 or 64 bit) Windows 10 Windows 2012/2012/2014 Server Enterprise or Standard edition (32 or 64 bit)
Recommended PC Type	Workstation or Server hardware
Recommended System Memory (RAM) ¹	4 GB for Windows 7/8/8.1 (32 and 64 bit) 4 GB for Windows 10
DVD Drive	Yes
Hard Drives	Capacity, Speed, Interface: 80 GB or larger 7,200 RPM SATA or SAS
USB connection	2.0
Network connection	100Mbits/sec or greater, GB recommended
Video resolution	1024x768 pixels; 24 bit color or higher
Multimedia	Standard VGA Graphics Adapter (Display adapter)

¹ Includes RAM required by the client machine to run the Windows operating system.

Pro-Watch 4.3.5 Connected Building Platform

PRO-WATCH SERVER¹ REQUIREMENTS

FEATURE	SMALL SYSTEM REQUIREMENT	LARGER SYSTEM REQUIREMENT
Recommended Processor	Intel® Xeon® processor E3 or E5 family 2.4 GHz or higher (4 cores or greater)	Intel® Xeon® processor E5 or E7 family 3.0 GHz or higher (4 cores or greater)
Recommended Operating System	Windows® 7, 8/8.1 (32-bit or 64-bit) Windows 10 Windows Server 2008/2008 Windows Server 2012/2014	Windows Server 2008/2008 (32-bit or 64-bit) Windows Server 2012/2014
Recommended PC Type (Server or Workstation)	Workstation or Server hardware	Server hardware recommended Workstation hardware supported (requires stability in mission critical environments)
Recommended System Memory (RAM)	8 GB minimum, 16 GB recommended or greater (based on OS selected)	16 GB minimum, 32-64 GB recommended (Windows Server 2008 R2 Standard Edition 32 bit only supports up to 4 GB)
DVD Drive	Yes	Yes
Hard Drives ^{2,3}	Capacity, Speed, Interface: 160 GB 7,200RPM or higher SATA or SAS *Size may vary according to transaction storage and other variables such as archives, backups, etc.	RAID Array 1: (OS or hardware based RAID 1) Capacity, Speed, Interface: 160 GB 7,200RPM or higher SATA or SAS RAID Array 2: (Application Databases) (Hardware based RAID 5 or RAID 10) Capacity, Speed, Interface: 300 GB 7,200RPM or higher SATA or SAS *Size may vary according to transaction storage and other variables such as archives, backups, etc.
Removable media for database backup ^a database backup ^a	160 GB or larger USB or eSATA drive	300 GB or larger USB drive or eSATA drive
USB connection	2.0 or greater (Pro-Watch Dongle requires 2.0, not required for Pro-Watch 3.81 or greater with SoftKey License)	2.0 or greater (Pro-Watch Dongle requires 2.0, not required for Pro-Watch 3.81 or greater with SoftKey License)
Network connection	100Mbps/sec or greater, GB recommended	100Mbps/sec or greater, GB recommended
Video resolution	1024x768 pixels; 24 bit color or higher Standard VGA Graphics Adapter (Display adapter)	1024x768 pixels; 24 bit color or higher Standard VGA Graphics Adapter (Display adapter)

- For a system to be considered small, the Pro-Watch system shall have less than 5 clients, no more than 128 online readers, less than 5000 historical events per day, and proper database maintenance conducted by the end user or servicing dealer. For a system to be large, it must have between 5000 and 50,000 historical events per day, between 128 and 512 online readers, between 5 and 15 client workstations, and proper database maintenance conducted by the end user or servicing dealer. If the system will have more than 50,000 events per day, exceed 512 online readers, exceed 15 client workstations, or use Pro-Watch server side functions like anti-passback, event triggers and procedures, Real Time Data Transfer Utility, HSDK, etc. please consult Honeywell for custom server sizing.
- RAID technology used for the larger system server – Disk sets 1 and 2. When several physical disks are set up to use RAID technology, the operating system will be installed on a single disk (OS installed on RAID1 mirrored set) and the Database and Storage on a separate disk (RAID 5 or 10 disk set)
- To estimate database storage space, use the following approximations and add to the base DB size of 500MB:
 - Badgeholder storage = (# of badgeholders) x (75KB)* estimate based on typical captured picture size
 - Event history storage = (# of events per day) x (2.5 KB) x (# of days to retain in server)
 - Audit history storage = [(# of cardholder changes per day) + (# of system configuration changes per day) + (# of events per day) + (# of operator system changes per day)] x (1.2KB) x (# of days to retain in server)
- Honeywell highly recommends some type of removable media for daily database backups. Database backups should be removed from the server and stored in a safe, secure location so in the event of system failure this valuable data can be recovered. We recommend two or more removable media per server based upon end user processes. Alternatively, Honeywell system installers can engage the end-user's IT group to participate in some type of network backup program.
 - Important Notice – These server and workstation hardware guidelines are intended for use as a reference only. The specifications are subject to changes due to market conditions, software updates, manufacturing changes, and other variables outside of our control. Honeywell recommends for planning based on system growth and expansion, operating system updates and upgrades, database engine updates and upgrades, end user system expansion, historical data retention requirements, and archive data storage requirements. Please consult with Honeywell as applicable for assistance.

Pro-Watch 4.3.5 Connected Building Platform

ORDERING

PART NUMBER	DESCRIPTION
PRO-WATCH LITE SOFTWARE	
PW435LTSW	Pro-Watch Lite Server Software (1) Server License, (32) Readers License, 1 Concurrent Classic/Advanced Badging
PW435LTSWCL	Single Concurrent User Lite Edition Software License add-on
PWBADGEL	PW 4.3.5 Single Concurrent Classic/Advanced Badging License add-on for PWLE, PWPE and PWCE. This includes license only, and requires a single concurrent client license (part PW435LTSWCL).
PW435LTPe32R2U	Upgrade from Pro-Watch 4.3.5 LE to Pro-Watch PE with one client.
PRO-WATCH LITE EDITION SYSTEM UPGRADES	
PW435LRUPG	Pro-Watch Lite Edition Upgrade from 3.8x to 4.x; 60 days warranty
PW435LTPe32R2U	Upgrade from Pro-Watch 4.3.5 Lite to Pro-Watch 4.3.5 Professional Edition with one client
PW435LTPe32R3U	Upgrade from Pro-Watch 4.3.5 Lite to Pro-Watch 4.3.5 Professional Edition with two clients
PW435LTPe32R4U	Upgrade from Pro-Watch 4.3.5 Lite to Pro-Watch 4.3.5 Professional Edition with three clients
PRO-WATCH PROFESSIONAL EDITION SOFTWARE	
PW435PESW	Pro-Watch 4.3.5 PE Server Software, 1 Server License, 1 Concurrent User License, 1 Concurrent Classic/Advanced Badging License, 32 Reader License
PW435SWCL	Single User Software License add-on for PWPE and PWCE
PWBADGEL	PW 4.3.5 Single Concurrent Classic/Advanced Badging License add-on for PWLE, PWPE and PWCE. This includes license only, and requires a single concurrent client license (part PW435SWCL).
PWRDR32	32 Reader License add-on
PRO-WATCH PROFESSIONAL EDITION SYSTEM UPGRADES	
PW435PRUPG	Pro-Watch PE Upgrade from 3.8x to 4.x; 60 days warranty
PWPECE32R	Upgrade from PE to CE for one server, maintains user count from PE and increases readers from 32 to 96
PWPECE64R	Upgrade from PE to CE for one server, maintains user count from PE and increases readers from 64 to 96
PRO-WATCH CORPORATE EDITION SOFTWARE	
PW435CESW	Pro-Watch 4.3.5 CE Server Software, 1 Server License, 1 Concurrent User License, 1 Concurrent Classic/Advanced Badging License, License for 96 readers
PW435CESWR	Redundant PWCESW Server & Licence
PW435SWCL	Single User Software License add-on for PWPE and PWCE
PW435SWCLR	Redundant PWCE Single User License
PWBADGEL	PW 4.3.5 Single Concurrent Classic/Advanced Badging License add-on for PWLE, PWPE and PWCE. This includes license only, and requires a single concurrent client license (part PW435SWCL).
PWBADGELR	Redundant PWCE Classic/Advanced Badging License
PWRDR32	32 Reader License add-on
PWRDR64	64 Reader License add-on
PWRDR128	128 Reader License add-on
PWRDR256	256 Reader License add-on
PWRDR512	512 Reader License add-on
PWRDR32R	Redundant PWCE 32-Reader License
PWRDR64R	Redundant PWCE 64-Reader License
PWRDR128R	Redundant PWCE 128-Reader License
PWRDR256R	Redundant PWCE 256-Reader License
PWRDR512R	Redundant PWCE 512-Reader License
PRO-WATCH CORPORATE UPGRADES (FROM PREVIOUS EDITIONS)	
PW435CRUPG	Pro-Watch CE upgrade from 3.8x to 4.x; 60 days warranty.
PW435CRUPGR	Pro-Watch CE Upgrade from 3.8x to 4.x Redundant; 60 days warranty.
PRO-WATCH ENTERPRISE EDITION SOFTWARE	
PW435EESW	Enterprise Edition Server Software - (1) Enterprise Server License, (1) Regional Server License, (2) Enterprise Client Licenses
PW435EESWR	Enterprise Edition Server Software - (1) Enterprise Server License, (1) Regional Server License, (2) Enterprise Client Licenses REDUNDANT
PW435EESWCL	Single User Software License Add-on to connect to a PWEE server
PW435EESWCLR	Single User Software License Add-on to connect to a PWEE server REDUNDANT
PW435EESWRS	Single Regional Server License Add-on to a Pro-Watch CE server to allow connection to a PWEE system
PW435EESWRSR	Redundant licence, single regional server
PRO-WATCH ENTERPRISE UPGRADES (FROM PREVIOUS EDITIONS)	
PW435ERUPG	Pro-Watch EE Upgrade from 3.8x to 4.x. Regional server upgrades must be purchased separately on same time. 60-day warranty
PW435ERUPGR	Pro-Watch EE Upgrade from 3.8x to 4.x. Regional server upgrades must be purchased separately on same time. 60-day warranty

Pro-Watch 4.3.5 Connected Building Platform

ORDERING

PART NUMBER	DESCRIPTION
PRO-WATCH PROFESSIONAL AND CORPORATE SYSTEM OPTIONS	
PWWRDR	1 Wireless reader add-on
PWWRDRR	Redundant 1 Wireless reader add-on
PWDSRDR	Lic. 1 Salto disconnected readers add-on, PWPE, PWCE
PWDSRDRR	Redundant Lic. 1 Salto disconnected readers add-on, PWCE
PWSTDMERIC	1 Mercury Standard protocol Intelligent Controller Licence, allows connection to legacy Mercury controllers.
PWSTDMERICR	Redundant 1 Mercury Standard protocol Intelligent Controller Licence
PWADVBDGBIO	Advanced Badging Biometric Enrollment License for Morpho readers
HSDKBCP	HSDK option for Suprema Biometric Readers
PWDBUT	Pro-Watch Database Transfer Utility** Import/Export
PWDBUT-R	Redundant Pro-Watch Database Transfer Utility** Import/Export
PWDBUT-API	Pro-Watch Database Transfer Utility via API. Required for cardholder data transfer, events and door control.
PWDBUT-API-R	Redundant Pro-Watch Database Transfer Utility via API. Required for cardholder data transfer, events and door control.
PWDWFX	DWFX Map Plug-In per concurrent workstation (Pro-Watch client license sold separately)
PWDWFX-R	DWFX Map Plug-In per concurrent workstation (Pro-Watch client license sold separately); redundant
PWINTSTENO	Pro-Watch interface to Stentofon Intercom System
PWINTSTENO-R	Redundant Pro-Watch interface to Stentofon Intercom System
PWINTCOMMEND	Pro-Watch interface to Commend Intercom System
PWINTCOMMEND-R	Redundant Pro-Watch interface to Commend Intercom System
PWDIMEN1	License for One Dimension Intrusion Panel (not available in North America)
PWDIMEN1-R	One Dimension Panel Redundant
PWMERCINTR	Mercury MRDT Intrusion Licence
PWMOBILERDR5	Licence to connect up to 5 Mobile readers
PRO-WATCH FACILITY MANAGER	
PWFM	Pro-Watch Facility Manager incl. 2000 datapoints, Pro-Watch, Galaxy and MaxPro VMS option

For more information

www.honeywellintegrated.com

Honeywell Security and Fire

Böblinger Str. 17
71101 Schönaich
Germany
www.honeywell.com

Pro-Watch® is a registered trademark of Honeywell International Inc. Microsoft®, Microsoft® BackOffice® and Windows® 2000 are registered trademarks of Microsoft Corporation

HSFV-PRW435LTD-01-EN(0917)DS-R
© 2017 Honeywell International Inc.