



WU 06-165/T-EN 54

- Softline-design
- dustproof
- BS 5839

EN54

CE

EN 54-24:2008
Ref. Nr.: 018-15
ID-Code: SAA-LS09
1438/CPR/0270

ic audio GmbH, Boehringerstraße 14a,
D-68307 Mannheim, Germany

CE-Symbol gemäß Richtlinie 93/68EWG


The 6W powered speaker is equipped with a 165mm full-range loudspeaker chassis and a 100V transformer with 3 power adjustments. The high-density, shock-resistant ABS-plastic front panel in white provides a low resonance sound. A sturdy front grille made of steel guarantees enduring stability. For additional reliability, a 2 pin-ceramic block, a thermal fuse is provided and the speaker chassis is impregnated against wetness.

The speaker is also secured with the protection class IP 21C against the security risks of environmental influences.


The speaker is also compliant with the British Standard BS 5839, Part 8.

Quick and easy mounting with screws.


Polar Diagrams



Frequency Response Diagrams



Technical Diagrams



Technical Data (Electrical)

Description	WU 06-165/T-EN 54
Power	6/3/1,5 W
Frequency Range	93 - 23.500 Hz
Frequency Response	72 - 23.500 Hz
SPL 1W/1m, peak	99,1 dB
SPL , 1W/4m, peak	87,1 dB
SPL Pmax/4m, peak	94,8 dB
Sensitivity EN54-24, 1W/4m	79,6 dB
Dispersion -6dB, 500Hz	h=180° v=180°
Dispersion -6dB, 1KHz	h=180° v=180°
Dispersion -6dB, 2KHz	h=180° v=102°
Dispersion -6dB, 4KHz	h=50° v=59°

Technical Data (Mechanical)

Dimensions	255x195x88 mm
IP Rating	IP21
Weight (net)	1,40 kg
Temperature range	-20 / +80 °C
Mounting	Flush mounting
Connector	2-pin ceramic block
Maximum cable cross section	8mm²
Max. cable cross section loop	2x2mm²
Colour	white

ic audio GmbH • Boehringerstraße 14a • D-68307 Mannheim • Germany
Fon: ++49 (0) 621 / 77096 -0 • Fax: ++49 (0) 621 / 77096 -26 • Email: info@ic-audio.com

Status: 2017-02-01

ic audio GmbH • Boehringerstraße 14a • D-68307 Mannheim • Germany
Fon: ++49 (0) 621 / 77096 -0 • Fax: ++49 (0) 621 / 77096 -26 • Email: info@ic-audio.com

Product Attributes



Measurements according to DIN IEC 268-5 | RoHS compliant (2011/65/EU)

Article Nr.: 20102245

Packing Unit: 8

ic audio GmbH • Boehringerstraße 14a • D-68307 Mannheim • Germany
Fon: ++49 (0) 621 / 77096 -0 • Fax: ++49 (0) 621 / 77096 -26 • Email: info@ic-audio.com