

DA-P 20-130/T-EN54

- quick Mounting
- high impact ABS plastic
- BS 5839

EN54

CE

EN 54-24:2008
Ref. Nr.: 020-14
ID-Code: SAA-LS20
1438/CPR/0388

ic audio GmbH, Boehringerstraße 14a,
D-68307 Mannheim, Germany

CE-Symbol gemäß Richtlinie 93/68EWG


The 20W powered speaker is equipped with a 130mm full-range loudspeaker and a 100V line transformer with 4 power adjustments. A robust ABS plastic housing in white and a solid aluminium mounting bracket ensures the permanent installation of this speaker.

For additional reliability, a 2 pin-ceramic block and a thermal fuse are provided in a junction box and the speaker chassis is impregnated against wetness.


The speaker is compliant with the British Standard BS 5839, Part 8.

Optionally available is a mast bracket (MB) for 90 up to 200mm mast diameter.

Polar Diagrams




Frequency Response Diagrams



ic audio GmbH • Boehringerstraße 14a • D-68307 Mannheim • Germany
Fon: ++49 (0) 621 / 77096 -0 • Fax: ++49 (0) 621 / 77096 -26 • Email: info@ic-audio.com

Technical Diagrams



Technical Data (Electrical)

Description	DA-P 20-130/T-EN54
Power	20/10/5/2,5 W
Frequency Range	150 - 20.000 Hz
Frequency Response	120 - 21.000 Hz
SPL 1W/1m, peak	99,5 dB
SPL , 1W/4m, peak	83,7 dB
SPL Pmax/4m, peak	96,7 dB
Sensitivity EN54-24, 1W/4m	75,0 dB
Dispersion -6dB, 500Hz	360°
Dispersion -6dB, 1KHz	252°
Dispersion -6dB, 2KHz	110°
Dispersion -6dB, 4KHz	58°

Technical Data (Mechanical)

Dimensions	145 x 222mm
IP Rating	IP56
Weight (net)	1,45kg
Temperature range	-20 / +90°
Mounting	Mounting bracket
Connector	2-pin ceramic block
Maximum cable cross section	8mm²
Max. cable cross section loop	2x2mm²
Colour	white

ic audio GmbH • Boehringerstraße 14a • D-68307 Mannheim • Germany
Fon: ++49 (0) 621 / 77096 -0 • Fax: ++49 (0) 621 / 77096 -26 • Email: info@ic-audio.com

Status: 2017-08-02

ic audio GmbH • Boehringerstraße 14a • D-68307 Mannheim • Germany
Fon: ++49 (0) 621 / 77096 -0 • Fax: ++49 (0) 621 / 77096 -26 • Email: info@ic-audio.com

Product Attributes



Measurements according to DIN IEC 268-5 | RoHS compliant (2011/65/EU)

Article Nr.: 20142815

Packing Unit: 8

ic audio GmbH • Boehringerstraße 14a • D-68307 Mannheim • Germany
Fon: ++49 (0) 621 / 77096 -0 • Fax: ++49 (0) 621 / 77096 -26 • Email: info@ic-audio.com

Status: 2017-08-02