# SECURE YOUR FUTURE IN A CONNECTED WORLD

High quality video IP solutions for NDAA Compliant Systems

The reliability, integrity and dependability of our video systems ensure that you can meet all of your existing and future security challenges with products that can be used as part of NDAA Section 889 compliant systems. Our ranges of IP Cameras, Network Video Recorders and Network Storage solutions, through to intelligent video analytics and sophisticated video management system.

- 30 and 60 Series IP Cameras
- Thermal Cameras Body Temperature Detection
- 30 Series Embedded NVRs
- MAXPRO®, Pro-Watch® and ADPRO® NVRs Network Video Recorders
- HERN Series Network Storage solutions
- MAXPRO® and Pro-Watch® VMS Video Management systems
- Hardware and Keyboards



	PART NUMBER	DESCRIPTION	OPTICAL	MINIMUM ILLUMINATION	ENVIRON.	SMART IR LEDS	WDR	POWER	ADDITIONAL INFORMATION
	IP INDOOR	IR MINIDOMES							7
	HC60W35R2	1/2.8" <b>5MP</b> TDN,	2.7-13.5mm, F1.4, MFZ	0.04 lux color/ 0 lux with IR LEDs on @	IP52/IK10	4 IR LEDs up to 30m	True WDR	12 VDC/ 24 VAC/PoF	ONVIFS & G, Up to 256GB micro
	HC60W35R4	Low-Light, 4 IR LEDs, H.265 Smart Codec	7-22mm, F1.6, MFZ	F1.4/1.6	11 32/1K±0	(98')	120 dB	12.95W Max	SDCard, Built-in microphone
	IP OUTDO	OR IR RUGGED DOM	ES						<b>ア</b> のテ 人
Bestang   12700	HC60W45R2	1/2.8" <b>5MP</b> TDN, Low-Light, 4 IR LEDs,	2.7-13.5mm, F1.4, MFZ	0.04 lux color/ 0 lux with IR LEDs on @	IK10/ IP67/	4 IR LEDs up to 50 m	True WDR	12 VDC/ 24 VAC/PoE+	ONVIFS & G Up
	HC60W45R4	H.265 Smart Codec	7-22mm, F1.6, MFZ	F1.4/1.6	NEMA 4X	(164')	120 dB	25.5 W Max	SDCard
Honywed	HC30W42R3	1/2.9" <b>2MP</b> /1080p TDN, 4 IR LEDs, H.265 Smart Codec	2.8mm, F2.0	0.065 lux color / 0 lux with IR LEDS on @ 2.0				12 VDC / PoE	70F
	HC30W45R3	1 /2 7 <b>! FMD</b> TDN	Fixed Lens	0.03 lux color / 0 lux with IR LEDS on @ 2.0	IK10 vandal resistant	3 IR LEDs up to 30 m	True WDR 120 dB	6.5 W Max	ONVIFS & G Up to 256GB micro
Bossel	HC30W45R2	1/2.7 <b>* 5MP</b> TDN, Low-Light, 4 IR LEDs, H.265 Smart Codec	2.8-12mm, F1.4, MFZ	0.035 lux color / 0 lux with IR LEDS on @ 1.4	IP66 rated	(98')	120 05	12 VDC / PoE 13 W Max	SDCard

IP PTZ DOME	E CAMERAS							FOF L
PART NUMBER	DESCRIPTION	OPTICAL / PTZ	MINIMUM ILLUMINATION	ENVIRON.	SMART IR LEDS	WDR	POWER	ADDITIONAL INFORMATION
HC60WZ2E30	1/2.8" <b>2MP/1080p</b> TDN Indoor/Outdoor	4.3-129 mm F1.6-F4.7, PTZ 360° continuous rotation	0.1 lux color/ 0.005 lux B/W @ F1.6	IK10 / IP68 / NEMA 4X	N/A	True WDR 120 dB	24 V AC/DC, 2A and UPoE	NDAA Section 889 Compliant, ONVIFS & G, Up to 256GB micro SDCard

Products range:

60 Series

30 Series



#### NDAA COMPLIANT VIDEO SOLUTIONS / IP CAMERAS

	IP OUTDOOR	RUGGED IRBULLET	S CAMERAS						
	HC60WB5R2	1/2.8" <b>5MP</b> TDN, Low-Light, 4 IR LEDs, H.265 Smart Codec	2.7-13.5mm, F1.4-2.8, MFZ 5-50mm,	0.04 lux color/ 0 lux with IR LEDs on @ F1.4	IK10 / IP67/ NEMA 4X	4 IR LEDs up to 60 m (195')	True WDR 120 dB	12 VDC/ 24 VAC/PoE+ 25.5 W Max	ONVIFS & G L to 256GB mic SDCard
		R IR BULLETS CAME	F1.9-2.1, MFZ	with IR LEDs on @ F1.9					
	HC30WB2R1	1/2.9" <b>2MP</b> TDN, IR LEDs, H.265 Smart Codec	2.8mm, F2.0,	0.065 lux color/ 0 lux				12 VDC/ PoE	'
	HC30WB5R1	1/2.7" <b>5MP</b> TDN,	Fixed Lens	with IR LEDs on @ F2.0	IP66	4 IR LEDs up to 50 m (164')	True WDR 120 dB	6.5 W Max	ONVIFS & G L to 256GB mic SDCard
	HC30WB5R2	IR LEDs, H.265 Smart Codec	2.8-12mm, F1.4, MFZ	0.035 lux color/ 0 lux with IR LEDs on @ F1.4				12 VDC/ PoE 13 W Max	1
	IP INDOOR/0	OUTDOOR IR FISHEY	E CAMERAS						
	HC30WF5R1	1/2.7" <b>5MP</b> TDN, IR LEDs, H.265 Smart Codec	1.16mm F2.25 (fisheye)	0.05 lux color/0 lux BW with IR LEDs on @ F2.25	IK10/ IP66	IR LEDS up to 20m (65)	True WDR 120 dB	12 VDC /PoE, 10.8 W	ONVIFS & G, I to 256GB mic SDCard, Built- microphone
	IP INDOOR/	OUTDOOR IR BALL C	AMERAS						
7	HC30WE2R3	1/2.9" <b>2MP</b> TDN, H.265	2.8mm, F2.0, Fixed Lens	0.065 lux color @ F2.0/0 lux B/W with IR LEDs on @ F2.0 0.03 lux color @ F2.0/0 lux B/W with IR	IP66	Smart IR,		12 VDC/ PoE+ 6.5W Max	
00				LEDs on @ F2.0	rated IK10	(10 up to 10 dal (16/1)	True WDR 120 dB		ONVIFS&G, Up to 256GB
	HC30WE5R2	1/2.7" <b>5MP</b> TDN, H.265	2.8-12mm MFZ, F1.4-F2.8	0.035 lux color @ F1.4/0 lux B/W with IR LEDs on @ F1.4	vandal resistant			12 VDC/ PoE 12.95W Max	micro SDCard

#### NDAA COMPLIANT VIDEO SOLUTIONS / THERMAL CAMERAS

30 Series

#### **Body Temperature Detecter**

60 Series

Products range:



The Modum is a highly accurate body temperature detection solution that offers a high level of temperature accuracy. When deployed with the Blackbody device in its field of view (supplied), the Modum Camera is accurate to within 0.54°F making it perfect for abnormal body temperature detection requirements.

#### **BASIC CONTENT**

Modum body temperature detection camera (384x288, 7.8mm lens or 640x512, 15mm lens), Blackbody, Modum PSU, 16.4ft cable assembly

HRCF-FD384H		Temperature Detecter 7.8mm with (A), (B)
HRCF-KIT-FD384	Н	Temp. Detecter $7.8 \text{mm}$ - kit / tripod with (A), (C), (E), (F), (G)
HRCF-KIT2-FD384	4H	Temp. Detecter 7.8mm - kit / tripod (no laptop) with (A), (B), (E), (F), (G)
HRCF-KIT-FD384	H-T	Temp. Detecter 7.8mm - kit $/$ trolley with (A), (C), (E), (F), (H)
HRCF-KIT2-FD384	4H-T	Temp. Detecter 7.8mm - kit / trolley (no laptop) with (A), (B), (E), (F), (H)
HRCF-FD640H		Temperature Detecter 15mm with (A), (B)
HRCF-KIT-FD640	Н	Temp. Detecter $15 \text{mm}$ - kit / tripod with (A), (C), (E), (F), (G)
HRCF-KIT2-FD64	DH	Temp. Detecter $15 \text{mm}$ - kit / tripod (no laptop) with (A), (B), (E), (F), (G)
HRCF-KIT-FD640	н-т	Temp. Detecter $15$ mm - kit / trolley with (A), (C), (E), (F), (H)
HRCF-KIT2-FD64	DH-T	Temp. Detecter 15mm - kit / trolley (no laptop) with (A), (B), (E), (F), (H)
ACCESSORIE	S & OP	TIONS
N/A	(A)	Modum camera wall mount
N/A N/A	(A) (B)	Modum camera wall mount Software on a USB flash drive
	(,	
N/A	(B)	Software on a USB flash drive
N/A HRCF-LAPTOP	(B) (C)	Software on a USB flash drive  Modum laptop (pre-configured)
N/A HRCF-LAPTOP HRCF-TRIPODM	(B) (C) (D)	Software on a USB flash drive  Modum laptop (pre-configured)  Modum camera tripod
N/A HRCF-LAPTOP HRCF-TRIPODM HRCF-TRIPODB	(B) (C) (D) (E)	Software on a USB flash drive  Modum laptop (pre-configured)  Modum camera tripod  Blackbody tripod
N/A HRCF-LAPTOP HRCF-TRIPODM HRCF-TRIPODB HRCF-WMB	(B) (C) (D) (E) (F)	Software on a USB flash drive  Modum laptop (pre-configured)  Modum camera tripod  Blackbody tripod  Blackbody wall mount
N/A HRCF-LAPTOP HRCF-TRIPODM HRCF-TRIPODB HRCF-WMB HRCF-CC	(B) (C) (D) (E) (F) (G)	Software on a USB flash drive  Modum laptop (pre-configured)  Modum camera tripod  Blackbody tripod  Blackbody wall mount  Modum carry case
N/A HRCF-LAPTOP HRCF-TRIPODM HRCF-TRIPODB HRCF-WMB HRCF-CC HRCF-TROLLEY	(B) (C) (D) (E) (F) (G)	Software on a USB flash drive  Modum laptop (pre-configured)  Modum camera tripod  Blackbody tripod  Blackbody wall mount  Modum carry case  Modum system trolley

#### 30 Series Embedded NVRs



PART NUMBER	DESCRIPTION
HN30080200	8 Chs NVR 4K (8 MP) Support, H.265/H.264, 8 Chs POE, AES256 stream encryption, 0 TB
HN30080202	8 Chs NVR 4K (8 MP) Support, H.265/H.264, 8 Chs POE, AES256 stream encryption, 2 TB
HN30080204	8 Chs NVR 4K (8 MP) Support, H.265/H.264, 8 Chs POE, AES256 stream encryption, 4 TB
HN30080208	8 Chs NVR 4K (8 MP) Support, H.265/H.264, 8 Chs POE, AES256 stream encryption, 8 TB
HN30080216	8 Chs NVR 4K (8 MP) Support, H.265/H.264, 8 Chs POE, AES256 stream encryption, 16 TB
HN30160200	16 Chs NVR 4K (8 MP) Support, H.265/H.264, 16 Chs POE, AES256 stream encryption, 0 TB
HN30160204	16 Chs NVR 4K (8 MP) Support, H.265/H.264, 16 Chs POE, AES256 stream encryption, 4 TB
HN30160208	16 Chs NVR 4K (8 MP) Support, H.265/H.264, 16 Chs POE, AES256 stream encryption, 8 TB
HN30160216	16 Chs NVR 4K (8 MP) Support, H.265/H.264, 16 Chs POE, AES256 stream encryption, 16 TB
HN30160220	16 Chs NVR 4K (8 MP) Support, H.265/H.264, 16 Chs POE, AES256 stream encryption, 20 TB

#### MAXPRO® NVRs family

MAXPRO NVRs are open, flexible and scalable high definition IP video surveillance systems that have new technology and features that simplify operation and save time on install and training.

	NVR TYPE	DESCRIPTION	CHANNELS	STORAGE	RECORDING RATE	NETWORK THROUGHPUT
	MAXPRO NVR XE	MAXPRO NVR Express Edition	8 or 16 Channels	Up to 20TB	Up to 480 fps @ 1080p (4 Mbps bitrate) HD	Incoming: 65 Mbps Outgoing: 180 Mbps Total: 245 Mbps
	MAXPRO NVR SE	MAXPRO NVR Standard Editio	32, 48, or 64 Channels	up to 60TB	Up to 1280 fps @ 1080p (4 Mbps bitrate)	Incoming: 160 Mbps Outgoing: 350 Mbps Total: 510 Mbps
	MAXPRO NVR PE	MAXPRO NVR Professional Edition	32, 48, 64, or 128 Channels	up to 144TB (120TB @RAID5, or 109TB @RAID 6)	Up to 3840 fps @ 1080p (4 Mbps bitrate)	Incoming: 500 Mbps Outgoing: 425 Mbps Total: 800 Mbps
7.45	MAXPRO NVR SW	MAXPRO NVR Software Edition	Up to 128 Channels	8	Up to 3840 fps @ 1080p (4 Mbps bitrate) HD	Incoming: 500 Mbps Outgoing: 425 Mbps Total: 800 Mbps

### MAXPRO® Software Only Licenses



PART NUMBER	DESCRIPTION
MPNVRSW4	MAXPRO NVR Software – Base Software and License for 4 Channels
MPNVRSW8	MAXPRO NVR Software – Base Software and License for 8 Channels
MPNVRSW16	MAXPRO NVR Software – Base Software and License for 16 Channels
MPNVRSW32	MAXPRO NVR Software – Base Software and License for 32 Channels
MPNVRSW48	MAXPRO NVR Software – Base Software and License for 48 Channels
MPNVRSW64	MAXPRO NVR Software – Base Software and License for 64 Channels
MPNVRSW96	MAXPRO NVR Software – Base Software and License for 96 Channels
MPNVRSW128	MAXPRO NVR Software – Base Software and License for 128 Channels

PART NUMBER	DESCRIPTION
MPNVRSW1UP	MAXPRO NVR Software – 1 Channel License Upgrade
MPNVRSW4UP	MAXPRO NVR Software – 4 Channel License Upgrade
MPNVRSW8UP	MAXPRO NVR Software – 8 Channel License Upgrade
MPNVRSW16UP	MAXPRO NVR Software – 16 Channel License Upgrade
MPNVRSW32UP	MAXPRO NVR Software – 32 Channel License Upgrade
MPNVRSW64UP	MAXPRO NVR Software – 64 Channel License Upgrade to add support for up to 128 Channels per NVR

#### MAXPRO® NVR XE (Xpress Edition)

8/16-Channel Entry Level Network Video Recorder (NVR)

Refer to the storage calculator on www.honeywellvideo.com to help determine what size unit to order.



## etermine what size unit to order. MAXPRO NVR XE – CONFIGURATIONS

# of Channels
08 C 04T

Internal Storage
04T = 4 TB storage
08T = 8 TB storage
12T = 12 TB storage
16T = 16 TB storage
20T = 20 TB storage

#### MAXPRO NVR XE – CHANNEL UPGRADE LICENSE

HNM01UP

MAXPRO NVR -1 Channel License Upgrade. Applicable for MAXPRO NVR XE, Rev C, 8 Channel (HNMXEO8C\*\*\*) units only to add support up to 16 Channels.

#### MAXPRO® NVR SE (Standard Edition)

32/48/64-Channel Network Video Recorder (NVR)

Refer to the storage calculator on www.honeywellvideo.com to help determine what size unit to order.



#### **MAXPRO NVR SE - CONFIGURATIONS** C 04T **HNMSE** 64 MAXPRO® NVR SE Internal Storage 24T = 6 x 4 TB storage $O4T = 1 \times 4 TB storage$ 36T = 6 x 6 TB storage # of Channels 08T = 2 x 4 TB storage 48T = 6 x 8 TB storage 32 = 32 Channels 16T = 4 x 4 TB storage 48 = 48 Channels 60T = 6 x 10 TB storage Rev C - 6 bay unit -64 = 64 Channels

MAXP	RO NVR SE – CHANNEL UPGRADE LICENSES
HNM01UP	MAXPRO NVR – 1 Channel License Upgrade to add support for up to 64 Channels per NVR
HNM04UP	MAXPRO NVR – 4 Channel License Upgrade to add support for up to 64 Channels per NVR
HNM08UP	MAXPRO NVR – 8 Channel License Upgrade to add support for up to 64 Channels per NVR
HNM16UP	MAXPRO NVR – 16 Channel License Upgrade to add support for up to 64 Channels per NVR
HNM32UP	MAXPRO NVR – 32 Channel License Upgrade to add support for up to 64 Channels per NVR

	ACCESSORIES
HNMSECHD2T	2 TB Upgrade Kit, MAXPRO NVR SE, Rev C Server
HNMSECHD4T	4 TB Upgrade Kit, MAXPRO NVR SE, Rev C Server
HNMSECHD6T	6 TB Upgrade Kit, MAXPRO NVR SE, Rev C Server
HNMSECHD8T	8 TB Upgrade Kit, MAXPRO NVR SE, Rev C Server
HNMSECHD10T	10 TB Upgrade Kit, MAXPRO NVR SE, Rev C Server
HNMSXCWS2K16	Microsoft® Windows 10 to Windows Server 2016 Upgrade


#### MAXPRO® NVR PE (Professional Edition)

32/48/64/128-Channel Enterprise Network Video Recorder (NVR)

 $Refer to the storage \ calculator \ on \ www.honeywellvideo.com \ to \ help \ determine \ what \ size \ unit \ to \ order.$ 



Windows 10 to Windows Server 2016 OS Factory Upgrade



HNMPECWS2K16

#### Pro-Watch® NVRs family

Pro-Watch NVR is a flexible, scalable and open IP video surveillance system, including the Pro-Watch NVR PE/HE with 64 to 256 channels as well as a software based solution.

NVR TYPE	DESCRIPTION	CHANNELS	STORAGE	RECORDING RATE	NETWORK THROUGHPUT
Pro-Watch NVR PE	Pro-Watch NVR Professional Edition	64, 128 or 256 Channels	up to 192TB (145TB @RAID5, or 160TB @RAID 6)	Up to 7680 fps @ 1080p (4 Mbps bitrate)	Total: 1800 Mbps
Pro-Watch NVR HE	Pro-Watch NVR Storage Edition	64, 128 or 256 Channels	up to 384TB (320TB @RAID5, or 334TB @RAID 6)	Up to 7680 fps @ 1080p (4 Mbps bitrate)	Total: 1800 Mbps
Pro-Watch NVR SW	Pro-Watch NVR Software Edition	Up to 256 Channels	8	Up to 7680 fps @ 1080p (4 Mbps bitrate) HD	Total: 1800 Mbps

#### **Pro-Watch® Software Only Licenses**

_	107	m.
•	Ž.	
	1	٠.

PART NUMBER	DESCRIPTION
PWNVRSW4	Pro-Watch NVR Software – Base Software and License for 4 Channels
PWNVRSW8	Pro-Watch NVR Software – Base Software and License for 8 Channels
PWNVRSW16	Pro-Watch NVR Software – Base Software and License for 16 Channels
PWNVRSW32	Pro-Watch NVR Software – Base Software and License for 32 Channels
PWNVRSW48	Pro-Watch NVR Software – Base Software and License for 48 Channels
PWNVRSW64	Pro-Watch NVR Software – Base Software and License for 64 Channels
PWNVRSW96	Pro-Watch NVR Software – Base Software and License for 96 Channels
PWNVRSW128	Pro-Watch NVR Software – Base Software and License for 128 Channels

PART NUMBER	DESCRIPTION
PWNVRSW1UP	Pro-Watch NVR Software – 1 Channel License Upgrade
PWNVRSW4UP	Pro-Watch NVR Software – 4 Channel License Upgrade
PWNVRSW8UP	Pro-Watch NVR Software – 8 Channel License Upgrade
PWNVRSW16UP	Pro-Watch NVR Software – 16 Channel License Upgrade
PWNVRSW32UP	Pro-Watch NVR Software – 32 Channel License Upgrade
PWNVRSW64UP	Pro-Watch NVR Software – 64 Channel License Upgrade to add support for up to 128 Channels per NVR


#### Pro-Watch® NVR PE/HE (Professional Edition)

64/128/256-Channel Enterprise Network Video Recorder (NVR)

 $Refer to the storage \ calculator \ on \ www.honeywell video.com \ to \ help \ determine \ what \ size \ unit \ to \ order.$ 



#### **PRO-WATCH NVR - PART NUMBER LOOKUP**



#### **ADPRO iFT**

Up to 32 IP Channels or up to 16 Analytics NVR

	ADPRO IFT IP ONLY - TRANSMISSION AND RECORDING
60021310	ADPRO iFT 8 IP-2TB-8I-40
60041610	ADPRO iFT 16 IP-6TB-8I-40
60041810	ADPRO iFT 16 IP-10TB-8I-40



#### **ADPRO iFT-E**

Up to 32 IP Channels with up to 32 Analytics NVR

ADPRO IFTE IP ONLY - TRANSMISSION AND RECORDING		
63021510	ADPRO iFTE 8 IP-4TB-8I-40	
63041610	ADPRO iFTE 16 IP-6TB-8I-40	
63041810	ADPRO iFTE 16 IP-10TB-8I-40	



#### **ADPRO iFT Gateway**

4 IP with option to add 4 Analytics NVR

ADPRO IFT GATEWAY		
66000000	iFT Gateway (must be ordered in multiples of 10 units)	
49976020	iFT Gateway Analytics Pack	





#### **ADPRO iFT Kits**

KIT PART NUMBER		QTY	COMPONENT P/N	DESCRIPTION
ANVR82VA2IP	ADPRO IFT 8IP 2TB, 2 IT, 2IP	1	60021310	ADPRO iFT 8IP-2TB-8IN/40UT
		1	49975415	IntrusionTrace XO - For 2 Video Channel
		1	49977011	iFT(E)/FastTrace 2E/XO - 2 Channel IP License
ANVR164VA4IP	ADPRO iFT 16IP 6TB, 4 IT, 4IP	1	60041610	ADPRO iFT 16IP-6TB-8IN/40UT
		1	49975412	IntrusionTrace XO For 4 Video Channel
		1	49977012	iFT(E)/FastTrace 2E/XO - 4 Channel IP License

#### **HERN SERIES NETWORK STORAGE**

RAID Video Storage Solution for MAXPRO® NVRs

Honeywell's MAXPRO NVR (network video recorder) video management system are industry-leading enterprise class digital video solution, built upon best-in-class components that provide the flexibility and scalability suited to a variety of end user applications.

HERN SERIES		
PART NUMBER	DESCRIPTION	
HERN30T5	Storage Array, 5 bay, 5x 6TB SATA hard drives, 30TB raw, desktop model	
HERN40T5	Storage Array, 5 bay, 5x 8TB SATA hard drives, 40TB raw, desktop model	
HERN48T8	Storage Array, 8 bay, 8x 6TB SATA hard drives, 48TB raw, desktop model	
HERN64T8	Storage Array, 8 bay, 8x 8TB SATA hard drives, 64TB raw, desktop model	
HERN72T12	Storage Array, 2U 12 bay, 12x 6TB SATA hard drives, 72TB raw, rack mount kit	
HERN96T12	Storage Array, 2U 12 bay, 12x 8TB SATA hard drives, 96TB raw, rack mount kit	
HERN96T16	Storage Array, 3U 16 bay, 16x 6TB SATA hard drives, 96TB raw, rack mount kit	
HERN128T16	Storage Array, 3U 16 bay, 16x 8TB SATA hard drives, 128TB raw, rack mount kit	
HERN144T24	Storage Array, 4U 24 bay, 24x 6TB SATA hard drives, 144TB raw, rack mount kit	
HERN192T24	Storage Array, 4U 24 bay, 24x 8TB SATA hard drives, 192TB raw, rack mount kit	



#### NDAA COMPLIANT VIDEO SOLUTIONS / VIDEO MANAGEMENT SYSTEM

#### **MAXPRO® VMS**

Video Management System

MAXPRO® VMS controls multiple sources of video subsystems to enhance the user's video surveillance experience with maximum efficiency and minimum effort. Using an open architecture and IP-based systems, MAXPRO VMS leverages an existing video infrastructure to collect, manage and present video in a clear and concise manner.

MAXPRO VMS SOFTWARE		
HNMSWVMSLT	MAXPRO VMS Lite Software	
HNMSWVMS	MAXPRO VMS Base Software	
HNMUG	Upgrade MAXPRO VMS Lite to MAXPRO VMS	
HNMSWVMS-B	Redundant MAXPRO VMS Base Software License	
HNMSWCL	MAXPRO View - Single Client License	
HNM64	MAXPRO Additional license 64 Base Channels	
HNMxxx	MAXPRO Additional license "128, 192, 256, 384, 448, 512" Base Channels	



#### ProWatch® VMS

Video Management System

Honeywell's Pro-Watch VMS (video management system) controls multiple sources of video subsystems to collect, manage and present video in a clear and concise manner. Pro-Watch VMS intelligently determines the capabilities of each subsystem across various sites, allowing video management of analog or digital video devices through a unified configuration and viewer.



PRO-WATCH VMS - PART NUMBERS AND LICENSING		
PRO-WATCH VMS	- BASE SOFTWARE AND LICENSES	
PWSWVMSEE	Pro-Watch VMS Enterprise Edition Base Software, supports unlimited cameras, redundancy, failover and VMS-in-VMS management, includes (5) view client licenses	
PWSWVMSCE	Pro-Watch VMS Corporate Edition Base Software, supports maximum 1536 cameras, redundancy and failover, includes (3) view client licenses	
PWSWVMSPE	Pro-Watch VMS Professional Edition Base Software, supports maximum 256 cameras, includes (1) view client license	
PWUGPECE	Upgrade Pro-Watch VMS Professional Edition to Corporate Edition	
PWUGCEEE	Upgrade Pro-Watch VMS Corporate Edition to Enterprise Edition	
PWSWVMSEE-B	Redundant Pro-Watch VMS Enterprise Edition Base Software License	
PWSWVMSCE-B	Redundant Pro-Watch VMS Corporate Edition Base Software License	
SSAPWVMS	Annual software support agreement - Pro-Watch VMS Base software	
SSAPWRED	Annual software support agreement - redundant Pro-Watch VMS software	
SSA24PWVMS	Annual 24/7 software support agreement - Pro-Watch VMS base software	
SSA24PWRED	Annual 24/7 software support agreement - redundant Pro-Watch VMS software	
SSAEUPWVMS	Annual End User 24/7 software support agreement - Pro-Watch VMS base software	
SSAEUPWRED	Annual End User 24/7 software support agreement - redundant Pro-Watch VMS software	
PRO-WATCH VMS	PRO-WATCH VMS ADD-ON LICENSE	
PWSUCLIP	Pro-Watch VMS Selective Unmasking Clip Export License	
PRO-WATCH CLIENT LICENSE – ONE LICENSE PER CONNECTED WORKSTATION (CLIENT APPLICATION CAN RUN MULTIPLE INSTANCES)		
PWSWCL	Pro-Watch View - Single Client License	
PWSWCL-B	Redundant Pro-Watch View - Single Client License	

#### NDAA COMPLIANT VIDEO SOLUTIONS / NETWORK STORAGE

#### **NVR/VMS WORKSTATIONS**

Enterprise Class Digital Recording/Video Management System

 $Honey well's \, MAXPRO/Pro-Watch \, NVR \, (network \, video \, recorder) \, and \, MAXPRO/Pro-Watch \, VMS \, (video \, management \, system) \, are \, an \, industry-leading \, enterprise \, class \, digital \, CCTV \, solution.$ 

	MAXPRO/PRO-WATCH WORKSTATIONS
HMW6T	Tower Workstation for MAXPRO® with four monitor connections
HMW6R	1U Rackmount, Workstation for MAXPRO® with four monitor connections
PWW6T	Tower Workstation for Pro-Watch® with four monitor connections
PWW6R	1U Rackmount, Workstation for Pro-Watch® with four monitor connections



#### **VMS SERVER**

Video Management System Server

Powered by the latest Intel $^{\circ}$  Xeon $^{\circ}$  processor family, the VMS Server delivers the right mix of performance, redundancy and value in a dense 1-socket, 1U chassis.

MAXPRO-PRO-WATCH SERVER		
HMSP3	MAXPRO VMS Performance Server, 1U, Redundant Power Supply, Server 2016, Xeon E-2134, 16GB	
HMS8PUPG	8 serial output card for HMSP3	
HMSP3RAM32G	16 to 32 GB memory Upgrade Kit for HMSP3 MAXPRO VMS Server	
PWSP3	Pro-Watch VMS Performance Server, 1U, Redundant Power Supply, Server 2016, Xeon E-2134, 16GB	



#### **ULTRAKEY**

Keyboards

The ULTRAKEY keyboards are an industry-leading design for reliable, user-friendly control of video management systems

ULTRAKEY KEYBOARDS	
НЈК7000	UltraKey Plus keyboard - Programmable joystick keyboard with color touch screen
HJC5000	UltraKey Lite® keyboard- Programmable joystick keyboard with B&W screen



#### For more information

www.security.honeywell.com/ndaa

#### **Honeywell Commercial Security**

715 Peachtree St. NE Atlanta, GA 30308 1.800.323.4576 www.honeywell.com

