



Coming Soon From NOTIFIER **NEW!** FirstCommand Emergency Communications System

May 16, 2013

At NFPA in June NOTIFIER will be introducing a new product line for Emergency Communications. This new offering, FirstCommand, will give our Valued Business Partners, more opportunities to deliver Emergency Communications and Mass Notification solutions to your new and existing customers. NOTIFIER's First Command is optimal for small facilities that require voice evacuation, emergency communications systems or both. Typical applications for FirstCommand are retail, auditoriums, theatres and restaurants, places of worship, parking garages, warehouses and museums.

Activated via serial communications, NAC polarity reversal or contact closure, the FirstCommand voice evacuation, paging, and separate firefighter telephone system integrates quickly and easily with new or existing fire alarm systems. Other features include:

- Base unit includes a 50 watt, 25V amplifier and one speaker circuit. Optional second amplifier can be used to add 50 watts of audio power and a second speaker circuit to the base unit or the second amplifier can be configured as a backup amplifier
- System is expandable up to 1,100 watts with up to 8 distribution amplifiers, 50 and 125 watts options available. Each distribution amplifier has 2 speaker circuits built in.
- Up to 24 speaker circuits on a fully loaded system.
- Up to 14 unique messages
- Each field-recordable message can be 60 seconds in length
- Built-in 2 amp NAC circuit
- Live paging with built-in microphone, including ALL CALL feature
- Supports up to eight Local Operator Consoles (LOC), Remote Paging Units (RPU) and Remote Microphones (RM) in any combination
- 25 or 70 volt operation
- UL 864 and 2572 listed Voice Evacuation and Emergency Communications System
- Unified Facilities Criteria (UFC) 4-021-01 compliant



Product Announcement

- Meets NFPA 72 Chapter 24 Emergency Communications requirements

Datasheets for the FirstCommand system along with a presentation that you can use to introduce FirstCommand to your customers will be available shortly. Refer to the datasheets for details on FirstCommand accessories.

Here is an overview of the new FirstCommand part numbers. Pricing will be released in June 2013.

NFC-50/100	Multipurpose emergency communication/Mass notification system. May be used with any UL-listed fire alarm control panel or NFC-50/100 seamlessly integrates with FireWarden and NFS-320 addressable panels.
NFC-50/100E	Multipurpose emergency communication/Mass notification system. May be used with any UL-listed fire alarm control panel or NFC-50/100 seamlessly integrates with FireWarden and NFS-320 addressable panels.
NFC-50DA	Distributed Audio Amplifier. Externally mounted amplifier provides an additional 50 watts of addressable audio power when connected to the NFC-50/100. 120VAC, 60Hz, 1200mA (max)
NFC-50DAE	Distributed Audio Amplifier. Externally mounted amplifier provides an additional 50 watts of addressable audio power when connected to the NFC-50/100. 240VAC, 50Hz, 600mA (max)
NFC-125DA	Distributed Audio Amplifier. Externally mounted amplifier provides an additional 125 watts of addressable audio power when connected to the NFC-50/100. 120VAC, 60Hz, 2200mA (max)
NFC-125DAE	Distributed Audio Amplifier. Externally mounted amplifier provides an additional 125 watts of addressable audio power when connected to the NFC-50/100. 240VAC, 50Hz, 1250mA (max)
NFC-FFT	Fire Fighter Telephone. System provides secure and reliable communications for firefighters.
NFC-RPU	Remote Page Unit. Includes built-in microphone for ALL CALL paging along with message control.
NFC-LOC	Local Operator Console. Provides a complete control interface like the NFC-50/100. Includes built in microphone for ALL CALL paging along with message and zone control.



Product Announcement

Obsolete Notification of FireVoice Products

Since the new Emergency Communications solution will surpass the capabilities of the FireVoice 25/50 family of voice evacuation products, the FireVoice 25/50 product line will be discontinued on or about June 30, 2013. All part numbers to be discontinued are in the table below.

Products to be Discontinued on or about 6/30/2013	Suggested FirstCommand replacement for new installations. Not compatible with FireVoice
NFV-25/50	NFC-50/100
NFV-25/50ZS	NFC-50/100 plus NFC-CE6
NFV-25/50DA	NFC-50DA or NFC-125DA (up to 1,100 watts total).
ACC-AM25	NFC-BDA-25V or -70V
ACC-EPM	NFC-RTZM
FC-XRM70	NFC-XRM-70V

Products discontinued as of April 2, 2013	For new installations only - Not compatible with FireVoice
NFV-25/50DAZS	NFC-50/100 plus NFC-CE6 and/or NFC-CE4
NFV-25/50ZST	NFC-50/100 plus NFC-FFT and phones
NFV-FFT	NFC-FFT
NFV-TR	NFC-CE-B
VEC-RM	NFC-RM

For any existing projects where you may have quoted the FireVoice 25/50, please contact Customer Service now to arrange delivery before June 15, 2013. All orders will be fulfilled in order of receipt and NOTIFIER cannot guarantee all orders can be filled. Spare parts for the FireVoice 25/50 family of products will be available for the foreseeable future and repair services will be offered as well.