

UL Online Certifications Directory

[OCD Home](#) [Quick Guide](#) [Contact Us](#) [UL.com](#)

UTOU.S1632

Control Units and Accessories, Household System Type

[Page Bottom](#)

Control Units and Accessories, Household System Type

[See General Information for Control Units and Accessories, Household System Type](#)

HONEYWELL SECURITY

S1632

SUITE 100

2 CORPORATE CENTER DR

PO BOX 9040

MELVILLE, NY 11747 USA

Control unit accessories: Bell/Siren supervision module, Model BSSM, intended for use with the manufacturers Listed Control units as specified in the installation instructions.

Combination control unit system, VECTOR 3000. Intended for use with the accessories described for the Model 4137 Keypad and the Model 4220 supervised wireless receiver/transponder. The Model 4220 is not intended for use in commercial fire and burglar alarm applications.

Combination control units , Models OMNI-408EU, XL-20 with Built-In Wireless Receiver, combination Household Fire and Burglary Warning System Control Unit with Integral Digital Alarm Communicator. For use with other separately Listed Accessories as indicated in the Manufacturer's Installation and Operating Instructions.

Combination control units: Models OMNI-624, OMNI-624EU, OMNI-848, OMNI-848EU, FA848C with built-in wireless receiver, combination Household Fire and Burglary Warning System Control Unit with Integral Digital Alarm Communicator. For

use with other separately Listed Accessories as indicated in the manufacturer's Installation and Operating Instructions .

Combination control units, Model 4157 console, Model 9787 keyswitch, with or without Model 4208 zone expander, with or without digital alarm communicator transmitters. Intended for installation by experienced installers only.

Combination control unit, Vista-AT, Part No. 4140 intended for use with the following accessories: With or without Model 5137 console, Models 1350 or 1450 power packs, compatible UL Listed speaker rated 12 v dc, 2A max, 85dB (A) min, 4208 zone expander; intended for use with 4148 relay board, 4144 and 4144-1 terminal block subassemblies.

Combination control units, Model 5137AD. May include a prefix or suffix number or letter(s). These designation represents cosmetic changes only, Model 740 speaker, with or without Model 4208 zone expander . Intended for installation by experienced installers only.

Control unit accessory: Model XL-4500RM for use with the Model XL-4500 control unit.

Combination control unit systems, Models 4190, 41901 remote point module, 4208HM remote panel module, 4208HM-1 remote point module power supply and 4157 console. Provided with integral digital alarm communicator transmitter.

Control/communicators , Models Destiny-4100, Destiny-6100, Destiny-6100AN. Intended for use with the accessories as indicated in the installation manual.

Control unit accessory, Model COM-UL control unit enclosure suitable for use with this manufacturer separately listed subassembly circuit boards to form a listed commercial or residential burglar or fire alarm system.

Control unit accessory, Models FA215KP , FA560KP, remote keypads to be employed with manufacturer's compatible listed control unit systems as indicated in the installation instructions.

Control unit supplemental accessories , Universal Voice Verification System Models UCM Control Module, UVST and UVSTADTA Remote Stations.

Control unit accessories, Models 5881EH, 5881ENH, 5881ENL, 5881ENM, 5881H, 5881H1, 5881L, 5881L1, 5881M1, 5881M RF receivers for use with the following: Model 5801 panic transmitter, Model 5803 arm/disarm key transmitter, Models 5815, 5816, 5816MN, 58161 door/window transmitter, Models 5817, 58171 multi-point universal transmitter, Model 5818 recessed transmitter, Models 5827, 58271 remote keypad, Models 6137, 6137R remote console for use with this manufacturers control

panels as stated in the instruction manual accompanying this keypad. May include a prefix or suffix number or letter(s). These designation represents cosmetic changes only.

Control unit accessories, Model WA791-10 removable terminal block assembly intended for use with ADEMCO's Listed control units/communicators employing vertical quick-connect posts: Part No. WA790-10; Model 346 reversing relay; Models 518-12, 713 horns; Model 714 horn driver module; Model 745.

Model 4179 timer module for use with Listed Models 678/678UL-B/678UL-F.

Control unit accessories, for XL Series control units: 671 indoor horn, either 679 or VS-279 siren driver, Model 330 module.

Combination control unit: Model XL-2T for use with other separately Listed accessories as indicated in the manufacturer's installation and operating instructions.

Combination control unit: Model XL-2P, for use with other separately Listed devices as indicated in the Installation diagrams and Instructions to form a household fire and burglary warning system control unit.

Control unit accessories, Models XL4600LCDP, 6615, XK-206, XK-406, 6805, XK-2LC, XK-4LC keypads.

Control Unit Accessories for use with the Omni and XL Series Control Units, Voice Siren Driver VS279, Switching Module 330, 671 Horn, 679 Siren Driver.

Control unit accessory wireless siren module, Model 5800WAVE, for use with Ademco Listed control units that support the Listed RF Transceiver, Model 5883. Also suitable for use with Listed Control Units, LYNX Series.

Above units intended for installation by experienced alarm installers only.

Control unit accessories: Two-Zone expander modules, Model 4190SW-XX where XX indicates enclosure color; Model 4190U, suitable for use with manufacturer's compatible Listed Control Units as indicated in the installation instructions.

Control unit accessories: Eight-Zone Remote Point Modules, Models 4208U, 4208SN, to be employed with manufacture's compatible Listed Control Unit Systems as indicated in the installation instructions.

Control unit accessory: Eight-Zone remote point module, Model 4208U, to be employed with manufacture's compatible Listed Control Unit Systems as indicated in the installation instructions.

Control unit accessories, Model 4101SN-XX Multiplex single zone expander and relay module, suitable for use with the manufacturer's compatible Listed control units as indicated in the installation instructions.

Control unit accessories, Models 4204 relay module, 4219 wired zone expander, 4229, 42291 wired zone expander/relay modules. Suitable for use with manufacturer's compatible Listed control units as indicated in the installation instructions.

Control unit accessory: Model VS-299 siren driver, compatible with the control units and sirens stated in the installation instructions.

Control unit accessories, Model 5330 alpha console, Models FA250, FA550, 4137, 4137AD, 4147, 6127, 6137, 6138, 6139, 6139R Consoles. May include a prefix or suffix number or letter(s). These designation represents cosmetic changes only. To be employed with manufacturer's compatible Listed control unit systems as indicated in the installation instructions.

Control unit accessory, Model 4208SNF, Eight zone remote point module/Class A interface, to be Employed with manufacture's compatible Listed Control Unit Systems as indicated in the Installation instructions .

Control unit accessories, Models FA210KP, 6128 remote console, to be employed with manufactures compatible Listed control unit systems as indicated in the installation instructions.

Control unit accessories, Models 6128RF, 6128WL, 6137RFB, 6150RF, 6150RFPL2, 6150RFPL3, 6150RFAAA, 6150RFADT, 6150RFCF, 6150RFMT, FA260RF, FA270RF, FA6150RF-GP, FA570RF, 6160RF, 6160RFMT, 6160RFPL2, remote consoles, to be employed with manufacturers compatible Listed control unit systems as indicated in the installation instructions.

Control unit accessories, Models 7015, XK-708, XK-316.

Control unit accessories, End-of-line resistor kits, Models E0L10, E0L20. Keypad, Models 7005, XK-7LC, XL4702F rpm.

Control unit accessories, Models XK-3LC, XK-5LC keypads.

Control unit accessories, XK-508, XK-512, XK-516.

Control unit accessory, Universal Group Zoning multiplex module, Models 4209U. Polarity reversing module, Model 333 PRM, Suitable for use with manufacturer's compatible Listed control units as indicated in the installation instructions.

Grade A combination control units, Model 5720XR, for use with the following accessories: Models 5330 security consoles, Model 5703 door/window transmitter, Models 5711, 5711WM window transmitters, Model 5701 panic transmitters, Model 5715 universal transmitter and the Model 5727 remote keypad. Also for use with the separately Listed 5775 passive infrared detector transmitter and Model 5706 smoke

detector adapter/transmitter. For use with the separately Listed 713 horn, Model 685 receiver. Fire alarm output is to be connected to a Listed Ademco bell, Model UF-8.

Grade A combination control units, Models 5623, 5623SE for use with Listed accessories as indicated in the installation instructions to form a combination fire and burglary household warning system.

Grade A combination control units, Models 4130XM, 4140XM, 5130XM, FA1000C, FA1000UL intended for use with the following accessories: Model 1360 or 1460 power pack (4130XM5130XM), Model 740 speaker (supplemental use only), with or without Model 4152LMB loop module, 4208 zone expander, 4197 line extender, 4171ATX-XM or 4171XT-XM dialer, 688 switching module, 4280 or 4280-8RF interface, 4137, 4137AD, FA300KP, Premier 4437 consoles, 5137AD, FA500KP, Premier 5437 consoles (4140ATX, 4140XM, 5130XM, FA500C, FA1000CFA1000UL), 4144-2 terminal block (4140ATX, 4140XM, FA1000C, FA1000UL). Models 4280, 4280-8 interfaces suitable for use with the 5700 Series of wireless devices. Models 4171ATX-XM or 4171XT-XM dialers with Model 4152LMB loop module capable of interfacing with polling loop devices identified in the product's installation instructions including the DCID smoke detector Models 4192CP, 4192SD, 4192SDT. Intended for installation by experienced installers only.

Grade A Combination control unit, Model 4120XM with integral digital alarm communicator.

Control unit accessory: Serial Number Interface Module (SIM) Model 4193SN must be mounted inside the Control Panel cabinet or inside a UL Listed Junction Box. For Fire you must use the Supervised Zone, the Unsupervised Zone can be used for Burglary as noted.

Control unit accessory, fire supervisory module, Model FSM.

Combination control unit, Model 4140XMP, FA1200C with integral digital alarm communicator. Intended for use with separately Listed consoles, Models 4127, 4137, 4137AD, 5137AD. Can also be used with Listed Model 1361PW AC transformer. Intended for installation by experienced installers only. May include a prefix or suffix number or letter(s). These designation represents cosmetic changes only.

Grade A combination control units, Models FA1300C, Vista-40, FA1220CVista-50, Vista-50P, 4140XMPT, FA1300C , 4140XMPT2, FA1330C partitioned security system with integral digital alarm communicator, suitable for use with other separately Listed accessories as indicated in the manufacturers installation and operating instructions, can also be used with Listed Model 1361PW AC transformer.

Control units: Models 4152, 140, 4140XM, FA1000C, FA1000UL, 5720.

Control unit accessory, Telephone Call Processor Module Model VTMOD for use with Listed compatible control panels as indicated in the installation instructions.

Control unit accessory, Models 4100SM, 4100SM1 serial interface module suitable for use with Listed control panels as indicated in the specific control panel installation instructions.

Control unit accessory, Model 4142TR cable assembly.

Control unit accessory, Model 4146 Keyswitch suitable for use with Listed control panels as indicated in the specific control panel installation instructions. When used as a fire alarm silencing switch, the Model 4146 Keyswitch must be installed adjacent to an alphanumeric (English language) keypad.

Control unit accessories: Models 4281L, 4281M, 4281H RF interface modules intended for use with the Models 4140XMP control units, 5700 Series (Alert III) transmitters.

With the fire alarm indicating device circuit of the following control units connected to the indicated Listed audible signal appliance, the audible output will be 85 db(A).

Control unit accessories, Models 6128B, 6137B, 6139B remote keypads to be employed with manufacturer's compatible Listed control unit systems as indicated in the installation instruction. May include a prefix or suffix number or letter(s).

Model 472462 (FOCUS 200 PLUS) Control Unit, consisting of Model SAFOC200 Sub-Assembly Circuit Board and Model COM-UL Enclosure, or RES-UL Enclosure when also used with Model 471961 (7187-202) Battery Enclosure. Intended for use with Listed Model 443216, (N3167) Plug-In Transformer or the Listed Model 472404, (1451) hard wired Transformer. The following accessories are also suitable for use with the 472462 (FOCUS 200 PLUS) control unit, Models 472270 Access Control Interface, 148320 Junction Box, 472402A Backup DACT, 427368 SIM Gateway, 248239 PID Gateway, 472490 (5800ADT) RF Gateway, 471715 Printer Interface, 471877 QUADPID, 471883 COPID, 472388 SIM (Sensor Interface Module) and the 472491AC Communicator Module.

Combination system Fire and Burglary Warning Control Units, Models V10SMITH, Vista-10SE consisting of Model SAVS10SECE Sub-Assembly Circuit Board and Model RES-UL Household Enclosure; Model Vista-10SEADT consisting of Model 10ADTE, 10ADTED or 10ADTEG, Sub-Assembly Circuit Board and Model RES-UL Household Enclosure; Model SAFEWATCH PRO & SECURITY MANAGER consisting of Model SA10ADTEG or SA10ADTE2 Sub-Assembly Circuit Board and Model RES-UL Household Enclosure; Model Vista-10ROSE consisting of Model SAVS10SECE Sub-Assembly Circuit Board and Model RES-UL Household Enclosure; Model V-10SE/WT consisting of Model SAVS10SECE Sub-Assembly Circuit Board and Model RES-UL Household Enclosure; Model Vista-10P1PACK consisting of Model SAVS10SECE Sub-Assembly Circuit Board and Model RES-UL Household Enclosure; Model Vista-

10PASE consisting of Model SAVS10SECE Sub-Assembly Circuit Board and Model RES-UL Household Enclosure; Model Vista 40 consisting of Model SA4142-4AD Sub-Assembly Circuit Board and Model RES-UL Household Enclosure; Model Vista-50P, Vista-50PADT consisting of Model SA4142-2AD4 Sub-Assembly Circuit Board and Model RES-UL Household Enclosure; Models Vista-50PEN, Vista-50PENADT, Vista-128B(S), Vista-128BP consisting of Model SAVIS128B Sub-Assembly Circuit Board and Model RES-UL Household Enclosure, Model FA1660C consisting of Model SAFA1660C Sub-Assembly Circuit Board and Model RES-UL Household Enclosure, intended for use with other separately Listed accessories as indicated in the manufacturer's installation instructions.

Combination control units, Model VISTA-250BP consisting of Model SA4142-22 Sub-Assembly Circuit Board and Model RES-UL household enclosure.

Model Vista 20SE consisting of Model SAVS20SEE Sub-Assembly Circuit Board and Model RES-UL Household Enclosure, Model Vista-20HWSE consisting of Model SAVS20HWSEE Sub-Assembly Circuit Board and Model RES-UL Household Enclosure; Model Vista-20AMT3 consisting of Model 20AMTE Sub-Assembly Circuit Board and Model RES-UL Household Enclosure, Model AM100 consisting of Model 20AMTE Sub-Assembly Circuit Board and Model RES-UL Household Enclosure ; Model Vista-20BAY consisting of Model SAV20BAY Sub-Assembly Circuit Board and Model RES-UL Household Enclosure; Model 250-P1 consisting of Model 250-P1 sub-assembly circuit board and Model RES-UL household enclosure; Model SAFEWATCH PRO 2000 & SECURITY MANAGER 2000 consisting of Model SAVS20ADT-1 or SAVS20ADT Sub-Assembly Circuit Board and Model RES-UL Household Enclosure; Models V10SELECT, V12C consisting of Model SAF145 Sub-Assembly Circuit Board and Model RES-UL Household Enclosure.

Above control units intended for use with other separately Listed accessories as indicated in the manufacturer's installation instructions. All control units provided with integral digital alarm communicator

Combination control units: Models 7125, 7125B, XL-4, XL-4B, XL-5, XL5B for use with other separately Listed devices as indicated in the installation instructions for form a household fire and burglary warning system control unit.

Electronic sounder, Model 002-201.

Control unit accessories , Models FA510KP and FA510KPR consoles. May include a prefix or suffix number or letters.

Control accessories: Model XL4600SM keypad, intended for use with this manufacturers Listed control unit XL-4600SB controls; Model XL4612SM keypad, intended for use with Models XL4612 control; Models XK106, XK108 keypads, intended for use with this manufacturers Listed control unit.

Grade A combination household fire and burglary warning system control units, Models Vista 10SE-adt, Vista-10SE, with integral digital communicator. Intended for use with separately Listed accessories as indicated in the installation instructions.

Model 4297 Polling Loop Extender Module (S789).

Model 7835CF Cellular Control Channel Transceiver, suitable for household fire alarm service when installed in accordance with the manufacturer's installation instructions.

Combination control unit, Model Vista-15 consisting of Model SAVS15SEC Sub-Assembly Circuit Board and Model COM-UL Commercial Control Unit Enclosure, intended for use with other separately Listed accessories as indicated in the manufacturer's Installation Instructions. Combination control unit, FA-148C consisting of Model SAFA148C Sub-Assembly Circuit Board and Model COM-UL Commercial Control Unit Enclosure, intended for use with other separately Listed accessories as indicated in the manufacturer's Installation Instructions.

Grade A combination household fire and burglary warning system control unit, Models LYNX, Ready Guard, LYNXR24, LYNXR24-SP, LYNXR-EN, ReadyGuard-REN, LYNXR-I, LYNXR-IFR, ReadyGuard-RI, APX32, with integral digital alarm communicator. Suitable for use with other separately listed accessories as indicated in the manufacturers installation and operating instructions.

Control unit sub-assembly, Model 472490 (5800ADT) RF Gateway for use with Model 472462 (FOCUS 200 PLUS) control unit.

Control unit sub-assembly, Model 472491 AC Communicator Module. Must be mounted inside the control unit. Suitable for use with Model 472462 (FOCUS 200 PLUS) control unit.

Control unit accessories, Models 6148, 6148PL2, 6150, 6150A-BAY, 6150AAA, 6150PL2 , 6150PL3 , 6160, 6160A-BAY, 6160AAA, 6160PL2, 6160PL3, 6160SNA, 8150, 8160, FA220KP, remote keypads to be employed with manufacturer's compatible Listed control unit systems as indicated in the installation instructions.

Control unit accessory, Model 6160VADT, 6160V, 6150V, 6150VADT remote keypad to be employed with manufacturer's compatible Listed Control Unit Systems, as indicated in the installation instructions.

Control unit accessories , Model 6160CR remote keypad to be employed with manufacturer's compatible Listed Control Unit Systems, as indicated in the installation instructions.

Voice modules, Models 4284, 4285, 4286.

Combination control units , Models Vista-15 consisting of Model SAVS15SEC or SAVS15SECS Sub-Assembly Circuit Board and Model RES-UL Household Enclosure, intended for use with other separately Listed accessories as indicated in the

manufacturer's Installation Instructions. Model FA-148C consisting of Model SAFA148C Sub-Assembly Circuit Board and Model RES-UL Household Enclosure, or On-Q Models 363474-01, 363475-01 or 363476-01 Household Enclosure, intended for use with other separately Listed accessories as indicated in the manufacturer's Installation Instructions.

Combination control units, Models Safewatch Pro 3000, Security Manager 3000 consisting of Model SASW3000B or SASW3000EN Sub-Assembly Circuit Board; Safewatch Pro 3000EN, Security Manager 3000EN consisting of Model SASW3000EN Sub-Assembly Circuit Board; Entrepreneur 3000EN consisting of Model SASW3000ENCN Sub-Assembly Circuit Board; FA148CP consisting of Model SAF148CPSIA Sub-Assembly Circuit Board; FA148CP-CN consisting of Model SAF148CPSIA-CN Sub-Assembly Circuit Board; FA168C consisting of Model SAF168C Sub-Assembly Circuit Board; FA168C-CN consisting of Model SAF168C-CN Sub-Assembly Circuit Board; FA168C-GP consisting of Model SAF168C-GP Sub-Assembly Circuit Board; Vista-10P consisting of Model SAVS10P Sub-Assembly Circuit Board; Vista-10PCN consisting of Model SAVS10PCN Sub-Assembly Circuit Board; Vista-15P consisting of Model SAVS15PSIA Sub-Assembly Circuit Board; AFA15P consisting of Model SAAFA15P Sub-Assembly Circuit Board; Vista-15PCN consisting of Model SAVS15PCNSIA Sub-Assembly Circuit Board; Vista-15PMT consisting of Model SAVS15PMT-2 Sub-Assembly Circuit Board; CFV15P, CFV15PCN consisting of Model SAVSCF15P Sub-Assembly Circuit Board; Vista-20P consisting of Model SAVS20PSIA Sub-Assembly Circuit Board; Vista-20PCN consisting of Model SAVS20PCNSIA Sub-Assembly Circuit Board; Model Vista-20PMT consisting of Model SAVS20PS Sub-Assembly Circuit Board; Vista-20PS consisting of Model SAVS20PS Sub-Assembly Circuit Board; Vista-20PSCN consisting of Model SAVS20PSCN Sub-Assembly Circuit Board; Vista-20PBAY consisting of Model SAVS20P Sub-Assembly Circuit Board; FA168CPS consisting of Model SAF168CPS Sub-Assembly Circuit Board; FA168CPS-CN consisting of Model SAF168CPSCN Sub-Assembly Circuit Board; Vista-48C consisting of Model SAVS48C Sub-Assembly Circuit Board; Vista-48D consisting of Model SAVS48D Sub-Assembly Circuit Board; 300P1 consisting of Model SA300P1 Sub-Assembly Circuit Board; FA130CP consisting of Model SAVS10P Sub-Assembly Circuit Board; FA130CP-CN consisting of Model SAVS10PCN Sub-Assembly Circuit Board; 320P1 consisting of Model SAVS20P-SIAP Sub-assembly circuit board; Vista-20PSIA consisting of Model SAVS20P-SIAP Sub-assembly circuit board; Vista-15PSIA consisting of Model SAVS15P-SIAP Sub-assembly circuit board; Vista-10PSIA consisting of Model SAVS10PSIA Sub-assembly circuit board; FA168CPSSIA consisting of Model SAF168CPSSIA Sub-assembly circuit board; FA148CPSIA consisting of Model SAFA148C-PSIA Sub-assembly circuit board; FA130CPSIA consisting of Model SAVS10PSIA Sub-assembly circuit board; each Sub-Assembly Circuit Board above is to be mounted within the Model RES-UL (Residential Use Only), COM-UL or Unibank Enclosures. Intended for use with other separately Listed accessories as indicated in the manufacturer's Installation Instructions. Suitable for use as a combination Household Fire and Burglary Warning System when RES-UL enclosure is utilized. Suitable for use as a Mercantile Burglar Alarm System, Mercantile Safe and Vault Alarm System when a COM-UL or Unibank Enclosure is utilized.

Combination control units, Models Vista-15 and Vista-20 consisting of Model SAVS20P2 Sub-Assembly Circuit Board and Models RES-UL Enclosure, COM-UL Enclosure or Unibank Enclosure, intended for use with other separately Listed accessories as indicated in the manufacturer's Installation Instructions. Suitable for Household Fire and Burglar Alarm Service.

Control unit accessories: Remote keypads, Models Symphony, iCenter, intended for use with manufacturer's Listed Compatible Control Units as specified in the Installation Instructions.

Control unit accessories: Modem, Model 8950T, intended for use with manufacturer's Listed Compatible Control Units, as specified in the Installation Instructions.

Control unit accessories: Messaging modules, Model TeleSMART, intended for use with manufacturer's Listed Compatible Control Units as specified in the Installation Instructions.

Control unit accessory, Model 4208 zone expander, to be employed with manufacturers compatible listed control unit accessory as indicated in the installation instructions.

Control units accessories, XK-316, XK-708, 7015, OMNI-KP, OMNI-KP-US, OMNI-LCD, OMNI-LCD-US, FA260KP-OM, FALCDKP, FALEDKP, FALRDKP keypads, Model 7105 eight zone expander, Model 7103UL trigger cable for use with other separately Listed control units as indicated in the installation instruction manual and diagram .

Control units accessories, Models XL-4600RM, XL4600PR keypads intended for use with this manufacturers Listed Control units.

Control unit subassembly, Model XL4705 relay module. Intended for use with the XL-4 control unit.

Control unit accessory, Supplemental Interface Module, Model P-GATEWAY, to be connected as described in the Installation Instructions.

Control unit accessories, Model 7845GSM Digital Cellular Communicator; Model 7845i-GSM Internet Communication Module, for use with compatible Listed Ademco control units and communicator receivers as described in the installation instructions.

Control unit accessories: Bell supervision module, Model 2350-SUP.

Control units, Models BHS-3000A, BHS-3000B, BHS-3000C, BHS-4000A.

Control unit accessories: Keypads, Models S3101B, S3111B, S3112B, BHS-3101, BHS-3102, BHS-3111, BHS-3112.

RF Receiver, Models BHS-3250, S3250 suitable for use with BHS-3000C, BHS-4000A control units.

Battery harness, Model BHS-3902.

Zone expansion module, Model S3201.

Some products may be found in File S789.

#Models may have prefixes and/or suffixes to include up to five digit alphanumeric characters.

[Last Updated](#) on 2008-02-26

[Questions?](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright © 2008 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2008 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

