










Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
01. HeiTel VideoGateways			
	4350	CamDisc VG 10 10 camera transmitter/DVR 25 fps recording Wide input voltage range 8 - 30 Volts DC Removable hard disk drive (1TB, 2TB, 4TB) Embedded Linux operating system Multi-Unicast server - 9 people can connect at once! IP-ISDN redundance path communication IP camera integration (differing levels per manufacturer) 16,000 entry logfile for BS8418 5 monitored alarm inputs (expandable by 50 inputs with 'CIO Module') 2 relay outputs (expandable to 10 with CIO Adapter) PTZ control (compatible with various camera manufacturer) Optional audio - bi-directional Integrated Web-server for iPhone/Android/Windows Mobile apps Standardize interface to IDS-Systems according to German standard VdS2465 POS, GPS, IBIS integration e-SATA Interface (for external HDD)	HeiTel
	4354	CamDisc VG 4 4 camera transmitter/DVR 25 fps recording Wide input voltage range 8 - 30 Volts DC Removable hard disk drive (1TB, 2TB, 4TB) Embedded Linux operating system Multi-Unicast server - 9 people can connect at once! IP-ISDN redundance path communication IP camera integration (differing levels per manufacturer) 16,000 entry logfile for BS8418 5 monitored alarm inputs (expandable by 50 inputs with 'CIO Module') 2 relay outputs (expandable to 10 with CIO Adapter) PTZ control (compatible with various camera manufacturer) Optional audio - bi-directional Integrated Web-server for iPhone/Android/Windows Mobile apps Standardize interface to IDS-Systems according to German standard VdS2465 POS, GPS, IBIS integration e-SATA Interface (for external HDD)	HeiTel
	4370	CamDisc VG 10s 10 camera transmitter/DVR = 250 fps recording (real time) Removable hard disk drive (1TB, 2TB, 4TB) Embedded Linux operating system Wide input voltage range 8 - 30 Volts DC Multi-Unicast server - 9 people can connect at once IP-ISDN redundance path communication IP camera integration (differing levels per manufacturer) 16,000 entry logfile for BS8418 11 monitored alarm inputs (expandable by 50 inputs with 'CIO Module') 2 relay outputs (expandable to 10 with CIO Adapter) PTZ control - 32 protocols Optional audio - bi-directional Integrated Web-server for iPhone/Android/Windows Mobile phone POS, GPS, IBIS integration e-SATA Interface (for external HDD)	HeiTel



Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	4374	CamDisc VG 4s 4 camera transmitter/DVR = 250 fps recording (real time) Removable hard disk drive (1TB, 2TB, 4TB) Embedded Linux operating system Wide input voltage range 8 - 30 Volts DC Multi-Unicast server - 9 people can connect at once IP-ISDN redundance path communication IP camera integration (differing levels per manufacturer) 16,000 entry logfile for BS8418 5 monitored alarm inputs (expandable by 50 inputs with 'CIO Module') 2 relay outputs (expandable to 10 with CIO Adapter) PTZ control - 32 protocols Optional audio - bi-directional Integrated Web-server for iPhone/Android/Windows Mobile phone POS, GPS, IBIS integration e-SATA Interface (for external HDD)	HeiTel
	4504	CamDisc SVR 4 4 camera transmitter/DVR (25fps) Removable hard disk drive (1TB, 2TB) Embedded Linux operating system Multi-Unicast server - 9 people can connect at once IP-ISDN redundance path communication IP camera integration (Hybrid functionality differing compatibility levels per manufacturer) 5 monitored alarm inputs (expandable by 50 inputs with 'CIO Adapter') 2 relay outputs (expandable to 10 with CIO Adapter) PTZ control (compatible with various camera manufacturer) Optional audio - bi- directional Integrated Web-server for iPhone/Android/Windows Mobile Phone Standardize interface to IDS-Systems according to German standard VdS2465 POS, GPS, IBIS integration	HeiTel
	4510	CamDisc SVR 10 10 camera transmitter/DVR (25fps) Removable hard disk drive (1TB, 2TB) Embedded Linux operating system Multi-Unicast server - 9 people can connect at once IP-ISDN redundance path communication IP camera integration (Hybrid functionality differing compatibility levels per manufacturer) 11 monitored alarm inputs (expandable by 50 inputs with 'CIO Adapter') 2 relay outputs (expandable to 10 with CIO Adapter) PTZ control (compatible with various camera manufacturer) Optional audio - bi- directional Integrated Web-server for iPhone/Android/Windows Mobile Phone Standardize interface to IDS-Systems according to German standard VdS2465 POS, GPS, IBIS integration	HeiTel




Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	4535	CamDisc VG HNVR Transmission and Recording for 10 Cameras transmitter/DVR 10 IP cameras as default or with plug in 4 i/p analogue cards, any mix up to 8 analogue Full IP camera integration (using HTcompress) Wide input voltage range 8 - 30 Volts DC Removable hard disk drive 1TB, 2TB, 4 TB Linux operating system Multi-Unicast server - 9 people can connect at once! IP-ISDN redundance path communication IP camera integration (differing levels per manufacturer) 16,000 entry logfile for BS8418 11 monitored alarm inputs (expandable by 50 inputs with 'CIO Adapter') 2 relay outputs (expandable to 10 with CIO Adapter) PTZ control (compatible with various camera manufacturer) and multiple for IP domes Audio as standard - bi-directional Integrated Web-server for iPhone/Android/Windows Mobile phone POS, GPS, IBIS integration e-SATA Interface (for external HDD)	HeiTel
	4620	CamTel VG 10 10 camera transmitter Embedded Linux operating system Multi-Unicast server - 9 people can connect at once IP-ISDN redundance path communication IP camera integration (Hybrid functionality differing compatibility levels per manufacturer) 16,000 entry logfile for BS8418 Pre alarm buffer for approx 1000 images 5 monitored alarm inputs (expandable by 50 inputs with 'CIO Adapter') 2 relay outputs (expandable up to 10 outputs in use of the CIO Adapter) PTZ control (compatible with various camera manufacturer) Optional Audio - bi-directional Integrated Web server for iPhone/Android/Windows Mobile phone Wide input voltage range 8 - 30 Volts DC Standardize interface to IDS-Systems according to German standard VdS2465	HeiTel
	4624	CamTel VG 4 4 camera transmitter Embedded Linux operating system Multi-Unicast server - 9 people can connect at once IP-ISDN redundance path communication IP camera integration (Hybrid functionality differing compatibility levels per manufacturer) 16,000 entry logfile for BS8418 Pre alarm buffer for approx 1000 images 5 monitored alarm inputs (expandable by 50 inputs with 'CIO Adapter') 2 relay outputs (expandable up to 10 outputs in use of the CIO Adapter) PTZ control (compatible with various camera manufacturer) Optional Audio - bi-directional Integrated Web server for iPhone/Android/Windows Mobile phone Wide input voltage range 8 - 30 Volts DC Standardize interface to IDS-Systems according to German standard VdS2465	HeiTel









Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	4750	Cam4mobile VG 10s 10 Camera Transmitter/DVR, max. 250 fps recording (real time) Specifically designed for mobile applications: EN 50155, EN 61373, EN 50121-3-2 E-approval 72/245/EWG incl. 2004/104EG Removable mobile hard disk drive 1TB (2.5") Embedded Linux operating system Multi-Unicast server - 9 people can connect at once! IP - GSM - Dual path communication IP camera integration (differing levels per manufacturer) 16,000 entry logfile for BS8418 11 monitored alarm inputs (expandable by 50 inputs with 'CIO Adapter') 2 relay outputs (expandable to 10 with CIO Adapter) PTZ control (compatible with various camera manufacturer) Integrated Audio - bi-directional Integrated Web-server for iPhone/Android/Windows Mobile phone GPS, IBIS integration	HeiTel
	4754	Cam4mobile VG 4 4 Camera Transmitter/DVR, 25 fps recording Specifically designed for mobile applications: EN 50155, EN 61373, EN 50121-3-2 E-approval 72/245/EWG incl. 2004/104EG Removable mobile hard disk drive 1TB (2.5") Embedded Linux operating system Multi-Unicast server - 9 people can connect at once! IP - GSM - Dual path communication IP camera integration (differing levels per manufacturer) 16,000 entry logfile for BS8418 5 monitored alarm inputs (expandable by 50 inputs with 'CIO Adapter') 2 relay outputs (expandable to 10 with CIO Adapter) PTZ control (compatible with various camera manufacturer) Integrated Audio - bi-directional Integrated Web-server for iPhone/Android/Windows Mobile phone GPS, IBIS integration	HeiTel
	4930	CamDisc VG 2s Transmission and Recording for 2 camera transmitter/DVR Integral 1TB hard disk (real time recording) Embedded Linux operating system Multi-Unicast server - 9 people can connect at once IP-ISDN redundance path communication IP camera integration (Hybrid functionality differing compatibility levels per manufacturer) 16,000 entry logfile for BS8418 3 monitored alarm inputs (expandable by 50 inputs with 'CIO Adapter') 2 relay outputs (expandable up to 10 outputs in use of the CIO Adapter) PTZ control (compatible with various camera manufacturer) Optional audio - bi-directional Integrated Web-server for iPhone/Android/Windows Mobile phones Silent operation (no fans), low current consumption, ideal for covert applications POS, GPS, IBIS integration Ideal for rapid deployment and covert applications Wide input voltage range 8 - 30 Volts DC Standardize interface to IDS-Systems according to German standard VdS2465	HeiTel








Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	4955	CamServer VG 2c Transmission and Recording for 2 cameras '1 IP camera and 1 analogue or 2 IP' Optional integral 3G card with GPS Optional Flash card for video & GPS data storage Real time recording Wide input voltage range 8 - 30 Volts DC Embedded Linux operating system Multi-Unicast server - 9 people can connect at once IP camera integration (Hybrid functionality differing compatibility levels per manufacturer) 16,000 entry logfile for BS8418 2 monitored alarm inputs to BS8418 (expandable by 50 inputs with 'CIO Adapter') 1 relay output (expandable to 9 with CIO Adapter) PTZ control (compatible with various camera manufacturer) Optional audio - bi-directional Optional external hard disk drive (eSATA 1TB SLIM) EPOS, GPS, IBIS integration Integrated Web-server for iPhone/Android/Windows Mobile phones Standardize interface to IDS-Systems according to Germany standard VdS2465	HeiTel
	4960	CamDisc VG 2c Transmission and Recording for 2 cameras '1 IP camera and 1 analogue or 2 IP' Optional integral 3G card with GPS Integral 1TB HDD Compact Flash card for video & GPS data storage Real time recording Wide input voltage range 8 - 30 Volts DC Embedded Linux operating system Multi-Unicast server - 9 people can connect at once IP camera integration (differing levels per manufacturer) 16,000 entry logfile for BS8418 2 monitored alarm inputs to BS8418 (expandable by 50 inputs with 'CIO Adapter') 1 relay output (expandable to 9 with CIO Adapter) PTZ control (compatible with various camera manufacturer) Optional audio - bi-directional Optional external hard disk drive (eSATA) POS, GPS, IBIS integration Integrated Web-server for iPhone/Android/Windows Mobile phone Standardize interface to IDS-Systems according to German standard VdS2465	HeiTel
	4962	Cam4mobile VG 2c Transmission and Recording for 2 cameras '1 IP camera and 1 analogue or 2 IP' Integral 1TB hard disk drive, specifically designed for mobile applications: EN 50155, EN 61373, EN 50121-3-2 Optional integral 3G card with GPS Real time recording Wide input voltage range 8 - 30 Volts DC Embedded Linux operating system Multi-Unicast server - 9 people can connect at once! IP camera integration (differing levels per manufacturer) 16,000 entry logfile for BS8418 2 monitored alarm inputs to BS8418 (expandable by 50 inputs with 'CIO Adapter') 1 relay output (expandable to 9 with CIO Adapter) PTZ control (compatible with various camera manufacturer) Optional audio - bi-directional Optional external hard disk drive (eSATA for external HDD) Integrated Web-server for iPhone/Android/Windows Mobile phone	HeiTel

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
02. Software for HeiTel VideoGateways			
	4200	CamControl PLAYER CamControl PLAYER' is software which can be used to playback recordings made by HeiTel video Gateways and HeiTel legacy recorders	HeiTel
	4201	CamControl LITE Single site, single workstation software for end users and engineers: Enabling general viewing of live and recorded images, relay control and basic alarm verification up to 6000 transmitters (single site at a time). Comes for free with all HeiTel VideoGateways. Cascading of up to 100 HeiTel systems	HeiTel
	4203	CamControl Server HeiTel SDK (Software Development Kit) Integrations solutions. CamControl Server-enables integration of 3rd party software (e.g. central station monitoring software) to the whole range of HeiTel Video Gateways and legacy HeiTel devices	HeiTel
	4205	CamControl CLIENT HeiTel SDK (Software Development Kit) Integrations solutions	HeiTel
	4206	EMS SERVER Network Solutions - EMS (Event Mangement System). Includes: 1 x CamControl SERVER, 1 x Event SERVER, (1 x dongle), 1x MySQL Pro licence, which is necessary for the operation of the EMS SERVER.	HeiTel
	4207	EMS CLIENT Network Solutions - EMS (Event Mangement System). Includes: 1 x CamControl CLIENT, 1 x Event CLIENT Software for viewing, alarm verification and configuration of HeiTel transmitters	HeiTel
	4208	EMS TAPI Network Solutions - EMS (Event Mangement System). EMS TAPI (Telephony Application Programming Interface)	HeiTel
	4209	EMS Site Map Network Solutions - EMS (Event Mangement System). A multi-level site plan allows for targeted access to single cameras or transmitters via an interactive GUI (Graphical User Interface)	HeiTel





Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	4213	Remote Service Package Network Solutions - EMS (Event Mangement System). The Remote Service Package is compellingly necessary in use with the EMS SERVER for support purposes	HeiTel
	4215	CamControl Windows Phone For general use and alarm verification; software designed for Windows Mobile based Smartphones and PDAs; live video transmission via GPRS, UMTS (3G), HSDPA, EDGE of an almost unlimited number of HeiTel VideoGateway devices and review of hard disk recordings; remote control of PTZ and dome cameras and operation of 2 relays; transmission of up to 12fps with HSDPA.	HeiTel
	4216	CamControl iPhone/iPad For viewing live and recorded images, relay control, arm/disarm of site, audio listening and PTZ control of all HeiTel Video Gateway series using the Apple iPhone 3G, 3GS, 4, 4S, iPad, iPod touch. Uses GPRS, Edge, 3G and HSDPA. Almost unlimited number of transmitters can be added. Fast frame rate, easy to use interface. The CamControl iPhone software is available free of charge on the Apple 'App store'.	HeiTel
	4217	CamControl Android For viewing live and recorded images, relay control, arm/disarm of site and PTZ control of all HeiTel Video Gateway series for Android-based smartphones and PDAs,. Uses GPRS, Edge, 3G and HSDPA. Almost unlimited number of transmitters can be added. Fast frame rate, easy to use interface. The CamControl Android software is available free of charge on the Android Market < https://market.android.com/details?id=com.heitel.android.camControl >.	HeiTel
	4218	CamControl MV Video wall software for the display of up to 64 IP-based live video streams	HeiTel
	4220	CamControl PRO Multi-site, single workstation software for small to medium monitoring centres: Enabling general viewing of live and recorded images, relay control and alarm verification of up to 6000 transmitters, up to 21 simultaneous sites at once! Enhanced event logging (over Lite) and Information screen for remote site and key-holder details Audio recording of operator announcements Auto timed deletion of PC archive recordings	HeiTel
	8206	EMS Start-Up and User Training Network Solutions - EMS (Event Mangement System). The EMS start-up is necessary. An EMS start-up (installation) may only be conducted by a HeiTel system specialist	HeiTel
03. Accessory for HeiTel VideoGateways			










Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	1502	CamControl RU USB CamControl Remote Unit, Joystick for controlling of High Speed Dome cameras.	HeiTel
	4276	CIO Adapter 50 input, 8 relay output, expansion module: This module allows the entire Video Gateway series to be expanded with an additional 50 resistor monitored (BS8418 compliant) alarm inputs for - alarm trigger, PTZ preset selection and recording trigger. The 8 volt free contact relay outputs can be used for barrier operation, door release, automatic gates, lighting, etc.	HeiTel
	4631	1 TB HDD-M for Cam4mobile VG 1 TB HDD-M for Cam4mobile VG	HeiTel
	4653	1 TB HDD SVR 1 TB Hard Disc Drive for CamDisc SVR-series	HeiTel
	4654	2 TB HDD SVR 2 TB Hard Disc Drive for CamDisc SVR-series	HeiTel
	4681	1 TB HDD-s for CamDisc VG - Series 1 TB Hard Disc Drive for CamDisc VG-series	HeiTel
	4682	2 TB HDD-s for CamDisc VG - Series 2 TB Hard Disc Drive for CamDisc VG-series	HeiTel
	4683	4 TB HDD-s for CamDisc VG - Series 4 TB Hard Disc Drive for CamDisc VG-series	HeiTel
License	4690	RAID-ID RAID license key to use standard RAID systems via the eSATA interface at HeiTel VideoGateways CamDisc VG with removable disks. The license key is stored on a removable hard disk. Image data will be stored on the external RAID system only.	HeiTel








Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	4698	PC Kit CamDisc USB External housing with USB connection for device-independent evaluation of CamDisc SVR removable hard disks (i.e. for use with laptop computers)	HeiTel
	5009	ISDN-TA Stollmann TA PPX (Euro-ISDN, National, 1 B-Kanal), product recommendation only!	HeiTel
	5052	Router C 1500hw The Router is highly suited for mobile applications in combination with Cam4mobile. Depending on the network signal strength the router automatically switches between UMTS (3G), HSUPA, HSDPA or GPRS and therefore offers in combination with HTconnect® and HeiTel systems (e.g. Cam4mobile) intelligent and fully automated backup management of the data transmission path. (Product recommendation only!)	HeiTel
	5053	Router GX 400 GPRS/EDGE/UMTS/HSDPA/HSUPA Router Robust and compact Router included GPS receiver, highly suitable for mobile applications. Depending on the network signal strength the router automatically switches between UMTS (3G), HSUPA, HSDPA or GPRS and therefore offers in combination with HTconnect® and HeiTel systems (e.g. Cam4mobile) intelligent and fully automated backup management of the data transmission path. (Product recommendation only!)	HeiTel
	5201	ISDN Card Plug in ISDN module with S0/I.430 interface for transmission via 1 B channel Note: ISDN card is delivered separately with instructions for on-site installation into CamTel, CamServer, CamDisc and CamDisc HNVR devices	HeiTel
	5202	Audio Card Plug in Audio module for bidirectional transmission of digital audio signals in voice quality Note: Audio card is delivered separately with instructions for on-site installation into the whole VideoGateway series.	HeiTel
	5205	HYBRID Card 4 for CamDisc VG HNVR Plug-in module for CamDisc VG HNVR for adding up to 4 analogue cameras (PAL/NTSC) (in place of IP cameras). A maximum of two HYBRID Card 4 cards per CamDisc VG HNVR. Note: The HYBRID Card 4 is delivered separately along with instructions for fitting into the CamDisc VG HNVR device. When using the HYBRID Card, the maximum possible number of IP cameras is reduced by the number of analogue cameras used.	HeiTel




Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	5206	3G GPS module Optional module for do-it yourself installation. Pending upon network coverage, automatic change over between HSDPA/UMTS (3G) or GPRS; integrated GPS receiver for GPS tracking in preparation. Note: Delivery incl. 3G antenna, GPS antenna and SIM card are not part of the delivery.	HeiTel
	5301	IBIS Adapter Adapter for connection of Cam4mobile to an integrated on-board information system (IBIS), e.g. in busses or trains. The IBIS adapter can be used a.o.t. to synchronize the Cam4mobile system time with the IBIS system time.	HeiTel
	6200	USP201V Single port video surge arrestor (Coaxial) protection against surges and electrostatic discharge during operation in accordance with IEC61643-21.	HeiTel
	6201	USP201E Surge protection for Ethernet signal lines protection against surges and electrostatic discharge during operation in accordance with IEC61643-21.	HeiTel
	6202	USP201RS485 Surge protection for RS-485 (data) signal lines protection against surges and electrostatic discharge during operation in accordance with IEC61643-21.	HeiTel
	8205	Data Recovery Recovery of recorded data of broken hard disks. This service is independent of the guarantee status of the hard disk and refers only to hard disks that are working electronically. In the event that the recovery fails, the service fee of €150.00 (net) will still be made. This fee includes the recovery of the archive password.	HeiTel
	9132	19" Mount Kit 1 RU VG 2s/CIO Installation kit for 19" mounting of one (1RU) device, CamDisc VG 2s / CIO Adapter	HeiTel
	9133	19" Mount Kit 2RU 1 SVR / VG Installation kit for 19" mounting one device of the SVR / VG series (2 RU)	HeiTel
	9134	19" Mount Kit 2RU 2 SVR / VG Installation kit for 19" mounting of up to two CamDisc SVR series devices, CamDisc HNVR, Cam4mobile (2 RU)	HeiTel










Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	9141	CamMount Kit Cam4mobile VG Two-part installation kit for horizontal mounting in vehicles as well for strain-relief; suitable for Cam4mobile VG 4 / 10S	HeiTel
	9163	Mount Kit VG 2c One-piece installation kit including cable clamp	HeiTel
04. ADPRO PRO Passive Infrared Detectors (PIRs)			
	2203	IFM 485 cable set IFM 485 cable set includes IMD software, gender changer and nullmodem cable. This part can be ordered in conjunction with IFM-485 (CH19000301) only.	HeiTel
	201312	PRO-45 PRO 45 PIR RANGE 45 M (COMPLETE WITH BRACKET)	ADPRO
	201313	PRO-18W PRO 18W PIR RANGE 18M WITH BRACKET	ADPRO
	201727	PRO-18WH PRO 18WH VOLUMETRIC PASSIVE INFRARED DETECTOR 27M, SILICON WINDOW, HEATER	ADPRO
	201735	PRO-45D PRO 45D CURTAIN PASSIVE IR DETECTOR, 50M, DIRECTIONAL CURTAIN (RoHS)	ADPRO
	201736	PRO-45H PRO 45H CURTAIN PASSIVE IR DETECTOR, 60M, SILICON WINDOW, HEATER	ADPRO










Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	201737	PRO-45DH PRO 45DH CURTAIN PASSIVE IR DETECTOR, 60M, HEATER, (RoHS) DIRECTIONAL CURTAIN & BRACKET	ADPRO
	201738	PRO-100H PRO 100H PASSIVE INFARED DETECTOR (RoHS)	ADPRO
	201753	ZA P-L1 Pole Mount Accessory, incl. stainless-steel straps	ADPRO
	201779	PRO-85 PRO 85 Long Range Volume Passive Infrared Detector (includes bracket) RoHS	ADPRO
	201780	PRO-85H PRO 85H Long Range Volume Passive Infrared Detector Silicon Window, Heater+Bracket	ADPRO
	201885	PRO-18 PRO 18 Passive Infrared Detector, Wide Angle, 50 Degree	ADPRO
	201886	PRO-18H PRO 18H Passive Infrared Detector, Wide Angle,50 Degree High Performance	ADPRO
	202383	PRO-30 PRO 30 Passive Infrared Detector, Volumetric Medium Range, 30m	ADPRO
	202384	PRO-40 PRO 40 Passive Infrared Detector, Volumetric Medium Range, 40m	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	202405	PRO-250H Long-Range curtain detector for high-performance outdoor applications with integrated heater and remote service interface for commissioning or monitoring purposes. Lowest false alarm rate due to DSP-technology and adaptive threshold discrimination (NO BRACKET)	ADPRO
	202483	CT PRO 2 Walk Tester, 150m, 2.4GHz	ADPRO
	202484	PRO-45Z PRO-45Z, PIR-PID, CUR, 50x3.3m, AA3.3, CZ0m, IP54, mount	ADPRO
	202485	PRO-45H/IP65 PRO-45H/IP65, PIR-PID, CUR, 60x3.9m, AA3.4, CZ1m, mount, heater, silica glass	ADPRO
	202486	PRO-45DH/IP65 PRO-45DH/IP65, PIR-PID, CUR, 60x4.2m, AA4, CZ1m, both-way	ADPRO
	202488	PRO-18H/IP65 PRO-18H/IP65, PIR-PID, VOL, 30x27m, AA50, CZ1m, mount, heater, silica glass	ADPRO
	202489	PRO-18WH/IP65 PRO-18WH/IP65, PIR-PID, VOL, 27x30m, AA90, CZ1m, mount, heater, silica glass	ADPRO
	202492	PRO-100H/IP65 PRO-100H/IP65, PIR-PID, CUR, 150x3.3m, AA1.3, CZ8m, mount, heater, silica glass	ADPRO
	202493	PRO-100H/IP66 PRO-100H/IP66, PIR-PID, CUR, 150x3.3m, AA1.3, CZ8m, mount, heater, silica glass	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	202495	PRO-85H/IP66 PRO-85H/IP66, PIR-PID, VOL, 75x23m, AA17, CZ18m, mount, heater, silica glass	ADPRO
	220103	AD653 AD653 BRACKET FOR PRO 250H, 100mm, universal with additional U-bracket, incl. stainless-steel straps	ADPRO
	CH10021401	PRO-45I PRO-45I, PIR-PID, CUR, 50x3.3m, AA3.8, CZ1m, mount	ADPRO
	CH10021501	PRO-45HI PRO-45HI, PIR-PID, CUR, 60x3.9m, AA3.8, CZ1m, mount, heater, silica glass	ADPRO
	CH10021601	PRO-45IS PRO-45IS, PIR-PID, CUR, Ex, 50x3.3m, AA3.8, CZ1m, IP65, mount, silica glass	ADPRO
	CH10030401	PRO-100HIS PRO-100HIS, PIR-PID, CUR, Ex, 120x2.7m, AA1.3, CZ8m, IP65, mount, heater, silica glass	ADPRO
	CH10031401	PRO-100I PRO-100I, PIR-PID, CUR, 120x2.7m, AA1.3, CZ8m, mount	ADPRO
	CH10031501	PRO-100HI PRO-100HI, PIR-PID, CUR, 150x3.3m, AA1.3, CZ8m, mount, heater, silica glass	ADPRO
	CH10051401	PRO-18WI PRO-18WI, PIR-PID, VOL, 21x24m, AA90, CZ1m, mount	ADPRO







Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	CH10051501	PRO-18WHI PRO-18WHI, PIR-PID, VOL, 27x30m, AA90, CZ1m, mount, heater, silica glass	ADPRO
	CH10051601	PRO-18WIS PRO-18WIS, PIR-PID, VOL, Ex, 27x30m, AA90, CZ1m, IP65, mount, silica glass	ADPRO
	CH10080101	PRO-51 PRO-51, PIR-PID, VOL50x22m, AA25, CZ18m, mount	ADPRO
	CH18310001	PRO-CMB-W Cable Managed Bracket, wall-mount, pre-wired, w/ terminalblock	ADPRO
	CH18310101	PRO-CMB-PA Pole-Mount Adapter for Cable Managed Bracket, metal	ADPRO
	CH18320001	PRO-CMB-S Tamper Switch for cable managed bracket, retro-fit kit	ADPRO
	CH18330001	PRO-SUN-SLD Sunshield for standard housing, plastic	ADPRO
	CH19000301	IFM-485-ST Interface Module, bi-directional communication, w/ cables, w/ FW-/SW-CD. Please order article 2203 separately in case of using the interface module in conjunction with HeiTel VideoGateways.	ADPRO
	CH19200001	PRO-SPS IS PRO-SPS IS, Universal AC Input 24V-500mA Switching Power Supply (PSD1000)	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	CH19200101	PRO-PS2 IS Quad Channel 15V-20mA Intrinsically Safe Power Supply (PSD1001)	ADPRO
	CH19210001	PRO-SBB IS Single Channel RS 485 Field Bus Isolating Repeater (D1061S)	ADPRO
	CH19210101	PRO-SBC IS 4 Ch, Switch/Prox. Detector Repeater, Relay Out, SIL 2 (D1032D)	ADPRO
	202494	PRO-85H/IP65 PRO-85H/IP65, PIR-PID, VOL, 75x23m, AA17, CZ18m, mount, heater, silica glass	ADPRO
	225100	PRO-100 PRO 100 Curtain Passive Infrared Detector, 120m (RoHS) (includes bracket)	ADPRO
	242600	AD 851 Telescope for precise adjustment of medium- and long-range ADPRO PRO detectors.	ADPRO
05. ADPRO Remote Monitoring - FastTrace 2(x)			
	53002000	FastTrace 2 Lite ADPRO FastTrace 2 Hybrid - 19" Rack Mount 4 Analogue Channels (Non expandable unit) Disk : 500 GB No I/O No DTC	ADPRO
	53002001	FastTrace 2 Lite ADPRO FastTrace 2 Lite - 19" Rack Mount 4 Analogue Channels (Non expandable unit) Disk : 500 GB 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	55000100	FastTrace 2 Tx ADPRO FastTrace 2 Hybrid Tx - 19" Rack Mount 4 Analogue Channels Transmission Only Model 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55001000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 4 Analogue Channels Disk : 500 GB No I/O No DTC	ADPRO
	55001100	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 4 Analogue Channels Disk : 500 GB 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55100100	FastTrace 2 Tx ADPRO FastTrace 2 Hybrid Tx - 19" Rack Mount 8 Analogue Channels Transmission Only Model 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55100110	FastTrace 2 Tx ADPRO FastTrace 2 Hybrid Tx - 19" Rack Mount 8 Analogue Channels Transmission Only Model 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A DTC (Analogue Only)	ADPRO
	55101000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 Analogue Channels Disk : 500 GB No I/O No DTC	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	55101100	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 Analogue Channels Disk : 500 GB 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55101110	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 Analogue Channels Disk : 500 GB 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A DTC (Analogue Only)	ADPRO
	55102000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 Analogue Channels Disk : 1 TB No I/O No DTC	ADPRO
	55102100	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 Analogue Channels Disk : 1 TB 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55102200	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 Analogue Channels Disk : 1 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55103000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 Analogue Channels Disk : 2 TB No I/O No DTC	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	55200200	FastTrace 2 Tx ADPRO FastTrace 2 Hybrid Tx - 19" Rack Mount 12 Analogue Channels Transmission Only Model 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55201000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 12 Analogue Channels Disk : 500 GB No I/O No DTC	ADPRO
	55201200	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 12 Analogue Channels Disk : 500 GB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55202200	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 12 Analogue Channels Disk : 1 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55202210	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 12 Analogue Channels Disk : 1 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A DTC (Analogue Only)	ADPRO
	55203000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 12 Analogue Channels Disk : 2 TB No I/O No DTC	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	55203200	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 12 Analogue Channels Disk : 2 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55300200	FastTrace 2 Tx ADPRO FastTrace 2 Hybrid Tx - 19" Rack Mount 16 Analogue Channels Transmission Only Model 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55300210	FastTrace 2 Tx ADPRO FastTrace 2 Hybrid Tx - 19" Rack Mount 16 Analogue Channels Transmission Only Model 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A DTC (Analogue Only)	ADPRO
	55301000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 16 Analogue Channels Disk : 500 GB No I/O No DTC	ADPRO
	55301200	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 16 Analogue Channels Disk : 500 GB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55302200	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 16 Analogue Channels Disk : 1 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	55302210	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 16 Analogue Channels Disk : 1 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A DTC (Analogue Only)	ADPRO
	55303200	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 16 Analogue Channels Disk : 2 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55303500	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 16 Analogue Channels Disk : 2 TB 40 Monitored Inputs, 16 Relay Outputs 2 Comm. Ports for RS485 PTZ and VM22A No DTC	ADPRO
	55303510	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 16 Analogue Channels Disk : 2 TB 40 Monitored Inputs, 16 Relay Outputs 2 Comm. Ports for RS485 PTZ and VM22A DTC (Analogue Only)	ADPRO
	55305500	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 16 Analogue Channels Disk : 4 TB 40 Monitored Inputs, 16 Relay Outputs 2 Comm. Ports for RS485 PTZ and VM22A No DTC	ADPRO
	55400100	FastTrace 2 Tx ADPRO FastTrace 2 Hybrid Tx - 19" Rack Mount 8 IP Channels Transmission Only Model 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO






Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	55401000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 IP Channels Disk : 500 GB No I/O No DTC	ADPRO
	55401100	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 IP Channels Disk : 500 GB 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55402000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 IP Channels Disk : 1 TB No I/O No DTC	ADPRO
	55403000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 IP Channels Disk : 2 TB No I/O No DTC	ADPRO
	55403200	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 IP Channels Disk : 2 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55405000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 IP Channels Disk : 4 TB No I/O No DTC	ADPRO
	55500200	FastTrace 2 Tx ADPRO FastTrace 2 Hybrid Tx - 19" Rack Mount 16 IP Channels Transmission Only Model 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	55501000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 16 IP Channels Disk : 500 GB No I/O No DTC	ADPRO
	55501100	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 16 IP Channels Disk : 500 GB 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55503000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 16 IP Channels Disk : 2 TB No I/O No DTC	ADPRO
	55503100	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 16 IP Channels Disk : 2 TB 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55503200	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 16 IP Channels Disk : 2 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55505000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 16 IP Channels Disk : 4 TB No I/O No DTC	ADPRO






Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	55505200	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 16 IP Channels Disk : 4 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55509000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 16 IP Channels Disk : 8 TB No I/O No DTC	ADPRO
	55509200	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 16 IP Channels Disk : 8 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55601000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 4 Analogue and 8 IP Channels Disk : 500 GB No I/O No DTC	ADPRO
	55602000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 4 Analogue and 8 IP Channels Disk : 1 TB No I/O No DTC	ADPRO
	55603000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 4 Analogue and 8 IP Channels Disk : 2 TB No I/O No DTC	ADPRO
	55700200	FastTrace 2 Tx ADPRO FastTrace 2 Hybrid Tx - 19" Rack Mount 8 Analogue and 8 IP Channels Transmission Only Model 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	55703000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 Analogue and 8 IP Channels Disk : 2 TB No I/O No DTC	ADPRO
	55703200	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 Analogue and 8 IP Channels Disk : 2 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55703210	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 Analogue and 8 IP Channels Disk : 2 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A DTC (Analogue Only)	ADPRO
	55705000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 Analogue and 8 IP Channels Disk : 4 TB No I/O No DTC	ADPRO
	55705200	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 Analogue and 8 IP Channels Disk : 4 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	55709000	FastTrace 2 ADPRO FastTrace 2 Hybrid - 19" Rack Mount 8 Analogue and 8 IP Channels Disk : 8 TB No I/O No DTC	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	56100100	FastTrace 2X Tx ADPRO FastTrace 2X Hybrid Tx - 19" Rack Mount 8 Analogue Channels Transmission Only Model 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	56101000	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 8 Analogue Channels Disk : 500 GB No I/O No DTC	ADPRO
	56101100	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 8 Analogue Channels Disk : 500 GB 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	56101110	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 8 Analogue Channels Disk : 500 GB 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A DTC (Analogue Only)	ADPRO
	56102000	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 8 Analogue Channels Disk : 1 TB No I/O No DTC	ADPRO
	56102100	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 8 Analogue Channels Disk : 1 TB 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	56102200	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 8 Analogue Channels Disk : 1 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	56200200	FastTrace 2X Tx ADPRO FastTrace 2X Hybrid Tx - 19" Rack Mount 12 Analogue Channels Transmission Only Model 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	56201000	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 12 Analogue Channels Disk : 500 GB No I/O No DTC	ADPRO
	56201200	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 12 Analogue Channels Disk : 500 GB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	56202200	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 12 Analogue Channels Disk : 1 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	56202210	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 12 Analogue Channels Disk : 1 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A DTC (Analogue Only)	ADPRO


Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	56203200	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 12 Analogue Channels Disk : 2 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	56300200	FastTrace 2X Tx ADPRO FastTrace 2X Hybrid Tx - 19" Rack Mount 16 Analogue Channels Transmission Only Model 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	56300210	FastTrace 2X Tx ADPRO FastTrace 2X Hybrid Tx - 19" Rack Mount 16 Analogue Channels Transmission Only Model 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A DTC (Analogue Only)	ADPRO
	56301000	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 16 Analogue Channels Disk : 500 GB No I/O No DTC	ADPRO
	56301200	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 16 Analogue Channels Disk : 500 GB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	56302200	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 16 Analogue Channels Disk : 1 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	56302210	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 16 Analogue Channels Disk : 1 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A DTC (Analogue Only)	ADPRO
	56303200	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 16 Analogue Channels Disk : 2 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	56303510	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 16 Analogue Channels Disk : 2 TB 40 Monitored Inputs, 16 Relay Outputs 2 Comm. Ports for RS485 PTZ and VM22A DTC (Analogue Only)	ADPRO
	56305500	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 16 Analogue Channels Disk : 4 TB 40 Monitored Inputs, 16 Relay Outputs 2 Comm. Ports for RS485 PTZ and VM22A No DTC	ADPRO
	56400100	FastTrace 2X Tx ADPRO FastTrace 2X Hybrid Tx - 19" Rack Mount 8 IP Channels Transmission Only Model 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	56401000	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 8 IP Channels Disk : 500 GB No I/O No DTC	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	56402000	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 8 IP Channels Disk : 1 TB No I/O No DTC	ADPRO
	56403200	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 8 IP Channels Disk : 2 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	56500200	FastTrace 2X Tx ADPRO FastTrace 2X Hybrid Tx - 19" Rack Mount 16 IP Channels Transmission Only Model 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	56501000	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 16 IP Channels Disk : 500 GB No I/O No DTC	ADPRO
	56501100	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 16 IP Channels Disk : 500 GB 8 Monitored Inputs, 4 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	56503000	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 16 IP Channels Disk : 2 TB No I/O No DTC	ADPRO










Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	56503200	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 16 IP Channels Disk : 2 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	56505000	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 16 IP Channels Disk : 4 TB No I/O No DTC	ADPRO
	56505200	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 16 IP Channels Disk : 4 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	56601000	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 4 Analogue and 8 IP Channels Disk : 500 GB No I/O No DTC	ADPRO
	56602000	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 4 Analogue and 8 IP Channels Disk : 1 TB No I/O No DTC	ADPRO
	56603000	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 4 Analogue and 8 IP Channels Disk : 2 TB No I/O No DTC	ADPRO
	56700200	FastTrace 2X Tx ADPRO FastTrace 2X Hybrid Tx - 19" Rack Mount 8 Analogue and 8 IP Channels Transmission Only Model 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO









Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	56703200	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 8 Analogue and 8 IP Channels Disk : 2 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
	56705200	FastTrace 2X ADPRO FastTrace 2X Hybrid - 19" Rack Mount 8 Analogue and 8 IP Channels Disk : 4 TB I/O : 20 Monitored Inputs, 8 Relay Outputs 1 Comm. Port for RS485 PTZ or VM22A No DTC	ADPRO
06. ADPRO Remote Monitoring - Accesories FastTrace 2(x)			
	20415490	USB to serial Port RS485 convertor ADPRO FastTrace 2 USB to serial Port RS485 convertor	ADPRO
	20415510	USB to serial Port RS232 convertor ADPRO FastTrace 2 USB to serial Port RS232 convertor	ADPRO
	39544000	Main 8 In 4 Relay Out board ADPRO FastTrace 2 Main 8 In/4 Relay Out board To be integrated in the unit	ADPRO
	39544010	Ext. 12 In 4 Relay Out board ADPRO FastTrace 2 Ext. 12 In/4 Relay Out board To be integrated in the unit	ADPRO
	39544220	4 analogue camera extension card (V3100) ADPRO V3100 4 analogue camera extension card for V3100 19" model Not usable on FastTrace 2	ADPRO


Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	39544230	8 analogue camera extension card (V3100) ADPRO V3100 8 analogue camera extension card for V3100 19" model Not usable on FastTrace 2	ADPRO
	39544250	1TB Harddisk extension ADPRO FastTrace 2 1TB Hard disk extension	ADPRO
	39544260	2TB Harddisk extension ADPRO FastTrace 2 2TB Hard disk extension	ADPRO
	39544270	4 analogue camera extension card ADPRO FastTrace 2 4 analogue camera extension card for FastTrace 2 model Not usable on V3100 models	ADPRO
	39544280	8 analogue camera extension card ADPRO FastTrace 2 8 analogue camera extension card for FastTrace 2 model Not usable on V3100 models	ADPRO
	39544290	16 analogue camera extension card ADPRO FastTrace 2 16 analogue camera card for FastTrace 2 model Not usable on V3100 models	ADPRO
	39544320	8 IP-camera extension card ADPRO FastTrace 2 H.264 - 8 IP-camera extension card	ADPRO
	49841000	External Ethernet PoE module ADPRO FastTrace 2 External Ethernet PoE module 4 In / 4 Relay Out	ADPRO
	49841010	External Ethernet PoE Extension module ADPRO FastTrace 2 External Ethernet PoE Extension module 4 In / 4 Relay Out	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	49841020	Speaker and Microphone Module ADPRO FastTrace 2 Speaker and Microphone Module	ADPRO
	49975402	LoiterTrace License LT 4VC ADPRO FastTrace 2 LoiterTrace License LT for 4 Video Channels	ADPRO
	49975403	LoiterTrace License LT 1VC ADPRO FastTrace 2 LoiterTrace License LT for 1 Video Channel	ADPRO
	49975404	LoiterTrace License LT 8VC ADPRO FastTrace 2 LoiterTrace License LT for 8 Video Channels	ADPRO
	49975405	LoiterTrace License LT 2VC ADPRO FastTrace 2 LoiterTrace License LT for 2 Video Channels	ADPRO
	49975406	LoiterTrace License LT 16VC ADPRO FastTrace 2 LoiterTrace License LT for 16 Video Channels	ADPRO
	49975408	LoiterTrace License LT 64VC ADPRO FastTrace 2 LoiterTrace License LT for 64 Video Channels	ADPRO
	49975409	LoiterTrace License LT 128VC ADPRO FastTrace 2 LoiterTrace License LT for 128 Video Channels	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	49975412	IntrusionTrace License LT 4VC ADPRO FastTrace 2 IntrusionTrace License LT for 4 Video Channels	ADPRO
	49975413	IntrusionTrace License LT 1VC ADPRO FastTrace 2 IntrusionTrace License LT for 1 Video Channel	ADPRO
	49975414	IntrusionTrace License LT 8VC ADPRO FastTrace 2 IntrusionTrace License LT for 8 Video Channels	ADPRO
	49975415	IntrusionTrace License LT 2VC ADPRO FastTrace 2 IntrusionTrace License LT for 2 Video Channels	ADPRO
	49975416	IntrusionTrace License LT 16VC ADPRO FastTrace 2 IntrusionTrace License LT for 16 Video Channels	ADPRO
	49975418	IntrusionTrace License LT 64VC ADPRO FastTrace 2 IntrusionTrace License LT for 64 Video Channels	ADPRO
	49975419	IntrusionTrace License LT 128VC ADPRO FastTrace 2 IntrusionTrace License LT for 128 Video Channels	ADPRO
	49975500	IntrusionTrace License 1 Year 1VC ADPRO FastTrace 2 IntrusionTrace License 1 Year for 1 Video Channel	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	49975501	IntrusionTrace License 1 Year 2VC ADPRO FastTrace 2 IntrusionTrace License 1 Year for 2 Video Channels	ADPRO
	49975502	IntrusionTrace License 1 Year 4VC ADPRO FastTrace 2 IntrusionTrace License 1 Year for 4 Video Channels	ADPRO
	49975504	IntrusionTrace License 1 Year 8VC ADPRO FastTrace 2 IntrusionTrace License 1 Year for 8 Video Channels	ADPRO
	49975506	IntrusionTrace License 1 Year 16VC ADPRO FastTrace 2 IntrusionTrace License 1 Year for 16 Video Channels	ADPRO
	49975508	IntrusionTrace License 1 Year 64VC ADPRO FastTrace 2 IntrusionTrace License 1 Year for 64 Video Channels	ADPRO
	49975509	IntrusionTrace License 1 Year 128VC ADPRO FastTrace 2 IntrusionTrace License 1 Year for 128 Video Channels	ADPRO
	49975510	IntrusionTrace License 2 Year 1VC ADPRO FastTrace 2 IntrusionTrace License 2 Year for 1 Video Channel	ADPRO
	49975511	IntrusionTrace License 2 Year 2VC ADPRO FastTrace 2 IntrusionTrace License 2 Year for 2 Video Channels	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	49975512	IntrusionTrace License 2 Year 4VC ADPRO FastTrace 2 IntrusionTrace License 2 Year for 4 Video Channels	ADPRO
	49975514	IntrusionTrace License 2 Year 8VC ADPRO FastTrace 2 IntrusionTrace License 2 Year for 8 Video Channels	ADPRO
	49975516	IntrusionTrace License 2 Year 16VC ADPRO FastTrace 2 IntrusionTrace License 2 Year for 16 Video Channels	ADPRO
	49975518	IntrusionTrace License 2 Year 64VC ADPRO FastTrace 2 IntrusionTrace License 2 Year for 64 Video Channels	ADPRO
	49975519	IntrusionTrace License 2 Year 128VC ADPRO FastTrace 2 IntrusionTrace License 2 Year for 128 Video Channels	ADPRO
	49975520	IntrusionTrace License 3 Year 1VC ADPRO FastTrace 2 IntrusionTrace License 3 Year for 1 Video Channel	ADPRO
	49975521	IntrusionTrace License 3 Year 2VC ADPRO FastTrace 2 IntrusionTrace License 3 Year for 2 Video Channels	ADPRO
	49975522	IntrusionTrace License 3 Year 4VC ADPRO FastTrace 2 IntrusionTrace License 3 Year for 4 Video Channels	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	49975524	IntrusionTrace License 3 Year 8VC ADPRO FastTrace 2 IntrusionTrace License 3 Year for 8 Video Channels	ADPRO
	49975526	IntrusionTrace License 3 Year 16VC ADPRO FastTrace 2 IntrusionTrace License 3 Year for 16 Video Channels	ADPRO
	49975528	IntrusionTrace License 3 Year 64VC ADPRO FastTrace 2 IntrusionTrace License 3 Year for 64 Video Channels	ADPRO
	49975529	IntrusionTrace License 3 Year 128VC ADPRO FastTrace 2 IntrusionTrace License 3 Year for 128 Video Channels	ADPRO
	49975530	IntrusionTrace License 6 Month 1VC ADPRO FastTrace 2 IntrusionTrace License 6 Month for 1 Video Channel	ADPRO
	49975531	IntrusionTrace License 6 Month 2VC ADPRO FastTrace 2 IntrusionTrace License 6 Month for 2 Video Channels	ADPRO
	49975532	IntrusionTrace License 6 Month 4VC ADPRO FastTrace 2 IntrusionTrace License 6 Month for 4 Video Channels	ADPRO
	49975534	IntrusionTrace License 6 Month 8VC ADPRO FastTrace 2 IntrusionTrace License 6 Month for 8 Video Channels	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	49975536	IntrusionTrace License 6 Month 16VC ADPRO FastTrace 2 IntrusionTrace License 6 Month for 16 Video Channels	ADPRO
	49975538	IntrusionTrace License 6 Month 64VC ADPRO FastTrace 2 IntrusionTrace License 6 Month for 64 Video Channels	ADPRO
	49975539	IntrusionTrace License 6 Month 128VC ADPRO FastTrace 2 IntrusionTrace License 6 Month for 128 Video Channels	ADPRO
	49975540	IntrusionTrace License 3 Month 1VC ADPRO FastTrace 2 IntrusionTrace License 3 Month for 1 Video Channel	ADPRO
	49975541	IntrusionTrace License 3 Month 2VC ADPRO FastTrace 2 IntrusionTrace License 3 Month for 2 Video Channels	ADPRO
	49975542	IntrusionTrace License 3 Month 4VC ADPRO FastTrace 2 IntrusionTrace License 3 Month for 4 Video Channels	ADPRO
	49975544	IntrusionTrace License 3 Month 8VC ADPRO FastTrace 2 IntrusionTrace License 3 Month for 8 Video Channels	ADPRO
	49975546	IntrusionTrace License 3 Month 16VC ADPRO FastTrace 2 IntrusionTrace License 3 Month for 16 Video Channels	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	49975548	IntrusionTrace License 3 Month 64VC ADPRO FastTrace 2 IntrusionTrace License 3 Month for 64 Video Channels	ADPRO
	49975549	IntrusionTrace License 3 Month 128VC ADPRO FastTrace 2 IntrusionTrace License 3 Month for 128 Video Channels	ADPRO
	49975550	LoiterTrace License 1 Year 1VC ADPRO FastTrace 2 LoiterTrace License 1 Year for 1 Video Channel	ADPRO
	49975551	LoiterTrace License 1 Year 2VC ADPRO FastTrace 2 LoiterTrace License 1 Year for 2 Video Channels	ADPRO
	49975552	LoiterTrace License 1 Year 4VC ADPRO FastTrace 2 LoiterTrace License 1 Year for 4 Video Channels	ADPRO
	49975554	LoiterTrace License 1 Year 8VC ADPRO FastTrace 2 LoiterTrace License 1 Year for 8 Video Channels	ADPRO
	49975556	LoiterTrace License 1 Year 16VC ADPRO FastTrace 2 LoiterTrace License 1 Year for 16 Video Channels	ADPRO
	49975558	LoiterTrace License 1 Year 64VC ADPRO FastTrace 2 LoiterTrace License 1 Year for 64 Video Channels	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	49975559	LoiterTrace License 1 Year 128VC ADPRO FastTrace 2 LoiterTrace License 1 Year for 128 Video Channels	ADPRO
	49975560	LoiterTrace License 2 Year 1VC ADPRO FastTrace 2 LoiterTrace License 2 Year for 1 Video Channel	ADPRO
	49975561	LoiterTrace License 2 Year 2VC ADPRO FastTrace 2 LoiterTrace License 2 Year for 2 Video Channels	ADPRO
	49975562	LoiterTrace License 2 Year 4VC ADPRO FastTrace 2 LoiterTrace License 2 Year for 4 Video Channels	ADPRO
	49975564	LoiterTrace License 2 Year 8VC ADPRO FastTrace 2 LoiterTrace License 2 Year for 8 Video Channels	ADPRO
	49975566	LoiterTrace License 2 Year 16VC ADPRO FastTrace 2 LoiterTrace License 2 Year for 16 Video Channels	ADPRO
	49975568	LoiterTrace License 2 Year 64VC ADPRO FastTrace 2 LoiterTrace License 2 Year for 64 Video Channels	ADPRO
	49975569	LoiterTrace License 2 Year 128VC ADPRO FastTrace 2 LoiterTrace License 2 Year for 128 Video Channels	ADPRO






Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	49975570	LoiterTrace License 3 Year 1VC ADPRO FastTrace 2 LoiterTrace License 3 Year for 1 Video Channel	ADPRO
	49975571	LoiterTrace License 3 Year 2VC ADPRO FastTrace 2 LoiterTrace License 3 Year for 2 Video Channels	ADPRO
	49975572	LoiterTrace License 3 Year 4VC ADPRO FastTrace 2 LoiterTrace License 3 Year for 4 Video Channels	ADPRO
	49975574	LoiterTrace License 3 Year 8VC ADPRO FastTrace 2 LoiterTrace License 3 Year for 8 Video Channels	ADPRO
	49975576	LoiterTrace License 3 Year 16VC ADPRO FastTrace 2 LoiterTrace License 3 Year for 16 Video Channels	ADPRO
	49975578	LoiterTrace License 3 Year 64VC ADPRO FastTrace 2 LoiterTrace License 3 Year for 64 Video Channels	ADPRO
	49975579	LoiterTrace License 3 Year 128VC ADPRO FastTrace 2 LoiterTrace License 3 Year for 128 Video Channels	ADPRO
	49975580	LoiterTrace License 6 Month 1VC ADPRO FastTrace 2 LoiterTrace License 6 Month for 1 Video Channel	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	49975581	LoiterTrace License 6 Month 2VC ADPRO FastTrace 2 LoiterTrace License 6 Month for 2 Video Channels	ADPRO
	49975582	LoiterTrace License 6 Month 4VC ADPRO FastTrace 2 LoiterTrace License 6 Month for 4 Video Channels	ADPRO
	49975584	LoiterTrace License 6 Month 8VC ADPRO FastTrace 2 LoiterTrace License 6 Month for 8 Video Channels	ADPRO
	49975586	LoiterTrace License 6 Month 16VC ADPRO FastTrace 2 LoiterTrace License 6 Month for 16 Video Channels	ADPRO
	49975588	LoiterTrace License 6 Month 64VC ADPRO FastTrace 2 LoiterTrace License 6 Month for 64 Video Channels	ADPRO
	49975589	LoiterTrace License 6 Month 128VC ADPRO FastTrace 2 LoiterTrace License 6 Month for 128 Video Channels	ADPRO
	49975590	LoiterTrace License 3 Month 1VC ADPRO FastTrace 2 LoiterTrace License 3 Month for 1 Video Channel	ADPRO
	49975591	LoiterTrace License 3 Month 2VC ADPRO FastTrace 2 LoiterTrace License 3 Month for 2 Video Channels	ADPRO

Xtralis "Security" Product Overview 01. July 2013

Product Photo	Part No.	Product Type / Product Description	Brand
	49975592	LoiterTrace License 3 Month 4VC ADPRO FastTrace 2 LoiterTrace License 3 Month for 4 Video Channels	ADPRO
	49975594	LoiterTrace License 3 Month 8VC ADPRO FastTrace 2 LoiterTrace License 3 Month for 8 Video Channels	ADPRO
	49975596	LoiterTrace License 3 Month 16VC ADPRO FastTrace 2 LoiterTrace License 3 Month for 16 Video Channels	ADPRO
	49975598	LoiterTrace License 3 Month 64VC ADPRO FastTrace 2 LoiterTrace License 3 Month for 64 Video Channels	ADPRO
	49975599	LoiterTrace License 3 Month 128VC ADPRO FastTrace 2 LoiterTrace License 3 Month for 128 Video Channels	ADPRO