

Boron Trifluoride Ether Complex**000000011324**

Version 1.10

Revision Date 02/02/2026

Print Date 03/11/2026

SECTION 1. IDENTIFICATION

Product name : Boron Trifluoride Ether Complex

Number : 000000011324

Product Use Description : Catalyst, Chemical derivatives

Manufacturer or supplier's details : Solstice Advanced Materials US, Inc.
115 Tabor Road
Morris Plains, NJ 07950-2546

For more information call : 800-522-8001
+1-973-455-6300(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1 866-479-8788 or +1 303-739-1378
: **Transportation (CHEMTREC): 1-800-424-9300 or**
: **+1-703-527-3887**
:
: (24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Form : liquid

Color : colourless to pale yellow

Odor : strong pungent

Classification of the substance or mixture

Classification of the substance or mixture : Flammable liquids, Category 2
Acute toxicity, Category 4, Oral
Acute toxicity, Category 4, Inhalation
Skin corrosion, Category 1B
Serious eye damage, Category 1
Specific target organ toxicity - repeated exposure, Category 1,
Kidney

Boron Trifluoride Ether Complex

000000011324

Version 1.10

Revision Date 02/02/2026

Print Date 03/11/2026

GHS Label elements, including precautionary statements

Symbol(s)

:



Signal word

: Danger

Hazard statements

: H225
H302 + H332
H314

H372

Highly flammable liquid and vapour.
Harmful if swallowed or if inhaled.
Causes severe skin burns and eye damage.
Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

: **Prevention:**

P210

Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

P233

Keep container tightly closed.

P240

Ground/bond container and receiving equipment.

P241

Use explosion-proof electrical/ ventilating/ lighting equipment.

P242

Use only non-sparking tools.

P243

Take precautionary measures against static discharge.

P260

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264

Wash skin thoroughly after handling.

P270

Do not eat, drink or smoke when using this product.

P271

Use only outdoors or in a well-ventilated area.

P280

Wear protective gloves/ protective clothing.

P280

Wear eye protection/ face protection.

P284

Wear respiratory protection.

Response:

P301 + P312

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.

P301 + P330 + P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353

IF ON SKIN (or hair): Remove/ Take off

Boron Trifluoride Ether Complex

000000011324

Version 1.10

Revision Date 02/02/2026

Print Date 03/11/2026

P304 + P340	immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/ doctor.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
Storage: P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
Disposal: P501	Dispose of contents/ container to an approved waste disposal plant.

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : C₄H₁₀BF₃O

Chemical nature : Substance

Chemical name	CAS-No.	Concentration
Boron Trifluoride Ether Complex	109-63-7	>95.00 %
Diethyl ether	60-29-7	<5.00 %

Boron Trifluoride Ether Complex**000000011324**

Version 1.10

Revision Date 02/02/2026

Print Date 03/11/2026

SECTION 4. FIRST AID MEASURES

- Inhalation : Move to fresh air. If breathing is irregular or stopped, administer artificial respiration. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician immediately.
- Skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before re-use. Discard contaminated shoes. Call a physician immediately.
- Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Call a physician immediately.
- Ingestion : Unlikely route of exposure. If ingested, give water to dilute stomach contents. Never give anything by mouth to an unconscious person. Call a physician immediately.

Notes to physician

- Indication of immediate medical attention and special treatment needed, if necessary : Treat as a corrosive acid. Boron Trifluoride breaks down into Boric and Fluoroboric acid (strong corrosive acids). May form fluoride ions under extreme conditions. Consider treatment for fluoride toxicity, hypocalcemia, and hypomagnesemia if exposure is severe.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide (CO₂)
Dry chemical
Cool closed containers exposed to fire with water spray.
- Unsuitable extinguishing media : Avoid direct water stream and foams containing water.
- Specific hazards during firefighting : Reaction with limited water forms BF₃ hydrates, liberating free ether that is extremely flammable and has hazardous storage properties. Excess water forms fluoroboric, boric and hydroxyfluoroboric acids.

Boron Trifluoride Ether Complex**000000011324**

Version 1.10

Revision Date 02/02/2026

Print Date 03/11/2026

Special protective equipment for firefighters : Wear self-contained breathing apparatus and protective suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Wear personal protective equipment.
Immediately evacuate personnel to safe areas.
Keep people away from and upwind of spill/leak.
Ensure adequate ventilation.
Remove all sources of ignition.
Do not swallow.
Do not breathe vapours or spray mist.
Do not get in eyes, on skin, or on clothing.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Discharge into the environment must be avoided.
Do not flush into surface water or sanitary sewer system.
Prevent product from entering drains.
Do not allow run-off from fire fighting to enter drains or water courses.
- Methods and materials for containment and cleaning up : Ventilate the area.
No sparking tools should be used.
Use explosion-proof equipment.
For small spills, absorb on dry neutral or alkaline carrier (e.g. sand, soda ash). Collect and place in an approved chemical waste container. Close container and label Corrosive, Toxic.
Dispose of container in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE**Handling**

- Precautions for safe handling : Wear personal protective equipment.
Use only in well-ventilated areas.
Keep container tightly closed.
Open containers carefully to release possible internal pressure before completely removing closure.
Do not smoke.
Do not swallow.

Boron Trifluoride Ether Complex

000000011324

Version 1.10

Revision Date 02/02/2026

Print Date 03/11/2026

Do not breathe vapours or spray mist.
Do not get in eyes, on skin, or on clothing.

Advice on protection against fire and explosion : Keep away from fire, sparks and heated surfaces.
Take precautionary measures against static discharges.
Ensure all equipment is electrically grounded before beginning transfer operations.
Use explosion-proof equipment.
Keep product and empty container away from heat and sources of ignition.
No sparking tools should be used.
No smoking.

Storage

Conditions for safe storage, including any incompatibilities : Store in area designed for storage of flammable liquids. Protect from physical damage.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Keep away from heat and sources of ignition.
Keep away from direct sunlight.
Store away from incompatible substances.
Container hazardous when empty.
Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Ensure that eyewash stations and safety showers are close to the workstation location.

Engineering measures : Use with local exhaust ventilation.
Prevent vapour buildup by providing adequate ventilation during and after use.

Eye protection : Do not wear contact lenses.
Wear as appropriate:
Safety glasses with side-shields
Goggles or face shield, giving complete protection to eyes

Boron Trifluoride Ether Complex

000000011324

Version 1.10

Revision Date 02/02/2026

Print Date 03/11/2026

- Hand protection : Solvent-resistant gloves
Gloves must be inspected prior to use.
Replace when worn.
- Skin and body protection : Wear as appropriate:
Solvent-resistant apron
Flame retardant antistatic protective clothing.
If splashes are likely to occur, wear:
Protective suit
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
Use NIOSH approved respiratory protection.
For visible releases of BF₃, wear a NIOSH approved full-face supplied air or self-contained breathing apparatus (SCBA).
- Hygiene measures : When using, do not eat, drink or smoke.
Wash hands before breaks and immediately after handling the product.
Keep working clothes separately.
Remove and wash contaminated clothing before re-use.
Do not swallow.
Do not breathe vapours or spray mist.
Do not get in eyes, on skin, or on clothing.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Update	Basis
Boron trifluoride	7637-07-2	TWA : Time weighted average	2.5 mg/m ³	02 2006	OSHA/Z2:US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
Further information	:	Form of exposure : Dust.			

Boron trifluoride	7637-07-2	Ceiling : Ceiling Limit Value:	3 mg/m ³ (1 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
-------------------	-----------	-----------------------------------	--------------------------------	------	---

SAFETY DATA SHEET



Boron Trifluoride Ether Complex

00000011324

Version 1.10

Revision Date 02/02/2026

Print Date 03/11/2026

Boron trifluoride	7637-07-2	Ceiling : Ceiling Limit Value:	3 mg/m3 (1 ppm)	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Boron trifluoride	7637-07-2	Ceil_Tim e : Ceiling Limit Value and Time Period (if specified) :	3 mg/m3 (1 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Boron trifluoride	7637-07-2	Ceiling : Ceiling Limit Value:	(0.7 ppm)	03 2016	ACGIH:US. ACGIH Threshold Limit Values, as amended
Boron trifluoride	7637-07-2	TWA : Time weighted average	(0.1 ppm)	03 2016	ACGIH:US. ACGIH Threshold Limit Values, as amended
Diethyl ether	60-29-7	TWA : Time weighted average	(400 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values, as amended
Diethyl ether	60-29-7	STEL : Short term exposure limit	(500 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values, as amended
Diethyl ether	60-29-7	PEL : Permissi ble exposure limit	1,200 mg/m3 (400 ppm)	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended

Boron Trifluoride Ether Complex

00000011324

Version 1.10

Revision Date 02/02/2026

Print Date 03/11/2026

Diethyl ether	60-29-7	STEL : Short term exposure limit	1,500 mg/m ³ (500 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
---------------	---------	--	--------------------------------------	------	--

Diethyl ether	60-29-7	TWA : Time weighted average	1,200 mg/m ³ (400 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
---------------	---------	--------------------------------------	--------------------------------------	------	--

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: colourless to pale yellow
Odor	: strong pungent
pH	: Note: Not applicable
Melting point/ range	: -60.4 °C
Boiling point/boiling range	: 125.7 °C
Flash point	: < 50 °F (10 °C) Method: closed cup
Lower explosion limit	: 1.9 %(V)NoteBased on ether component.
Upper explosion limit	: 36 %(V) Note: Based on ether component.
Vapor pressure	: 5.6 hPa

Boron Trifluoride Ether Complex**00000011324**

Version 1.10

Revision Date 02/02/2026

Print Date 03/11/2026

Vapor density	: 4.9 Note: (Air = 1.0)
Density	: 1.139 g/cm ³
Water solubility	: Note: Decomposes in contact with water.
Ignition temperature	: 160 °C Note: Based on ether component.
Molecular weight	: 141.94 g/mol

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Hazardous polymerisation does not occur.
Conditions to avoid	: Heat, flames and sparks. Keep away from direct sunlight. Protect against water. Protect from exposure to air/oxygen.
Incompatible materials	: Polymerizable materials Water Alkali metals Alkaline earth metals Alkyl nitrates Air Oxidizing agents
Hazardous decomposition products	: Reaction with water yields BF ₃ and ethyl ether. Reaction of BF ₃ with water yields fluoboric acid and boric acid, the former being a strong acid.

Boron Trifluoride Ether Complex**000000011324**

Version 1.10

Revision Date 02/02/2026

Print Date 03/11/2026

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	: Acute toxicity estimate: 352.8 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate: 11 mg/l , vapour Exposure time: 4 h Method: Calculation method
Acute dermal toxicity Diethyl ether	: LD50: > 20,000 mg/kg Species: Rabbit Method: OECD Test Guideline 402
Skin irritation Boron Trifluoride Ether Complex	: Species: Rabbit Result: Corrosive Exposure time: 1 h
Diethyl ether	: Species: Rabbit Result: No skin irritation Method: OECD Test Guideline 404
Eye irritation Diethyl ether	: Species: Rabbit Result: slight irritation Method: OECD Test Guideline 405
Diethyl ether	: Test Method: Ames test Metabolic activation: with and without metabolic activation Result: negative
Further information Boron Trifluoride Ether	: Note:

Boron Trifluoride Ether Complex**000000011324**

Version 1.10

Revision Date 02/02/2026

Print Date 03/11/2026

Complex May cause dental fluorosis (mottling of teeth) and hypocalcemia (low levels of calcium in blood) if permissible concentration for BF₃ is exceeded for significant periods.

Diethyl ether : Note:
Solvent vapours have a narcotic effect if inhaled in high concentrations.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity to fish
Boron Trifluoride Ether : LC50: 102 microliters/liter
Complex Exposure time: 96 h
Species: *Oncorhynchus mykiss* (rainbow trout)
Test substance: Boron trifluoride

Diethyl ether : LC50: 2,560 mg/l
Exposure time: 96 h
Species: *Pimephales promelas* (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates
Boron Trifluoride Ether : EC50: 46 microliters/liter
Complex Exposure time: 48 h
Species: *Daphnia magna* (Water flea)
Test substance: Boron trifluoride

Further information on ecology**SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Observe all Federal, State, and Local Environmental regulations.

SECTION 14. TRANSPORT INFORMATION

DOT UN/ID No. : UN 3286
Proper shipping name : FLAMMABLE LIQUID, TOXIC, CORROSIVE,
N.O.S.

Boron Trifluoride Ether Complex

000000011324

Version 1.10

Revision Date 02/02/2026

Print Date 03/11/2026

		(Boron trifluoride diethyl etherate)
Class		3
Packing group		II
Hazard Labels		3 (6.1, 8)

IATA	UN/ID No.	: UN 3286
	Description of the goods	: FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (Boron trifluoride diethyl etherate)
	Class	: 3
	Packaging group	: II
	Hazard Labels	: 3 (6.1, 8)
	Packing instruction (cargo aircraft)	: 363
	Packing instruction (passenger aircraft)	: 352
	Packing instruction (passenger aircraft)	: Y340

IMDG	UN/ID No.	: UN 3286
	Description of the goods	: FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (BORON TRIFLUORIDE DIETHYL ETHERATE)
	Class	: 3
	Packaging group	: II
	Hazard Labels	: 3 (6.1, 8)
	EmS Number	: F-E, S-C
	Marine pollutant	: no

SECTION 15. REGULATORY INFORMATION

Inventories

USA. List of Active Substances on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory, as amended : All substances listed as active on the TSCA inventory

Australian Inventory of Industrial Chemicals : All components are listed on the inventory, regulatory obligations/restrictions apply

Boron Trifluoride Ether Complex

000000011324

Version 1.10

Revision Date 02/02/2026

Print Date 03/11/2026

- Canada. Domestic Substances List (DSL), as amended : All components of this product are on the Canadian DSL
- Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory
- Korea. Existing Chemicals Inventory (KECI) : On the inventory, or in compliance with the inventory
- Philippines. Inventory of Chemicals and Chemical Substances (PICCS) : On the inventory, or in compliance with the inventory
- China. Inventory of Existing Chemical Substances (IECSC) : On the inventory, or in compliance with the inventory
- Thailand. Existing Chemicals Inventory from FDA (TECI List) : On the inventory, or in compliance with the inventory
- Taiwan Chemical Substance Inventory (TCSI) : On the inventory, or in compliance with the inventory
- TSCA 5A : US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Proposed Significant New Use Rules (SNURs) (40 CFR 721 and 725)
No substances are subject to a Significant New Use Rule.
- TSCA 12B : US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)
No substances are subject to TSCA 12(b) export notification requirements.

National regulatory information

- US. Drug Enforcement Administration (DEA) Listed Precursor and Essential Chemicals (21 CFR 1310) : On the United States Drug Enforcement Authority (DEA) List of Precursors and Essential Chemicals
- US. EPA CERCLA Hazardous Substances (40 : Diethyl ether 60-29-7
: The following component(s) of this product is/are subject to release reporting under 40 CFR 302 when release exceeds the

Boron Trifluoride Ether Complex

000000011324

Version 1.10

Revision Date 02/02/2026

Print Date 03/11/2026

CFR 302)	Reportable Quantity (RQ):	
	Reportable quantity: 500 lbs	
	: Boron trifluoride	7637-07-2
	:	
	Reportable quantity: 100 lbs	
	: Diethyl ether	60-29-7
US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)	: The following component(s) of this product is/are subject to the emergency planning provisions of 40 CFR 355 when there are amounts equal to or greater than the Threshold Planning Quantity (TPQ):	
	Threshold Planning Quantity:: 500 lbs	
	: Boron trifluoride	7637-07-2
	:	
	Threshold Planning Quantity:: 100 lbs	
SARA 302 Components	: The following components are subject to reporting levels established by SARA Title III, Section 302:	
	: Boron Trifluoride Ether Complex	109-63-7
SARA 313 Components	: The following components are subject to reporting levels established by SARA Title III, Section 313:	
	: Boron Trifluoride Ether Complex	109-63-7
SARA 311/312 Hazards	: Fire Hazard Reactivity Hazard Acute Health Hazard Chronic Health Hazard	
CERCLA Reportable Quantity	: 100 lbs	
California Prop. 65	: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	
Massachusetts RTK	: Boron Trifluoride Ether Complex	109-63-7

Boron Trifluoride Ether Complex

000000011324

Version 1.10

Revision Date 02/02/2026

Print Date 03/11/2026

	: Diethyl ether	60-29-7
New Jersey RTK	: Boron Trifluoride Ether Complex	109-63-7
	: Diethyl ether	60-29-7
Pennsylvania RTK	: Boron Trifluoride Ether Complex	109-63-7
	: Diethyl ether	60-29-7
WHMIS Classification	: B2: Flammable liquid E: Corrosive Material D1B: Toxic Material Causing Immediate and Serious Toxic Effects	
	: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.	

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 2*	3
Flammability	: 4	2
Physical Hazard	: 2	
Instability	:	2
Special hazard	:	W

* - Chronic health hazard

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.



Boron Trifluoride Ether Complex

000000011324

Version 1.10

Revision Date 02/02/2026

Print Date 03/11/2026

Previous Issue Date: 08/19/2025

Person who prepared the SDS Solstice Product Stewardship Group