


INTRODUCING SOLSTICE® EZ FLUSH

High-Performance Replacement for
Air Conditioning and Refrigeration Circuit Flushing



Effective Circuit Cleaner, Approved for Use

To help support the shift to low global warming potential (GWP) flush solutions Solstice introduced Solstice® EZ Flush.

Based on hydrofluoro-olefin (HFO) technology, Solstice® EZ Flush is the next-generation cleaning solvent from Solstice to replace Hydrofluorocarbons (HFCs) and HFC-based flush blends in straight flush (open flush) refrigeration and air conditioning circuits in the following types of equipment:

- Transportation A/C and refrigeration, such as cars, trucks, buses, and trains.
- Aerospace, such as airplanes and helicopters.
- Residential and commercial A/C applications.
- Commercial refrigeration systems.
- Process chillers.

Effective Cleaning and Drying

Solstice® EZ Flush demonstrates consistent and high-performance solvency with a variety of oils, and dries completely and easily.

- Mineral oils.
- Refrigerant oils.
- Vacuum oils.
- Fluorinated oils.
- Heavy grease.
- Cutting oils.
- Silicone oils.
- Silicone grease.



Environmentally Preferred, Next-Generation Technology

Solstice® EZ Flush is a hydrofluoroolefin (HFO) solvent with an ultralow GWP of 1, which is 99.9% lower than HFCs with a GWP ranging from 600 - 1700, equal to carbon dioxide, and is non-ozone-depleting.

Easy to Handle

Solstice® EZ Flush is supplied in a pressurized cylinder for easy discharge of the solvent into the circuit. Technicians can use their existing procedures when flushing a circuit. Solstice® EZ Flush is nonflammable (ASTM E-681) and has very low toxicity.

TYPICAL REFRIGERANT LUBRICANTS

	Mineral Oil	POE	PAG
Solstice® EZ Flush	Very Good	Very Good	Very Good
Nitrogen	Poor	Poor	Poor
R-22	Good	Good	Good
HCFC-141B	Very Good	Very Good	Very Good

For more information, click [HERE](#) or scan the QR code to contact us.



Although Solstice Advanced Materials Inc believes that the information contained herein is accurate and reliable, it is presented without guarantee or responsibility of any kind and does not constitute any representation or warranty of Solstice Advanced Materials Inc, either expressed or implied. A number of factors may affect the performance of any products used in conjunction with user's materials, such as other raw materials, application, formulation, environmental factors and manufacturing conditions among others, all of which must be taken into account by the user in producing or using the products. The user should not assume that all necessary data for the proper evaluation of these products are contained herein. Information provided herein does not relieve the user from the responsibility of carrying out its own tests and experiments, and the user assumes all risks and liabilities (including, but not limited to, risks relating to results, patent infringement, regulatory compliance and health, safety and environment) related to the use of the products and/or information contained herein.

solstice.com
Solstice Advanced Materials
115 Tabor Rd.
Morris Plains, NJ 07950

