



Product Family






Miller Huntsman Rescue Kit

If a worker is suspended in a harness and needs to be rescued, the Miller Huntsman's Rescue Kit will enable this operation to be carried out easily and safely without putting anymore workers at risk.

[Visit MillerFallProtection.com](http://MillerFallProtection.com) >



Product Numbers & Ordering Information

Product Numbers	Details
 M1030049	<p>Huntsman's Rescue Kit 20M Generally conforms to EN 1496:1996 Max Reach Distance of 20m. Actual rope length of 82m. Weighs 6.6kg.</p>
 M1030050	<p>Huntsman's Rescue Kit 30M Generally conforms to EN 1496:1996 Max Reach Distance of 30m. Actual rope length of 122m. Weighs 8.6kg.</p>
 M1030051	<p>Huntsman's Rescue Kit 40M Generally conforms to EN 1496:1996 Max Reach Distance of 40m. Actual rope length of 162m. Weighs 10.6kg.</p>
 M1030052	<p>Huntsman's Rescue Kit 50M Generally conforms to EN 1496:1996 Max Reach Distance of 50m. Actual rope length of 202m. Weighs 12.6kg.</p>
 M1030053	<p>Huntsman's Rescue Kit 60M Generally conforms to EN 1496:1996 Max reach distance of 60m. Actual rope length of 242m. Weighs 14.6kg.</p>

Packaging Information

Package Dimensions: 420mm X 320mm X 330mm

Overview

Key Features

Miller Huntsman Rescue Kit (AUS)

Complete with 8mm Kernmantle Rope and compact blocks, the Miller Huntsman's Rescue Kit is compact and extremely light weight. It includes a Telescopic pole which can easily be adjusted to a maximum of 3.6M making the rescue operation simple. The Kit is also complete with a block and tackle design with a ratio of 4.1 or 5.1 (depending on which direction the load is being pulled) making recovery easier, a compact carry bag for easy transportation, and Triple Acting Karabiners for secure connection. Available in a variety of sizes

Recommended Industries/Use

- Agriculture
- Chemical
- Construction
- Food Services
- Forestry
- Manufacturing
- Mining
- Municipal Services
- Oil and Gas
- Pharmaceutical
- Steel and Metals
- Transportation
- Utilities

Hazards

- Fall from height

Regulations

- Generally conforms to EN 1496:1996

Warranty Information

MILLER FALL PROTECTION PRODUCT TOTAL SATISFACTION ASSURANCE At Sperian Protection, we have been providing quality Miller brand fall protection equipment to millions of workers worldwide since 1945. LIMITED LIFETIME WARRANTY BACKED BY OVER 60 YEARS IN THE FALL PROTECTION BUSINESS We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous tests to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 1300 139 166 (Aust customers) or 0800 322 200 (NZ customers) Manufacturing specifications are subject to change without notice.

Specifications

Maximum Reach Distance

- 20, 30, 40, 50 or 60m

Actual Rope Length

- 82, 122, 162, 202 or 242m

Weight

- 6.6, 8.6, 10.6, 12.6 or 14.6m

Literature & Documents

M1030049 Huntsman s Rescue Kits 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Protection_Kits/4294998719/1033.aspx

Data Sheet - Huntsman Rescue Kit M1030049, M1030050, M1030051, M1030052, M1030053 - AUS

Instructions Huntsman Rescue Kit M3060374 - AUS

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Protection_Kits/37168/1033.aspx

Training & Proper Use

Please refer to product instruction sheets included with the products prior to use.

Additional Information

marketing.australia@sperian.com or ph: 1300 139 166

Technical Support

1300 139 166 (Aust) or 0800 322 200 (NZ)

© Honeywell International Inc.