








Product Family
Miller Rescue Systems (AUS)

Rescue System Kits and Components

Visit MillerFallProtection.com >



Product Numbers & Ordering Information

Product Numbers	Details
 RM-45M-L	<p>Rescue Master Light Kit "Rescue Master kit containing: Raise and lower pulleys with a 3:1 ratio, 45mtrs of kernmantle rope, webbing tie off adaptor and carry back pack."</p>
 RM-45MT	<p>Rescue Master Complete Kit "Rescue Master complete kit containing: Raise and lower pulleys with a 3:1 ratio, 45mtrs of kernmantle rope, webbing tie off adaptor, waist belt with rope grip and chest strap for rescue. Kit is packed into a carry back pack."</p>
 MAN/WINA	<p>ManHandler Winch Adaptor Plate "Adaptor plate which adapts the ManHandler winch to the Miller Davit Arm. Attach the plat to the fixed plate on the Davit arm, and attach the ManHandler winch."</p>
 DL 120B	<p>Davit base The Miller Davit Base is coupled with the davit arm to provide workers with a fixed anchorage point for work winches or rescue systems. The base can be bolted to the ground to provide a fixed base for the portable arm. Tested in accordance with EN 795: 1</p>
 DL 120D	<p>Davit Arm "The Davit Arm will swivel and can be removed from the Davit base. Specifically designed around the lifting of personnel, the Davit arm anchor point is suited to fall arrest. Tested in accordance with EN 795: 1996 and AS/NZS 1891.4 to single person fall ar"</p>

Additional Information

Rescue Master Kits contain: 11mm Kernmantle rope 45mtrs 3:1 Raise and lower pulleys 2 x 501 karabiners Webbing tie off adaptor 201EPG body belt with rope grip (full kit only) 560 rescue chest harness (full kit only) Storage back pack The Davit arm & base has been designed principally around the lifting of personnel.

Overview

Key Features

The Miller Rescue Systems include the Rescue Master Kit, specifically designed for assisting in rescue from difficult to access areas, as well as the Davit arm & base which are coupled together to provide a fixed anchorage point for work winches or rescue systems. These units feature flexibility for rescue and confined space applications.

Recommended Industries/Use

- Agriculture
- Chemical
- Construction
- Food Services
- Forestry
- Manufacturing
- Mining
- Municipal Services
- Oil and Gas
- Steel and Metals
- Transportation
- Utilities

Hazards

- Confined Space
- Fall from height

Specifications

Davit System Standing Height

- 2060mm

Davit System Reach

- 710mm

Davit Base Diameter

- 300mm

Davit Arm Weight

- 26kg

Davit Base Weight

- 23kg

Literature & Documents

Data Sheet Davit arm and base DL120D DL120B - AUS

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Confined_Space/15985/1033.aspx

Data Sheet Davit arm and base DL120D DL120B - AUS

RM 45 Rescue Master Kits AUS NZ 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Confined_Space/4294998720/1033.aspx

Data Sheet Rescue Master Light & Full Kits RM-45MT - AUS

Instructions Davit System - AUS

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Confined_Space/15714/1033.aspx

Davit System Instructions - Australia

Instruction Manual Miller Rescue Master - AUS

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Confined_Space/15713/1033.aspx

Miller Rescue Master Instruction booklet

Miller Industry Fall Protection Guide Poster - AUS

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/24943/1033.aspx

Industry Fall Protection Guide Post 13 Sperian Protection Australia Pty Ltd 3 Walker St, Braeside, Victoria 3195 Australia
Tel: 1300 139 166 Fax: 1300 362 491 New Zealand Tel: 0800 322 200 www.sperianprotection.com.au POLYESTER
CONSTRUCTION HARNESS WEBBING LANYARD ADJUSTABLE LANYARD MILLER ANCHOR GRIPS™ TIE-OFF ADAPTOR

Training & Proper Use

Please refer to product instructions included with the products prior to use.

Additional Information

marketing.australia@sperianprotection.com or ph: 1300 139 166

Technical Support

1300 139 166 (Aust) or 0800 322 200 (NZ)