



8183 Cross-Arm Anchorage Connector

Product Family
Miller Temporary Anchorage Connectors














Miller offers a variety of temporary anchorage connectors including carabiners, beam clamps/trolley, cross-arm straps, rebar hook anchors and more! Careful consideration should be given to selecting a proper anchorage for ultimate safety.

[Visit MillerFallProtection.com](http://MillerFallProtection.com) > Miller Logo

Product Numbers & Ordering Information

	Product Numbers	Details
	17D-1/	Carabiner Twist-Lock Steel Carabiner; 1-inch Gate Opening; ANSI Z359-2007 Compliant
	17D-2/	Carabiner Twist-Lock Aluminum Carabiner; 1-inch Gate Opening
	17D-3/	Carabiner Triple-Action Twist Lock Aluminum Carabiner; 7/8" Gate Opening
	17D-4/	Carabiner Twist-Lock Steel Carabiner; 1-inch Gate Opening; Loose Captive-Eye Pin
	18D-1/	Carabiner Twist-Lock Steel Carabiner; 2-inch Gate Opening; ANSI Z359-2007 Compliant
	18D-1/-001	Carabiner Twist-Lock Steel Captive-Eye Carabiner; 2-inch Gate Opening;
	18D-2/	Carabiner Twist-Lock Aluminum Carabiner; 2 1/4-inch Gate Opening

Miller Temporary Anchorage Connectors

	18D-2/-001	Carabiner Twist-Lock Aluminum Captive-Eye Carabiner; 2 1/4-inch Gate Opening
	417C/	Concrete D-Bolt Anchor D-Bolt Anchorage Connector with Concrete Expansion Bolt
	4117CBOLT/	Concrete Expansion Bolt Concrete expansion bolt only
	420/22IN	Push-Thru Eye Bolt Spring-action anchorage connector; Fits 3/4-inch diameter holes; Includes SofStop shock absorber
	420NS/	Push-Thru Eye Bolt Spring-action anchorage connector; Fits 3/4-inch diameter holes
	440/6FT	Cross-Arm Connector Cross-Arm Chain; 6-ft
	450/	Beam Clamp Steel anchor point that can be attached to horizontal I-beams, S-beams or W-beams. Accomodates beams with a maximum width of 9 inches.
	455/	Beam Clamp Steel anchor point that can be attached to horizontal I-beams, S-beams or W-beams. Accomodates beams with a maximum width of 12-1/2 inches.
	460/	Anchor Bracket Large Anchor Bracket; Includes: Anchorage Bracket Weldment, Eyebolt, Bolts, Washers, Lock Nuts
	470/	Wire Hook Stainless steel spring-loaded hook; Large opening slips over approved anchorages including railings, small I-beams, angle iron and scaffolding.
	475/	Extension Pole and Hook Spring-loaded hook; Installs fall arrest systems up to 20 ft. from ground level to angle iron, piping and related structures.
	475-1/	Extension Pole and Hook Hook only - for #475 [Extension pole and hook]
	475-2/	Extension Pole and Hook Extension Pole only - for #475 [Extension pole and hook]

Miller Temporary Anchorage Connectors



480/19INGN

Rebar Hook Anchor

Rebar Hook and Webbing Anchor w/D-Ring; 19-Inch



480/2FTGN

Rebar Hook Anchor

Rebar Hook and Webbing Anchor w/D-Ring; 2-ft



480/4FTGN

Rebar Hook Anchor

Rebar Hook and Webbing Anchor w/D-Ring; 4-ft



480K/19INBK

Rebar Hook Anchor

Rebar Hook and Kevlar Webbing Anchor w/D-Ring; 19-Inch



480-Z7/19INGN

Rebar Hook Anchor

Rebar Hook and Webbing Anchor w/D-Ring; ANSI Z359-2007 Compliant; 19-Inch



480-Z7/3FTGN

Rebar Hook Anchor

Rebar Hook and Webbing Anchor w/D-Ring; ANSI Z359-2007 Compliant; 3-ft



485/22INYL

Rebar Hook Anchor

Rebar Hook Anchor w/SofStop and D-Ring; 22-Inch



490/

P3 Anchorage Connector

For Use on PERI TRIO Form Systems



8180/13INGN

Scaffold Choker

Scaffold Choker w/D-ring, 13"



8180/17INGN

Scaffold Choker

Scaffold Choker w/D-ring, 17"



8180/22INGN

Scaffold Choker

Scaffold Choker w/D-ring, 22"



8183/10FTGN

Cross-Arm Strap

10-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/11FTGN

Cross-Arm Strap

11-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green

Miller Temporary Anchorage Connectors



8183/12FTGN

Cross-Arm Strap

12-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/13FTGN

Cross-Arm Strap

13-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/14FTGN

Cross-Arm Strap

14-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/15FTGN

Cross-Arm Strap

15-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/16FTGN

Cross-Arm Strap

16-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/18FTGN

Cross-Arm Strap

18-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/20FTGN

Cross-Arm Strap

20-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/22FTGN

Cross-Arm Strap

22-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/25FTGN

Cross-Arm Strap

25-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/28FTGN

Cross-Arm Strap

28-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/2FTGN

Cross-Arm Strap

2-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/30FTGN

Cross-Arm Strap

30-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/35FTGN

Cross-Arm Strap

35-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green

Miller Temporary Anchorage Connectors



8183/3FTGN

Cross-Arm Strap

3-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/40FTGN

Cross-Arm Strap

40-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/4FTGN

Cross-Arm Strap

4-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/50FT

Cross-Arm Strap

50-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/5FTGN

Cross-Arm Strap

5-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/65FTGN

Cross-Arm Strap

65-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/6FTGN

Cross-Arm Strap

6-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/7FTGN

Cross-Arm Strap

7-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/80FTGN

Cross-Arm Strap

80-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/8FTGN

Cross-Arm Strap

8-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183/9FTGN

Cross-Arm Strap

9-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green



8183D/2FT

Cross-Arm Strap

2-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, blue



8183D/3FT

Cross-Arm Strap

3-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, blue

Miller Temporary Anchorage Connectors



8183D/4FT

Cross-Arm Strap

4-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, blue



8183D/5FT

Cross-Arm Strap

5-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, blue



8183D/6FT

Cross-Arm Strap

6-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, blue



8183WS/12FTGN

Cross-Arm Strap

12-ft. length, with sleeve and 2 D-rings, green



8183WS/4FTGN

Cross-Arm Strap

4-ft. length, with sleeve and 2 D-rings, green



8183WS/8FTGN

Cross-Arm Strap

8-ft. length, with sleeve and 2 D-rings, green



8185/10FTGN

Cross-Arm Strap

10-ft. length, 1 2-in. D-ring and 1 loop, green



8185/16FTGN

Cross-Arm Strap

16-ft. length, 1 2-in. D-ring and 1 loop, green



8185/20FTGN

Cross-Arm Strap

20-ft. length, 1 2-in. D-ring and 1 loop, green



8185/2FTGN

Cross-Arm Strap

2-ft. length, 1 2-in. D-ring and 1 loop, green



8185/30FTGN

Cross-Arm Strap

30-ft. length, 1 2-in. D-ring and 1 loop, green



8185/3FTGN

Cross-Arm Strap

3-ft. length, 1 2-in. D-ring and 1 loop, green



8185/4FTGN

Cross-Arm Strap

4-ft. length, 1 2-in. D-ring and 1 loop, green

Miller Temporary Anchorage Connectors



8185/5FTGN

Cross-Arm Strap

5-ft. length, 1 2-in. D-ring and 1 loop, green



8185/6FTGN

Cross-Arm Strap

6-ft. length, 1 2-in. D-ring and 1 loop, green



8185C/10FTGN

Disposable Concrete Anchor Strap

10-ft. length, w/D-ring, green



8185C/20FTGN

Disposable Concrete Anchor Strap

20-ft. length, w/D-ring, green



8185C/2FTGN

Disposable Concrete Anchor Strap

2-ft. length, w/D-ring, green



8185C/3FTGN

Disposable Concrete Anchor Strap

3-ft. length, w/D-ring, green



8185C/4FTGN

Disposable Concrete Anchor Strap

4-ft. length, w/D-ring, green



8185C/5FTGN

Disposable Concrete Anchor Strap

5-ft. length, w/D-ring, green



8185C/6FTGN

Disposable Concrete Anchor Strap

6-ft. length, w/D-ring, green



8185C/8FTGN

Disposable Concrete Anchor Strap

8-ft. length, w/D-ring, green



8185CX/2FTGN

Disposable Concrete Anchor Strap

2-ft. length, w/web loop, green



8185K/10FTBL

Kevlar Cross-Arm Strap

10-ft. length, 1 2-in. D-ring and 1 loop, blue



8185K/2FTBK

Kevlar Cross-Arm Strap

2-ft. length, 1 2-in. D-ring and 1 loop, black

Miller Temporary Anchorage Connectors



8185K/3FTBK

Kevlar Cross-Arm Strap

3-ft. length, 1 2-in. D-ring and 1 loop, black



8185K/3FTBL

Kevlar Cross-Arm Strap

3-ft. length, 1 2-in. D-ring and 1 loop, blue



8185K/4FTBK

Kevlar Cross-Arm Strap

4-ft. length, 1 2-in. D-ring and 1 loop, black



8185K/4FTBL

Kevlar Cross-Arm Strap

4-ft. length, 1 2-in. D-ring and 1 loop, blue



8185K/5FTBK

Kevlar Cross-Arm Strap

5-ft. length, 1 2-in. D-ring and 1 loop, black



8185K/6FTBK

Kevlar Cross-Arm Strap

6-ft. length, 1 2-in. D-ring and 1 loop, black



8185K/6FTBL

Kevlar Cross-Arm Strap

6-ft. length, 1 2-in. D-ring and 1 loop, blue



8186V/10FTV

Cable Anchorage Connector

10-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring



8186V/11FTV

Cable Anchorage Connector

11-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring



8186V/12FTV

Cable Anchorage Connector

12-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring



8186V/14FTV

Cable Anchorage Connector

14-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring



8186V/15FTV

Cable Anchorage Connector

15-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring



8186V/20FTV

Cable Anchorage Connector

20-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring

Miller Temporary Anchorage Connectors



8186V/3FTV

Cable Anchorage Connector

3-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring



8186V/4FTV

Cable Anchorage Connector

4-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring



8186V/6FTV

Cable Anchorage Connector

6-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring



8186V/7FTV

Cable Anchorage Connector

7-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring



8186V/8FTV

Cable Anchorage Connector

8-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring



8186V/9FTV

Cable Anchorage Connector

9-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring



8186V-Z7/6FTV

ANSI Z359-2007 Compliant Cable Anchorage Connector

6-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring



8187G/3FTG

Cable Anchorage Connector

3-ft. length, 1/4-in. dia. galvanized wire rope, 1 locking snap hook and 1 3-in. O-ring



8187G/6FTG

Cable Anchorage Connector

6-ft. length, 1/4-in. dia. galvanized wire rope, 1 locking snap hook and 1 3-in. O-ring



8187G/8FTG

Cable Anchorage Connector

8-ft. length, 1/4-in. dia. galvanized wire rope, 1 locking snap hook and 1 3-in. O-ring



8187V/10FTV

Cable Anchorage Connector

10-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring



8187V/12FTV

Cable Anchorage Connector

12-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring



8187V/15FTV

Cable Anchorage Connector

15-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring

Miller Temporary Anchorage Connectors



8187V/18FTV

Cable Anchorage Connector

18-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring



8187V/20FTV

Cable Anchorage Connector

20-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring



8187V/22FTV

Cable Anchorage Connector

22-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring



8187V/24FTV

Cable Anchorage Connector

24-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring



8187V/28FTV

Cable Anchorage Connector

28-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring



8187V/30FTV

Cable Anchorage Connector

30-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring



8187V/3FTV

Cable Anchorage Connector

3-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring



8187V/4FTV

Cable Anchorage Connector

4-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring



8187V/6FTV

Cable Anchorage Connector

6-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring



8187V/7FTV

Cable Anchorage Connector

7-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring



8187V/8FTV

Cable Anchorage Connector

8-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring



9065/BK

Beam Trolley

Lightweight Adjustable Beam Trolley [fits 3-inch to 4.5-inch wide beam flange]



9065-1/

Beam Trolley

Adapter Kit for 9065 [adapts #9065 Beam Trolley to fit 3-inch to 8.5-inch wide beam flange]



9065-2/

Beam Trolley

Adapter Kit for 9065 [adapts #9065 Beam Trolley to fit 3-inch to 12-inch wide beam flange]

Overview

Key Features

Miller offers a variety of temporary anchorage connectors including carabiners, beam clamps/trolley, cross-arm straps, rebar hook anchors and more! Careful consideration should be given to selecting a proper anchorage for ultimate safety.

Recommended Industries/Use

- Other
- Construction
- Steel and Metals

Hazards

- Confined Space
- Fall from height

Regulations

- Meets all applicable OSHA, ANSI and CSA standards

Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

Specifications

Specification Sheets

- For full engineering specification sheets, go to Literature & Documents

Literature & Documents

SP392 17D-1 Carabiner Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Temporary_Anchorage_Connectors/43023/1033.aspx

SP392 - 17D-1 Carabiner Product Specification Sheet

SP393 18D-1 Carabiner Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Temporary_Anchorage_Connectors/43024/1033.aspx

SP392 - 18D-1 Carabiner Product Specification Sheet

SP423 Cross Arm Strap Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Temporary_Anchorage_Connectors/43025/1033.aspx

SP423 - Cross-Arm Strap Product Specification Sheet

SP429 HLL Cross Arm Strap Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Temporary_Anchorage_Connectors/43026/1033.aspx

SP429 - Horizontal Lifeline Cross-Arm Strap Product Specification Sheet

Miller Temporary Anchorage Connectors

SP322 Concrete Anchor Strap Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Temporary_Anchorage_Connectors/43027/1033.aspx

SP322 - Disposable Concrete Anchorage Strap Product Specification Sheet

SP441 420 Push Thru Eye Bolt Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Temporary_Anchorage_Connectors/43028/1033.aspx

SP441 - 420 Push-Thru Eye Bolt Product Specification Sheet

Training & Proper Use

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

Additional Information

800/873-5242 or 814/423-2118 email: millertechexpert@sperian.com

Technical Support

Contact Miller Technical Service at 800/873-5242 or 814/423-2118 email: millertechexpert@sperian.com