


Product Family
Miller Twin Turbo Fall Protection System

New patent-pending Twin Turbo D-Ring Connector easily adapts two (2) lightweight Miller TurboLite Personal Fall Limiters (PFLs) for continuous 100% tie-off fall protection.

[Visit MillerFallProtection.com](http://MillerFallProtection.com) > Miller Logo

Product Numbers & Ordering Information

	Product Numbers	Details
	MFLB/	D-Ring Connector Twin Turbo System D-Ring Connector

Overview

Key Features

- Replacement for double-legged shock-absorbing lanyards
- Innovative design that easily connects to most fall protection harnesses with non-coated metallic back D-Rings
- Increases worker productivity and versatility with freedom of movement – less restrictive than other units on the market
- Permits TurboLite PFLs to swivel in multiple directions for greater mobility; the swivel action prevents webbing from twisting and binding inside of the unit
- Webbing payout smoothly extends/retracts without interruption
- Easy-to-use and assemble/disassemble
- Adapts to most Miller TurboLite PFL models

Recommended Industries/Use

- Construction
- Oil and Gas

Hazards

- Confined Space
- Fall from height

Regulations

- Meets all applicable OSHA, ANSI and CSA standards

Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested

Miller Twin Turbo System

to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

Specifications

Specification Sheets

- For full engineering specification sheets, go to downloads and documentation

Literature & Documents

Miller Twin Turbo Brochure - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/20612/1033.aspx

Miller Twin Turbo Fall Protection System Brochure

Miller TurboLite Brochure - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/20611/1033.aspx

Miller TurboLite PFL Brochure

Miller Twin Turbo Manual - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/15823/1033.aspx

Miller Twin Turbo Instruction Manual

SP420 Twin Turbo System Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/16180/1033.aspx

SP420 Miller Twin Turbo Spec Sheet

SP408 TurboLite Series Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/16181/1033.aspx

SP408 Miller TurboLite Series Spec Sheet

Training & Proper Use

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

Additional Information

800/873-5242 or email: hsptechsupport@honeywell.com

Technical Support

Contact Miller Technical Service at 800/873-5242 or 814/423-2118 email: millertecheexpert@sperianprotection.com

RELATED PRODUCTS