






**Product Family**  
**ARATHERMA**

High thermal protection gloves in Kevlar® or Nomex®.  
(Protect between 250°C and 350°C)

**Product Numbers & Ordering Information**

	Product Numbers	Details
	2232070	<b>ARATHERMA NOMEX HEAVY</b> Nomex® lightweight knitted. Lined with knitted cotton glove. Length : 26,5 cm. (Sizes 7, 9)
	52/7457	<b>North Grip N Kevlar Hot Mill</b> Handling of very hot objects with a good grip and comfort.
	62/8434	<b>Kevlar Plus Hot Mill</b> Handling of hot, sharp parts in a dry atmosphere.

**Additional Information**

For minimum order quantities, please contact our local office. To access the test data of each reference, please refer to the technical specification documents located in each SKU.

**Overview**

**Key Features**

The Aratherma line features mediumweight / heavyweight 100% Kevlar® or Nomex® knitted gloves.

**COMFORT**

The knitting technique gives the gloves perfect support, limits the penetration of dirt and offers a good touch. The gloves are ambidextrous and thus more cost-effective. The cotton lining reinforces the gloves' mechanical performance while absorbing hand perspiration for added comfort.

**RESISTANCE**

The cotton/Kevlar® or Nomex blend increases the gloves' cutting resistance and thermal resistance (contact heat). The quality of the materials used creates an effective barrier against heavy and sharp parts.

**Recommended Industries/Use**

- Manufacturing
- Steel and Metals

**Hazards**

- Thermal

**Regulations**

- EN 420-2010 - General requirements
- EN 388-2003 - Mechanical risks
- EN 407-2004 - Thermal Risks

**Historical Brand**

Perfect Fit

**Warranty Information**

Honeywell Safety Products warrants that its Protective Gloves are free from defects in material and workmanship. This limited warranty does not cover any product or component found to have been altered, misused, abused, tampered with or improperly maintained or to have deteriorated due to aging of any component made of rubber or any other elastomer. The limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product.

## Specifications

**Materials**

- Kevlar® or Nomex®

**Gauge**

- Medium (10)

**Resistance to heat contact**

- Protect between 250°C and 350°C

**Maintenance / cleaning**

- This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products

**Storage information**

- Keep gloves in their original packaging in a cool, dry, dust-free, away from sources of heat and direct light.

## Training & Proper Use

Do not use against chemical risks.

## Additional Information

User instructions n° 106

## Technical Support

**UK:** [uksales@honeywell.com](mailto:uksales@honeywell.com)

**Export:** [info-export.hsp@honeywell.com](mailto:info-export.hsp@honeywell.com)

**France:** [info-france.hsp@honeywell.com](mailto:info-france.hsp@honeywell.com)

**Germany:** [info-germany.hsp@honeywell.com](mailto:info-germany.hsp@honeywell.com)

**Italy:** [info-italia.hsp@honeywell.com](mailto:info-italia.hsp@honeywell.com)

**Spain:** [info-spain.hsp@honeywell.com](mailto:info-spain.hsp@honeywell.com)

**Nordics:** [info-nordic.hsp@honeywell.com](mailto:info-nordic.hsp@honeywell.com)

**Benelux:** [info-benelux.hsp@honeywell.com](mailto:info-benelux.hsp@honeywell.com)

**Poland:** [info-poland.hsp@honeywell.com](mailto:info-poland.hsp@honeywell.com)

**Hungary:** [info-hungary.hsp@honeywell.com](mailto:info-hungary.hsp@honeywell.com)

**Russia:** [info-russia.hsp@honeywell.com](mailto:info-russia.hsp@honeywell.com)

