







**Product Family**  
**Miller Rope/Web Lanyards**  
**(EUR)**

A restraint lanyard is used to restrict the worker's movement to prevent him reaching a location where a fall hazard exists.



**Product Numbers & Ordering Information**

	Product Numbers	Details
	1002881	<b>MD00</b> Rope Lanyard 1m with loop and connector (ML00), 18mm opening
	1002882	<b>MD00</b> Rope Lanyard 2m with loop and connector (ML00), 18mm opening
	1002883	<b>MD02</b> Rope Lanyard 1m with two connectors (ML00), 18mm opening
	1002884	<b>MD02</b> Rope Lanyard 2m with two connectors (ML00), 18mm opening
	1004711	<b>MD02</b> Rope Lanyard 1,5m with two connectors (ML00), 18mm opening
	1015859	<b>ATEX Forked Lanyard</b> Forked Lanyard

**Overview**

### Key Features

Miller has a comprehensive range of lightweight, versatile restraint arrest lanyards designed for maximum protection.

### Recommended Industries/Use

- Construction
- Manufacturing
- Utilities

### Hazards

- Fall from height

### Regulations

- EN 354 -

### Warranty Information

Our state of the art equipment provides the critical tool for worker protection, combining mobility with unsurpassed comfort.

At our ISO 9001 certified manufacturing facilities in Europe, we ensure that every Miller product is made in accordance with the standards and meets your exacting requirements.

## Literature & Documents

90004208 lanyard EN 354, 355 (EUR)

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Lanyards/41642/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Lanyards/41642/1033.aspx)

Instruction manual

## Training & Proper Use

Training is an essential part of any safety program. The employer is responsible for ensuring that any person working at height is fully informed regarding the correct use of PPE and systems.

More information about the training...

## Technical Support

### Miller Techniserv

#### Northern and Central Europe

Phone: +49 (0) 9281/8302-205

Email: [techniservnorth.hsp@honeywell.com](mailto:techniservnorth.hsp@honeywell.com)

#### Southern Europe, UK, Ireland

Phone: +33 (0)2 48 52 40 42

Email: [techniserv.hsp@honeywell.com](mailto:techniserv.hsp@honeywell.com)



