



Product Family
Miller Tripods

Anchorage connector for typical confined space and rescue systems.



Product Numbers & Ordering Information

	Product Numbers	Details
	51/7FT	Anchorage Connector for Typical Confined Space and Rescue Systems High-Strength Aluminum Tripod; 7-ft
	51FT/	Tripod Accessory Tripod replacement foot assembly
	51X/9FT	Anchorage Connector for Typical Confined Space and Rescue Systems High-Strength Aluminum Tripod; 9-ft
	8287H/YL	Tripod Accessory Carrying Bag for 7' tripod
	CP105/	Tripod Accessory Pulley connector for self-retracting lifelines, accommodates up to 1/4" rope or cable

Overview

Key Features

- Available in 7 ft. (2m) and 9 ft. (2.7m) models
- Lightweight, high-strength aluminum construction
- Withstands up to 5,000 lbs. (22kN) of vertical pull

Miller Tripods

- Adjustable legs with integral push pins, ideal for uneven surfaces
- Independent leg locking feature hold legs securely in place
- Safety chain and tripod feet with rubber skid pads and serrated edge prevent slippage in icy conditions
- Available with reflective tape

Recommended Industries/Use

- Agriculture
- Mining
- Municipal Services

Hazards

- Confined Space
- Fall from height

Regulations

- Meets all applicable OSHA, ANSI and CSA standards

Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

Specifications

Specification Sheets

- For full engineering specification sheets, go to the spec sheet section under downloads and documentation

Training & Proper Use

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

Additional Information

800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com

Technical Support

Contact Miller Technical Service at 800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com