







**Product Family**  
**Miller Twin Turbo Fall Protection System**

New patent-pending Twin Turbo D-Ring Connector easily adapts two (2) lightweight Miller TurboLite Personal Fall Limiters (PFLs) for continuous 100% tie-off fall protection.



**Product Numbers & Ordering Information**

Product Numbers	Details
 MFLB/	<b>D-Ring Connector</b> Twin Turbo System D-Ring Connector
 MFLB-11/6FT	<b>ANSI A10.32 Compliant</b> Twin Turbo D-Ring Connector and two (2) MFL-11/6FT TurboLite PFLs (carabiners not included)
 MFLB-12/6FT	<b>ANSI A10.32 Compliant</b> Twin Turbo D-Ring Connector and two (2) MFL-12/6FT TurboLite PFLs (carabiners not included)
 MFLB-3/6FT	<b>ANSI A10.32 Compliant</b> Twin Turbo D-Ring Connector and two (2) MFL-3/6FT TurboLite PFLs
 MFLB-3-Z7/6FT	<b>ANSI Z357-2007 Compliant</b> Twin Turbo D-Ring Connector and two (2) MFL-3-Z7/6FT TurboLite PFLs
 MFLB-4/6FT	<b>ANSI A10.32 Compliant</b> Twin Turbo D-Ring Connector and two (2) MFL-4/6FT TurboLite PFLs

## Miller Twin Turbo System



MFLB-4-Z7/6FT

### **ANSI Z357 Compliant**

Twin Turbo D-Ring Connector and two (2) MFL-4-Z7/6FT TurboLite PFLs



MFLB-12-Z7/6FT

### **Aluminum; ANSI Z357 Compliant**

Twin Turbo D-Ring Connector and two (2) MFL-12-Z7/6FT TurboLite PFLs



MFLB-PARTS/

### **D-Ring Connector**

D-Ring Connector Parts Kit; Slide Lock Bolt (1), PFL Spacer (2), PFL Retainer Pin (2)

## Overview

### Key Features

- Replacement for double-legged shock-absorbing lanyards
- Innovative design that easily connects to most fall protection harnesses with non-coated metallic back D-rings
- Increases worker productivity and versatility with freedom of movement – less restrictive than other units on the market
- Permits TurboLite PFLs to swivel in multiple directions for greater mobility; the swivel action prevents webbing from twisting and binding inside of the unit
- Webbing payout smoothly extends/retracts without interruption
- Easy-to-use and assemble/disassemble
- Adapts to most Miller TurboLite PFL models

### Recommended Industries/Use

- Construction
- Oil and Gas

### Hazards

- Confined Space
- Fall from height

### Regulations

- Meets all applicable OSHA, ANSI and CSA standards

### Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

## Specifications

### Specification Sheets

- For full engineering specification sheets, go to downloads and documentation

## Literature & Documents

### Miller Twin Turbo Brochure - US

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Fall\\_Limiters/Self-Retracting\\_Lifelines/20612/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/20612/1033.aspx)

Miller Twin Turbo Fall Protection System Brochure

**Miller TurboLite Brochure - US**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Fall\\_Limiters/Self-Retracting\\_Lifelines/20611/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/20611/1033.aspx)

Miller TurboLite PFL Brochure

**Miller Twin Turbo Manual - US**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Fall\\_Limiters/Self-Retracting\\_Lifelines/15823/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/15823/1033.aspx)

Miller Twin Turbo Instruction Manual

**SP420 Twin Turbo System Spec Sheet - US**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Fall\\_Limiters/Self-Retracting\\_Lifelines/16180/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/16180/1033.aspx)

SP420 Miller Twin Turbo Spec Sheet

**SP408 TurboLite Series Spec Sheet - US**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Fall\\_Limiters/Self-Retracting\\_Lifelines/16181/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/16181/1033.aspx)

SP408 Miller TurboLite Series Spec Sheet

## Training & Proper Use

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

## Additional Information

800/873-5242 or email: [hsptechsupport@honeywell.com](mailto:hsptechsupport@honeywell.com)

## Technical Support

Contact Miller Technical Service at 800/873-5242 or 814/423-2118 email: [millertecheexpert@sperianprotection.com](mailto:millertecheexpert@sperianprotection.com)

### RELATED PRODUCTS