

**Produktfamilj****Fenzy X-Pro SCBA**

The X-Pro is a high performance compressed air breathing apparatus set developed by Honeywell Safety Products. Its construction integrates many passive safety elements and modular function, offering an optimal protection for the user in every kind of environments and extreme applications. The apparatus is EN 137:2006 Type 2 certified. Developed to meet professional requirements: The materials used to construct the X-Pro combine comfort and high performance. They can withstand hostile environments such as extreme temperatures or chemical splashes, and provide unrivalled durability and long life.

Honeywell**Product Numbers &**

1825291

X-Pro

X-Pro - pull forward waist adjustment system and fast assembly/disassembly harness - with Opti-Pro full-face mask (size M) with 5-point head strap and Sx-Pro demand valve. Without air cylinder.

Ytterligare informationFrance : info-france.hsp@honeywell.comExport : info-export.hsp@honeywell.comBelgium, Luxembourg, netherlands : info-benelux.hsp@honeywell.comGermany, Austria, Switzerland : info-germany.hsp@honeywell.comItaly : info-italia.hsp@honeywell.comUnited Kingdom, Middle East & SouthernAfricaBranch : info-uk.hsp@honeywell.comSpain, Portugal : info-spain.hsp@honeywell.comSweden, Denmark, Finland, Iceland, Norway : info-nordic.hsp@honeywell.comEstonia, Latvia, Lithuania : info-nordic.hsp@honeywell.comRussia : info-russia.hsp@honeywell.comHungary : info-hungary.hsp@honeywell.comPoland : info-poland.hsp@honeywell.com**Översikt****Viktigaste egenskaperna**

- Ultra-light, height adjustable back plate for various body shapes
- Thermo-compressed fibre comfort cushions on the shoulders, waist belt straps and on the upper back straps
- Curved shoulder straps, specially designed to maintain the apparatus on the shoulders, regardless of the user's position or movements
- Washable harness
- Adjustable fast-tightening shoulder straps buckles
- Pull forward fast tightening waistbelt buckles

Fenzy X-Pro SCBA

- Rotating hip belt to better support all user's movements
- Multiple anchoring rings for accessories
- Adjustable cylinder strap
- Reducer with built-in second user outlet, allowing an air supply to be added for an additional rescue hood, full face mask or airline attachment
- With limited maintenance, the X-Pro allows you to save on maintenance time in order to be always ready for use, reducing life cycle cost
- Flame-retardant optional reflective pads accessories available on shoulders
- Optional medium pressure airline connection accessories available (wide range of connectors choice)
- Fast assembly/disassembly harness system thanks to robust stainless steel buckles
- Back plate adjustment system Movable and foldable foot protecting the cylinder and the high-pressure system from impacts
- Antistatic flexible HP and MP hoses integrated into the back plate for optimal safety and protection
- Color reinforced sewing on key safety elements
- Easy to grab top carry handle
- Two large carry handle for a fast and easy grabbing in whatever situation

Rekommenderade branscher/rekommenderat användningsområde

- Brandskydd
- Myndigheter
- Polis
- Militären

Risker

- Luftburna partiklar
- Biologiska risker
- Kemi
- Kontaminering
- Brand
- Gas, ånga, rök

Föreskrifter

- EN 137 Type 2: 2006, SOLAS, MED, IMO, MSC, AS/NZS 2003*, ISO 23261-3

Tidigare varumärke

Fenzy

Specifikationer

Homologations

- EN 137 Type 2: 2006, SOLAS, MED, IMO, MSC, AS/NZS 2003*, ISO 23261-3

Weight (backplate & harness & SX-Pro demand valve)

- 3,80 kg

Harness

- Thermo-compressed fibre comfort cushions on the shoulders, waist belt straps and on the upper back straps. Pull forward fast tightening waistbelt buckles

Back-plate

- Ultra-light, height adjustable back plate for various body shapes

Outlet pressure of the HP reducer

- 7 bars

Pressure

- 200 or 300

Outlet pressure of the HP reducer

- 7 bars

Power of the pressure gauge whistle

- > 95 DbA

Training & Proper Use

Including User's Manual

Ytterligare information

France : info-france.hsp@honeywell.com
Export : info-export.hsp@honeywell.com
Belgium, Luxembourg, netherlands : info-benelux.hsp@honeywell.com
Germany, Austria, Switzerland : info-germany.hsp@honeywell.com
Italy : info-italia.hsp@honeywell.com
United Kingdom, Middle East & SouthernAfricaBranch : info-uk.hsp@honeywell.com
Spain, Portugal : info-spain.hsp@honeywell.com
Sweden, Denmark, Finland, Iceland, Norway : info-nordic.hsp@honeywell.com
Estonia, Latvia, Lithuania : info-nordic.hsp@honeywell.com
Russia : info-russia.hsp@honeywell.com
Hungary : info-hungary.hsp@honeywell.com
Poland : info-poland.hsp@honeywell.com

Teknisk support

France : info-france.hsp@honeywell.com
Export : info-export.hsp@honeywell.com
Belgium, Luxembourg, netherlands : info-benelux.hsp@honeywell.com
Germany, Austria, Switzerland : info-germany.hsp@honeywell.com
Italy : info-italia.hsp@honeywell.com
United Kingdom, Middle East & SouthernAfricaBranch : info-uk.hsp@honeywell.com
Spain, Portugal : info-spain.hsp@honeywell.com
Sweden, Denmark, Finland, Iceland, Norway : info-nordic.hsp@honeywell.com
Estonia, Latvia, Lithuania : info-nordic.hsp@honeywell.com
Russia : info-russia.hsp@honeywell.com
Hungary : info-hungary.hsp@honeywell.com
Poland : info-poland.hsp@honeywell.com