








Product Family
Miller Connectors (EUR)














Karabiners

Miller Logo





Product Numbers & Ordering Information

	Product Numbers	Details
	1018960	CS20 Multipurpose Steel Screw karabiner Opening = 17 mm Complies with Standard : EN 362 class B
	1009276	CS20 Alu Multipurpose Aluminum Screw karabiner Opening = 17 mm Complies with Standard : EN 362 class B
	1002833	ML01 Screwgate karabiner Pear-Shape for easier belay. Opening : 19 mm Complies with Standard : EN 362 class B
	1018961	ML06 Screwgate karabiner for all areas. Opening : 21 mm Complies with Standard : EN 362 class B
	1018963	CS20 Twist look Opening : 17 mm Complies with Standard : EN 362 class B
	1018968	ZICRAL Shape facilitates belay technique. Opening : 16 mm Complies with Standard : EN 362 class B
	1008342	ZICRAL2 Opening : 18 mm Complies with Standard : EN 362 class B

Miller Connectors (EUR)

	1018969	SUPER TOP Opening : 20 mm Complies with Standard : EN 362 class B
	1018971	FRELON Pear-shape triple action karabiner for easier belay. Wide opening for several ropes : 22 mm. Complies with Standard : EN 362 class B
	1028630	CIGALE Aluminium Triple action karabiner. Round thread for easier insertion into the connecting parts. Opening : 20 mm Complies with Standard : EN 362 class B
	1004300	GO30 Aluminium snap karabiner. Opening : 28 mm Complies with Standard : EN 362 class T
	1018972	GO60 Aluminium snap Karabiner . Opening : 60 mm Complies with Standard : EN 362 class A
	1018973	SNAP HOOK Steel snap hook with opening : 21 mm Complies with Standard : EN 362 class T
	1009249	GO55 Steel wide opening hook. Opening : 55 mm Complies with Standard : EN 362 class A
	1009258	GO85 Steel hook with 85 mm opening Complies with Standard : EN 362 class A
	1018976	GO100 Aluminium big snap hook with 110 mm opening. Complies with Standard : EN 362 class A
	1018977	ML04 Aluminium big hook with 63 mm opening. Complies with Standard : EN 362 class A
	1018979	CLAMP 75 Anchorage for connector 40 mm in diameter. Opening : 75 mm Complies with Standard : EN 362 class A
	1018980	CLAMP 100 Anchorage for connector 40 mm in diameter. Opening : 100 mm Complies with Standard : EN 362 class A
	1018981	CLAMP 140 Anchorage for connector 40 mm in diameter. Opening : 140 mm Complies with Standard : EN 362 class A

Miller Connectors (EUR)

	1002896	CROCHEVIT Complies to the Standard : EN 795 class B. Opening : 150 mm or square shape dim 120 x 120 mm
	1002899	CROCHEVIT JIRAF Wide opening : 150 mm . Ideal for anchorage to joist & beams... Complies to the Standard : EN 795 class B.
	1002900	GO65 JIRAF Enables the installation of vertical lifeline from the ground while connected to a pole. Opening : 63 mm Complies to the Standard : EN 795 class B.
	1002981	GO100 JIRAF Enables the installation of vertical lifeline from the ground while connected to a pole. Opening : 110 mm Complies to the Standard : EN 795 class B.

Overview

Key Features

Miller anchorage connectors are used for securing an intermediate attachment to an anchorage point.

Hazards

- Fall from height

Regulations

- Conforms to EN 362

Warranty Information

Our state of the art equipment provides the critical tool for worker protection, combining mobility with unsurpassed comfort.

At our ISO 9001 certified manufacturing facilities in Europe, we ensure that every Miller product is made in accordance with the standards and meets your exacting requirements.

Literature & Documents

90005864 - Provisional anchorage device - EN 795

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Temporary_Anchorage_Connectors/42047/1033.aspx

Instruction manual

90005863 - Connector - EN 362

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Temporary_Anchorage_Connectors/42048/1033.aspx

Instruction manual

Training & Proper Use

Training is an essential part of any safety program. The employer is responsible for ensuring that any person working at height is fully informed regarding the correct use of PPE and systems.

More information about the training...

Technical Support

Miller Connectors (EUR)

Miller Techniserv

Northern and Central Europe

Phone: +49 (0) 9281/8302-205

Email: techniservnorth.hsp@honeywell.com

Southern Europe, UK, Ireland

Phone: +33 (0)2 48 52 40 42

Email: techniserv.hsp@honeywell.com

