










Product Family
Miller Webbing Anchorage Slings (EUR)

Versatile webbing anchorage sling adapts to a wide range of anchorage points.

Miller Logo

Product Numbers & Ordering Information

	Product Numbers	Details
	1002916	MJ00 Webbing anchorage sling 0.6m
	1002917	MJ00 Webbing anchorage sling 0.8m
	1003245	MJ00 Webbing anchorage sling 1m
	1002918	MJ00 Webbing anchorage sling 1.2m
	1002919	MJ00 Webbing anchorage sling 1.5m
	1003251	Anchorage sling 25mm webbing sling (1.2m) with energy dissipating
	1003250	Anchorage sling 25mm webbing sling (0.8m) with energy dissipating



1002996

Anchorage device
Stainless steel, fixation point Ø13mm



1003272

Anchorage point
1002996 with chemical bolt HVU12



1003273

Anchorage point
1002996 with bolt HM12

Overview

Key Features

This webbing anchorage sling allows a safe and reliable connection when anchorages are not safe. The anchorage point can be used to connect a lifeline then.

Material : 27 mm polyester Yellow webbing
available in different length

Recommended Industries/Use

- Wind Energy

Hazards

- Fall from height

Regulations

- Complies to the EN 795 B and EN 795 A for the fixed anchorage point

Warranty Information

Our state of the art equipment provides the critical tool for worker protection, combining mobility with unsurpassed comfort.

At our ISO 9001 certified manufacturing facilities in Europe, we ensure that every Miller product is made in accordance with the standards and meets your exacting requirements.

Literature & Documents

90005864 - Provisional anchorage device - EN 795

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Temporary_Anchorage_Connectors/42047/1033.aspx

Instruction manual

Training & Proper Use

Training is an essential part of any safety program. The employer is responsible for ensuring that any person working at height is fully informed regarding the correct use of PPE and systems.

More information about the training...

Technical Support

Miller Techniserv

Northern and Central Europe

Phone: +49 (0) 9281/8302-205


Email: techniservnorth.hsp@honeywell.com

Miller Webbing Anchorage Slings (EUR)

Southern Europe, UK, Ireland

Phone: +33 (0)2 48 52 40 42

Email: techniserv.hsp@honeywell.com



© Honeywell International Inc.