







**Product Family**  
**Rope Grab removable RG 500**  
**MultiRun**

Rope Grab removable RG500 Auto/Manual Rope Grab

**Honeywell**

**Product Numbers & Ordering Information**

	Product Numbers	Details
	1035951	<b>RG removable RG500</b> RG500 Auto/Manual Rope Grab, Ø12mmW/O Lanyard extension
	1035950	<b>RG removable RG500</b> RG500 Auto/Manual Rope Grab, Ø12mm,W/ Lanyard extension 0,3m
	1035949	<b>RG removable RG500</b> RG500 Auto/Manual Rope Grab, Ø12mm,W/ Lanyard extension 1m
	1035948	<b>RG removable RG500</b> RG500 ANCHORAGE LINE, Ø12mm, 5M W/ counterweight & karabiner
	1035947	<b>RG removable RG500</b> RG500 ANCHORAGE LINE, Ø12mm,10M W/ counterweight & karabiner
	1035946	<b>RG removable RG500</b> RG500 ANCHORAGE LINE, Ø12mm, 15M W/ counterweight & karabiner

## Rope Grab removable RG 500 MultiRun

1035945	<b>RG removable RG500</b> RG500 ANCHORAGE LINE, Ø12mm, 20M W/ counterweight & karabiner
1035944	<b>RG removable RG500</b> RG500 ANCHORAGE LINE, Ø12mm, 25M W/ counterweight & karabiner
1035943	<b>RG removable RG500</b> RG500 ANCHORAGE LINE, Ø12mm, 30M W/ counterweight & karabiner
1035942	<b>RG removable RG500</b> RG500 ANCHORAGE LINE, Ø12mm, 40M W/ counterweight & karabiner
1035941	<b>RG removable RG500</b> RG500 ANCHORAGE LINE, Ø12mm, 50M W/ counterweight & karabiner
1035940	<b>RG removable RG500</b> RG500 200m rope only Ø12m
1035939	<b>RG removable RG500</b> RG500 rope xM

## Overview

### Key Features

Smooth sliding vertical fall arrest system that will provide greater safety & comfort at work to quickly access the work site and better focus on their job to improve their productivity

### Recommended Industries/Use

- Construction
- Utilities

### Hazards

- Fall from height

### Historical Brand

Honeywell Miller

## Specifications

### A product that suits all work situations

- Product tested on edges with an angle radius  $\geq 0.5\text{mm}$ . Tested at 140kg in all situations at height

### Comfort and freedom of movement

- Easy to manipulate, intuitive product, grab can be removed from the rope

### Better security

- Anti reverse feature

### Reliability

- Corrosion resistant stainless steel construction provides increased durability

## Literature & Documents

### Honeywell Miller Rope Grab- RG500 \_300 Brochure

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/4295003784/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/4295003784/1033.aspx)

DELIVERING SECURITY AT NEW HEIGHTS Rope Grabs Prevent Work Site Falls FEATURES AND BENEFITS • Compliant to EN 353-2:2002 • Maximum user weight of 140 kg • Long-lasting product in standard conditions • Can be used as anchorage device (EN 795/B:2012) 18 kN • Resistant to shocks and dust • Slides smoothly on the rope (vertica