



1 **TYPE EXAMINATION CERTIFICATE**

2 Component intended for use in Potentially Explosive Atmospheres Directive 94/9/EC

3 Certificate Number: **Sira 15ATEX4031U** Issue: **0**

4 Component: **Touchpoint Pro Relay Output Module**

5 Applicant: **Honeywell Analytics Ltd**

6 Address: **4 Stinsford Road
Nuffield Estate
Poole, Dorset
BH17 0RZ
United Kingdom**

7 This component and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.

8 Sira Certification Service certifies that this component has been found to comply with the Essential Health and Safety Requirements that relate to the design of Category 2 3 components, which are intended for use in potentially explosive atmospheres. These Essential Health and Safety Requirements are given in Annex II to European Union Directive 94/9/EC of 23 March 1994.

The examination and test results are recorded in the confidential reports listed in Section 14.2.

9 Compliance with the Essential Health and Safety Requirements, with the exception of those listed in the schedule of this certificate, has been assessed by reference to:

EN 60079-0:2012

EN 60079-15:2010

The above list of documents may detail standards that do not appear on the UKAS Scope of Accreditation, but have been added through Sira's flexible scope of accreditation, which is available on request.

10 The sign 'U' is placed after the certificate number to indicate that the product assessed is a component and may be subject to further assessment when incorporated into equipment. Any special conditions for safe use are listed in the schedule to this certificate.

11 This TYPE EXAMINATION CERTIFICATE relates only to the design of the specified component, and not to specific components subsequently manufactured.

12 The marking of the component shall include the following:



II 3G

Ex nA nC IIC T4 Gc

Project Number 70004994

A C Smith
Certification Manager

This certificate and its schedules may only be reproduced in its entirety and without change.



SCHEDULE

TYPE EXAMINATION CERTIFICATE

Sira 15ATEX4031U
Issue 0

13 DESCRIPTION OF COMPONENT

The Relay Output Module (ROM) is used to activate or deactivate actuators connected to a Touchpoint Pro (TPPR) system, which detects the presence of gas and fire. The ROM contains two boards, a Relay Output Board and a Core IO board. The two boards connect together via a board-mounted plug and socket and are enclosed inside a plastic housing. The ROM is intended to be mounted on a DIN rail inside a cabinet which provides an ingress protection of at least IP54.

The ROM provides four independent relay output channels at four sets of terminal (TB1 to TB4) for connecting to field devices like audible or visual alarm annunciators or solenoid valves. It has an auxiliary output to power external field devices. The ROM also has another four sets of terminal blocks (TB5 to TB8), which provide auxiliary supply to power external field devices. These terminals are mounted on the boards and appear at the front of the housing.

External power connections are made to the rear of the Relay Output Board edge connector, which plugs into a Backplane mounted on a DIN rail.

Rated voltage at the DIN-rail edge connector = 18V-32V dc
Relay contacts rating: 30Vdc 5A, 250Vac 5A
Aux outputs: 18 – 32 Vdc, 1.5A max (fused)

14 DESCRIPTIVE DOCUMENTS

14.1 Drawings

Refer to Certificate Annexe.

14.2 Associated Sira Reports and Certificate History

Issue	Date	Report number	Comment
0	07 May 2015	R70004994D	The release of the prime certificate.

15 SPECIAL CONDITIONS FOR SAFE USE

15.1 The component shall be installed in an Ex e or Ex n approved enclosure that provides an ingress protection of at least IP54.

15.2 The component shall only be used in a service temperature range of -40°C to +70°C.

16 ESSENTIAL HEALTH AND SAFETY REQUIREMENTS (EHSRs)

The relevant EHSRs that are not addressed by the standards listed in this certificate have been identified and individually assessed in reports listed in Section 14.2.

17 CONDITIONS OF CERTIFICATION

17.1 The use of this certificate is subject to the Regulations Applicable to Holders of Sira Certificates.

17.2 Holders of type-examination certificates are required to comply with the production control requirements defined in Article 8 of directive 94/9/EC.

This certificate and its schedules may only be reproduced in its entirety and without change.

Certificate Annexe

Certificate Number: Sira 15ATEX4031U
Component: Touchpoint Pro Relay Output Module
Applicant: Honeywell Analytics Ltd



Issue 0

Drawing no.	Sheets	Rev.	Date (Sira stamp)	Title
2400A1040	1 of 1	01	20 Apr 15	ROM General Assembly
2400B1040	1 of 1	07	20 Apr 15	ROM Parts List
2400D1340	1 of 1	01	20 Apr 15	Connection Ident
2400D1345	1 of 1	01	20 Apr 15	Marking Label
2400D1346	1 of 1	01	20 Apr 15	Connection Diagram Label
2400D1366	1 of 1	01	20 Apr 15	Serial No Label
2400A2080	1 to 3	04	20 Apr 15	Relay Output Board Assembly
2400B2080	1 of 1	05	20 Apr 15	Relay Output Board Parts List
2400C2081	1 to 4	02	20 Apr 15	Relay Output Board Schematics
2400D2082	1 to 3	04	20 Apr 15	Relay Output Board Fabrication
2400F2082	1 to 3	04	20 Apr 15	Relay Output Board PCB Specification
2400A2060	1 to 3	02	20 Apr 15	IO Core PCB Assembly
2400B2060	1 of 1	04	20 Apr 15	IO Core PCB Parts List
2400C2061	1 to 8	02	20 Apr 15	IO Core Schematic
2400D2062	1 to 3	03	20 Apr 15	IO Core PCB Fabrication
2400F2062	1 to 3	03	20 Apr 15	IO Core PCB Specification

This certificate and its schedules may only be reproduced in its entirety and without change.