


# CUT PROTECTION MADE SIMPLE CORESHIELD™



Honeywell

# MAKING TOUGH CHOICES, INTO EASY DECISIONS

Enhanced cut resistance, comfort, ease of selection, cost effectiveness... All in one glove. With Honeywell CoreShield™, simplified hand protection is at your fingertips.

## OUR FOCUS IS GIVING WORKERS THE RIGHT CUT PROTECTION

Choosing the right cut-protective gloves is a key challenge for safety professionals who simply can't afford to get it wrong. Now that new standards EN388:2016 ISO 13997 in Europe and ANSI-105 2016 in North America have simplified classifications for cut resistant levels, knowing the protection level is better understood. However, what has not changed, is knowing if you are choosing the right level of cut-protective gloves and the need to balance cut protection with:

- **Dexterity**
- **Comfort**
- **Wellbeing**
- **Grip**
- **Cost**

With vast experience and comprehensive expertise in hand protection, Honeywell is at the forefront of innovation in personal protective equipment. Researching, testing and utilizing new materials and new technology will enable Honeywell to develop solutions which provide optimum cut protection – without compromising customer needs.

CoreShield™, the complete range of cut protective gloves from Honeywell, is designed to simplify glove selection for each application to be in line with the new standards. The innovative materials, technology and construction of the CoreShield™ range will help you ensure your workers are not only protected but also comfortable and productive.

The durability of the gloves in the CoreShield™ range will help you meet the demands of the regulations and the needs of your workers, all within your budget.





# THE CORESHIELD™ CUT-PROTECTIVE RANGE

**HAVING THE RIGHT GLOVES  
FOR THE RIGHT APPLICATION  
IS CRUCIAL TO PROVIDING  
YOUR WORKERS WITH  
THE OPTIMUM AVAILABLE  
PROTECTION.**

Thanks to its high-performance fiber, the Honeywell CoreShield™ range offers complete cut protection from Level A/A1 to F/A9, in a choice of gauges and coatings. The extensive range and advanced design and manufacture make CoreShield™ gloves:

## EASY TO CHOOSE

The color-coded marking system makes it easy for you to choose the gloves you need for your application, according to the new EN/ANSI standards. Based on your working environment and industry, you may choose by level of cut protection, grip, dexterity and fit.

## EASY TO USE

CoreShield™ gloves are one of the lightest-weight cut-protective gloves on the market. This enables greater dexterity for wearers. A specially designed micro-foam elastic coating provides outstanding oil- and dry-grip performance.

## EASY TO WEAR

The light weight of CoreShield™ gloves helps to prevent hand fatigue for workers who need to wear gloves all day long. CoreShield™ coatings offer 360° breathability through an open cell structure – enhancing comfort, for longer wear.

Other cut-protective gloves usually incorporate glass fiber, which can pose a skin allergy risk for some wearers. Honeywell CoreShield™ gloves have replaced glass fiber with softer, skin-friendly yarns that reduce the allergy risk to wearers. Consequently, all CoreShield™ gloves are certified STANDARD 100 by OEKO-TEX®.

## COST-EFFECTIVE TO BUY

The CoreShield™ High Performance Coating with abrasion enhancement technology doubles the durability of our gloves. In addition, the washability of the glove material means that even after 5 washing cycles, there are no significant changes in performance or size. Together, these factors mean that CoreShield™ gloves have a longer life, which in turn translates into less frequent replacements and reduced cost of ownership. Purchasing of CoreShield™ gloves is an investment.



# A HANDFUL OF FEATURES

A NUMBER OF ADDITIONAL KEY FEATURES ENHANCE THE USABILITY, WEARABILITY AND DURABILITY OF THE CORESHIELD™ RANGE.

## THUMB REINFORCEMENT

- The thumb plays a crucial role in grip and dexterity, and is often subject to greater wear than other areas of the glove. All CoreShield™ gloves have a reinforced thumb for greater wear resistance and extended product life.

## TOUCHSCREEN RESISTIVE AND CAPACITIVE

- CoreShield™ gloves are compatible with resistive touchscreen technology. In-house testing has shown that users can operate touch panels of industrial machines without taking their gloves off.

## SILICON FREE

- No silicon is added at any point in the CoreShield™ gloves manufacturing process, which means they are safe to wear in painting applications.

## HAND AND WRIST PROTECTION

- A longer cuff ensures wrist protection.




# WHAT MAKES A CORESHIELD™ GLOVE?

A HONEYWELL CORESHIELD™ GLOVE MAKES CUT PROTECTION  
SIMPLE. BUT WHAT MAKES A HONEYWELL CORESHIELD™ GLOVE?



## 01 Color coding and EN/ANSI cut protection level marking



## 02 CoreShield™ Engineered Yarn



## 03 CoreShield™ High Performance Coating





## THE CUT-PROTECTIVE GLOVE FOR EVERY JOB



With gauge ranging from 10-18gg, cut levels from A/A1 – F/A9, and a choice of three different coatings, the Honeywell CoreShield™ range offers a solution for a wide range of applications across most industries, including:

- Manufacturing
- Automotive
- Metal stamping
- Glass handling
- Construction
- Logistics



# CHOOSE YOUR HONEYWELL CORESHIELD™

**CoreShield™**   
Cut protection made simple

SKU	PRODUCT NAME & DESCRIPTION	CUT LEVEL & COLOR CODING	 EN388:2016 PERFORMANCES	ANSI/ISEA 105:2016 PERFORMANCES		 EN407 PERFOR- MANCES
				CUT	ABRASION	
<b>21-1515B</b>	CoreShield, 15 gauge nylon black liner, nitrile micro-foam black coating, A1/A	<b>A1 A</b>	4X31A	A1	6	
<b>21-1518B</b>	CoreShield, 18 gauge nylon black liner, nitrile micro-foam black coating, A1/A	<b>A1 A</b>	4X21A	A1	6	
<b>21-1818B</b>	CoreShield, 18 gauge nylon black liner, nitrile super thin black coating, A1/A	<b>A1 A</b>	4X21A	A1	5	
<b>22-7513B</b>	CoreShield, 13 gauge HPPE black liner, nitrile micro-foam black coating, A2/B	<b>A2 B</b>	4X42B	A2	6	
<b>22-7513W</b>	CoreShield, 13 gauge HPPE white liner, nitrile micro-foam grey coating, A2/B	<b>A2 B</b>	4X42B	A2	6	
<b>22-7913B</b>	CoreShield, 13 gauge HPPE black liner, smooth nitrile black coating, A2/B	<b>A2 B</b>	4X42B	A2	6	
<b>22-7518B</b>	CoreShield, 18 gauge HPPE grey liner, nitrile micro-foam black coating, A2/B	<b>A2 B</b>	4X31B	A2	6	
<b>23-0513B</b>	CoreShield, 13 gauge HPPE/basalt black liner, nitrile micro-foam black coating, A3/C	<b>A3 C</b>	4X43C	A3	6	X1XXXX
<b>23-0913B</b>	CoreShield, 13 gauge HPPE/basalt black liner, smooth nitrile black coating, A3/C	<b>A3 C</b>	4X43C	A3	6	X1XXXX
<b>23-7518B</b>	CoreShield, 18 gauge HPPE/basalt black liner, nitrile micro-foam black coating A3/C	<b>A3 C</b>	4X42C	A3	6	X1XXXX
<b>24-0513B</b>	CoreShield, 13 gauge HPPE/basalt black liner, nitrile micro-foam black coating, A4/D	<b>A4 D</b>	4X43D	A4	6	
<b>24-0513W</b>	CoreShield, 13 gauge HPPE/basalt white liner, nitrile micro-foam grey coating, A4/D	<b>A4 D</b>	4X43D	A4	6	
<b>24-0913B</b>	CoreShield, 13 gauge, HPPE/basalt black liner, smooth nitrile black coating, A4/D	<b>A4 D</b>	4X44D	A4	6	
<b>24-9518B</b>	CoreShield, 18 gauge, HPPE/steel black liner, nitrile micro-foam black coating, A4/D	<b>A4 D</b>	4X31D	A4	6	
<b>25-0513B</b>	CoreShield, 13 gauge HPPE/stainless steel black liner, nitrile micro-foam black coating, A5/E	<b>A5 E</b>	4X42E	A5	6	
<b>25-0913B</b>	CoreShield, 13 gauge HPPE/stainless steel black liner, smooth nitrile black coating, A5/E	<b>A5 E</b>	4X42E	A5	6	
<b>26-0513W</b>	CoreShield, 13 gauge HPPE/alloy/basalt white liner, nitrile micro-foam grey coating, A6/F	<b>A6 F</b>	4X44F	A6	6	
<b>26-0513B</b>	CoreShield, 13 gauge HPPE/alloy/basalt black liner, nitrile micro-foam black coating, A6/F	<b>A6 F</b>	4X44F	A6	6	
<b>26-0913B</b>	CoreShield, 13 gauge HPPE/alloy/basalt black liner, smooth nitrile black coating, A6/F	<b>A6 F</b>	4X44F	A6	6	
<b>27-0513B</b>	CoreShield, 13 gauge HPPE/alloy black liner, nitrile micro-foam coating, A7/F	<b>A7 F</b>	4X44F	A7	6	
<b>28-0910B</b>	CoreShield, 10 gauge HPPE/Kevlar/alloy black liner, smooth nitrile black coating, A8/F	<b>A8 F</b>	4X44F	A8	6	
<b>29-0910B</b>	CoreShield, 10 gauge HPPE/Kevlar/alloy black liner, smooth nitrile black coating, A9/F	<b>A9 F</b>	4X44F	A9	6	

Packaging: Gloves are packed in a plastic bag by inner pack of 10 pairs, 10 inner packs per case (100 pairs)

**Honeywell Safety Products (UK) Limited**

Edison Rd – Basingstoke RG21 6QD  
United Kingdom +44 (0) 1256 693200  
[info-uk.hsp@honeywell.com](mailto:info-uk.hsp@honeywell.com)

**Honeywell Safety Products Europe SAS**

Immeuble Edison Paris Nord 2  
33, rue des Vanesses – CS 55288 Villepinte  
95958 Roissy CDG Cedex – France  
+33 (0) 149 90 79 79  
[info-export.hsp@honeywell.com](mailto:info-export.hsp@honeywell.com)

**Industrial Safety PPE Technical Support**

Free Phone: 00 800 3344 2803  
(free calls in Europe)  
Phone: +44 (0) 1698 647 087 (paid calls)  
[IS.PPE.TECHSUPPORT@honeywell.com](mailto:IS.PPE.TECHSUPPORT@honeywell.com)  
[EUROPE@honeywell.com](mailto:EUROPE@honeywell.com)

[www.honeywellsafety.com](http://www.honeywellsafety.com)

GS\_GLOVES\_CoreShield\_Brochure\_EN\_EU\_HCU001\_06/19  
© 2019 Honeywell International Inc.

**THE  
FUTURE  
IS  
WHAT  
WE  
MAKE IT**

---

**Honeywell**