



PRODUCT NUMBER: 22-2D28B
Coreshield DOUBLE Cut
Resistant Gloves

CORESHIELD DOUBLE 18GBB A2/B 3/4

Honeywell

Overview

Reference Number

22-2D28B

Product Type

Gloves

Line

Cut resistant

Brand

Honeywell

Industry

- Food Industries
- Iron and steel industry
- Metal steel
- Utilities

Product Use

Ultimate cut protection and grip in extremely wet environment

Features & Benefits

Feature

CoreShield™ Engineered Yarn

Benefit

one of the lightest-weight cut-protective gloves in the market, they help to prevent hand fatigue for workers who need to wear them all day long. Skin-friendly yarns that reduce allergy risk to wearers.

Feature

CoreShield™ High Performance Micro-Foam Nitrile coating

Benefit

provides excellent grip performance, abrasion resistance for x2 durability, reduced hand fatigue and excellent dexterity

Feature

Nitrile smooth base coating

Benefit

stops liquids from entering palm through the liner, ensuring comfort on long duration

Feature

Color-coded wrist marking system

Benefit

for easy gloves selection you need for your application

Feature

Antimicrobial

Benefit

To reduce growth of bacteria there by reducing odor and allergy. Comfortable to wear the glove continuously ensuring protection from hazards

Feature

Washable

Benefit

reduced cost of ownership

Feature

Hand and wrist protection

Benefit

a longer cuff ensures wrist protection

Feature

Touchscreen resistive

Benefit

to operate touch panels of industrial machines with resistive touch screens

Feature

Gauge 13 to 18

Benefit

for an excellent fit/dexterity

Technical Description

Description

CORESHIELD DOUBLE 18GGB A2/B 3/4

Product Technology

Cut resistant mechanical Glove

Fiber

Basalt, polyester, cotton, spandex

Gauge

18

Glove/liner color

Black

Coating Type

Nitrile Microfoam over Nitrile Smooth

Coating Color

Black

Sizes

6XS to 11XXL

EN 407 - Heat and/or Fire

Resistance to contact heat	1
----------------------------	---

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	X
Tear resistance	2
Puncture resistance	1
Cutting resistance (TDM test)	B

Impact protection	X
-------------------	---

ASTM D3389-05

ANSI Level Abrasion Resistance	4
--------------------------------	---

ASTM F1790-97

ANSI Level Cut Resistance	A2
---------------------------	----

ASTM F1342

ANSI Level Puncture Resistance	2
--------------------------------	---

Packaging Label

UOM

Pairs

Packaging

Quantity per Box/Pack/Case

10

Quantity per Carton

100

Quantity for Minimum Order

10

Country of Origin

China