



PRODUCT NUMBER: 2232255

PERFECT POLY®

Handling of fine products in a dry or slightly greasy or soiled environment. Assembly, automotive industry assembly, logistics (forklift operators), sorting of parts.



Overview

Reference Number

2232255

Product Type

Gloves

Range

General purpose

Line

Precision work

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Automotive and Part Manufacturer
- Aviation Building and Construction
- Energy
- or Electricity
- Logistics
- Maintenance
- Services
- Telecoms
- Transportation
- Utilities

Product Use

Handling of fine products in a dry or slightly greasy or soiled environment. Assembly, automotive industry assembly, logistics (forklift operators), sorting of parts.

Features & Benefits

Feature

White polyamide knitted glove

White polyurethane coating on palm and fingertips

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch. The ventilated back and PU coating optimise the glove's breathability.

RESISTANCE

Polyamide with its polyurethane coating provide excellent abrasion and tear resistance. The PU coating ensures a good grip.

SAFETY

Non pilling, the polyamide is suitable for precision work.
The gloves are certified as "silicone-free" to ensure their use in painting environment.

HYGIENE

Its white colour enhances the glove's hygiene and cleanliness.

Technical Description

Description

CE CATEGORY : II Intermediary
risks In accordance with standards :
EN 420-2003 Basic standards EN
388-2016 Mechanical hazards

CHARACTERICS :

White polyamide knitted glove
White polyurethane coating on palm and fingertips

Product Technology Knitted
Coated

Gauge
15

Glove/liner color White

Coating Type
Polyamide and polyurethane

Length
24 cm

Harmlessness
In conformity with the European standards.

Dexterity Class
5

Sizes
6 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance (Coupe test)	1
Tear resistance	3
Puncture resistance	1
Cutting resistance (TDM test)	X

Additional Information

User Manual UI
202

Maintenance

Storage Information

Minimum packaging : 10 pairs. Cartons
of 100 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.