

Mobile compressed air unit ensures that users have a supply breathable compressed air for any kind of work in confined spaces or long duration maintenance tasks. It adapts to the various respiratory needs of the users depending on the type of work involved.

It can be used with 2 cylinders and can supply two users at a distance of 50 meters.

" />

Honeywell | Safety Products

United Kingdom Partners | Where To Buy |



Product Family



Airline Trolley Unit

Mobile compressed air unit ensures that users have a supply breathable compressed air for any kind of work in confined spaces or long duration maintenance tasks. It adapts to the various respiratory needs of the users depending on the type of work involved.

It can be used with 2 cylinders and can supply two users at a distance of 50 meters.

Honeywell

Product Numbers & Ordering Information

	Product Numbers	Details
	1823983	Trolley 2 cylinder version with Staubli connector, 2 users, 2 x 25 m hoses with reel, with storage case. Without air cylinder
	1824092	Trolley 4 cylinder version with CEJN connector, 2 users, 2 x 25 m hoses with reel, with storage case. Without air cylinder

Additional Information

Please contact us at Fenzy-info@sperianprotection.com or call +33149907979

Packaging Information

- Dimensions (W x H x D) : 510 x 1170 x 780 mm
- Maximum weight when empty approximately : 50 kg

Overview

Key Features

- 2x25 meter hoses (50 meters hose for one user)
- Staubli or CEJN connectors
- Different cylinder volumes can be used with the trolley
- Alarm whistle

Airline Trolley Unit

- Reinforced hoses
- Optional : 4 users

Recommended Industries/Use

- Chemical
- Construction
- Fire Protection
- Manufacturing
- Mining
- Oil and Gas
- Steel and Metals
- Utilities

Hazards

- Airborne Particulates
- Biohazard
- Chemical
- Confined Space
- Contamination
- Gas, Vapors, Smoke

Historical Brand

Fenzy

Specifications

Low air alarm whistle : consumption and activation

- Air consumption <5 liters - activation at 55 bar

Users connected

- 2 users (4 users as optional)

Duration

- Corresponding to the cylinder type and the breathing rhythm

Size (WxHxD)

- 510 x 1170 x 780 mm

Output pressure and maximum flow of the reducer

- 55 ± 5 bar

Usage temperature

- -15°C/+60°C

Storage case built into the trolley

- for better protection and transportation of various accessories

The total duration of use depends on the respiratory rate pertaining to each person/situation

Certifications

Certificate for Trolley Unit

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Respiratory_Protection/SAR/4294974770/1033.aspx

Literature & Documents

Airline Trolley Unit UK

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Respiratory_Protection/General_Accessories/4294974214/1033.aspx

MOBILE AIRLINE TROLLEY UNIT This mobile trolley ensures that users have a supply of breathable compressed air for any kind of work in confined spaces or longduration maintenance tasks. It adapts to the various respiratory needs of the user depending on the type of work involved. AIRLINE TROLLEY UNIT Chemical Nuclear Oi

Airline Trolley Unit Arabic

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Respiratory_Protection/General_Accessories/4294974274/1033.aspx

وحدة حمل أسطوانات الهواء المتحركة تضمن وحدة الحمل المتحركة هذه وجود مخزون من الهواء المضغوط القابل للاستنشاق مع المستخدمين في أي عمل داخل أماكن ضيقة أو لمهام الصيانة الطويلة. وتنمائي الوحدة مع مختلف احتياجات المستخدم للتنفس، وفقاً لنوع المجهود المبذول. وحدة حمل أسطوانات الهواء الأغراض الكيميائية الأغراض النووية النفط و

Airline Trolley Unit

Airline Trolley Unit Russian

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Respiratory_Protection/General_Accessories/4294974281/1033.aspx

ПОДВИЖНОЕ КОНТАКТНОЕ УСТРОЙСТВО ВОЗДУХОВОДА Этот подвижный контакт гарантирует пользователям подачу пригодного для дыхания сжатого воздуха при выполнении работ любого рода в ограниченных пространствах либо длительных работ по техобслуживанию. Он может быть приспособлен к различным дыхательным потребностям пользователей

Airline Trolley Unit Portuguese

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Respiratory_Protection/General_Accessories/4294974280/1033.aspx

UNIDADE DE LINHA DE AR MVEL COM CARRINHO Este carrinho mvel assegura que os utilizadores dispem de abastecimento de ar comprimido respirvel para qualquer tipo de trabalho em espaos confinados ou tarefas de manuteno prolongadas. Ele adapta-se s vrias necessidades respiratrias do utilizador consoante o tipo de esforo env

Airline Trolley Unit Spanish

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Respiratory_Protection/General_Accessories/4294974276/1033.aspx

CARRO DE LNEA DE AIRE MVIL Este carrito mvil garantiza que los usuarios cuenten con un suministro de aire comprimido respirable para cualquier tipo de trabajo en espacios confinados o en tareas de mantenimiento de larga duracin. Se adapta a las necesidades respiratorias de distintos usuarios en funcin del tipo de esfue

Training & Proper Use

Including User's Manual

Additional Information

Fenzy-info@sperianprotection.com or call +33149907979