

Honeywell
SALISBURY



ELECTRIGUARD™ 20kV Dielectric Overboot

Re-engineered 20kV dielectric footwear

Better fit, better safety, greater comfort: Tested to 20,000 volts with a redesigned fit that's easy to pull on and off.

When it comes to demanding jobs in the field, linemen turn to the gear they can rely on. That's why we've redesigned our classic dielectric overboots – the same proven protection you expect from Salisbury, now with ergonomic innovations to ensure hassle-free donning and doffing plus a comfortable fit.

This improved design was developed through extensive tests and user interviews to identify the features linemen most need for safety and productivity. The end result is a pair of dielectric overboots that aims to enhance the work effectiveness of linemen.

Innovative Convenience

Innovative convenience drives more than just comfort – these versatile Salisbury overboots provide increased freedom throughout the work zone, which in turn can help reduce the number of workers in hazardous locations since they are not limited to confined areas such as grounding mats.

Proven Protection

Rated at 20,000 volts to protect workers from step potential.

ASTM F1116

Standard Test Method for Determining Dielectric Strength of Dielectric Footwear

ASTM F1117

Standard Specification for Dielectric Footwear



14" VERSION

ELECTRIGUARD™

Better Comfort

The wider opening and nylon lining also enables accurate sizing and a more comfortable fit

Easy On

Wider upper boot with integral pull up handles intended to facilitate donning over standard work boots

Color Identification

New color style denoting ASTM F1117 20kV dielectric performance

Greater Visibility

Reflective stripe for enhanced visibility

Easy Off

Rear kick-off lugs help wearers easily remove overboots



17" VERSION

Outsole

Vulcanized rubber with a nonskid bar-tread sole



ORDERING INFORMATION

17" HEIGHT BOOT		
Size	Part Number	Description
7	21405WT 7	Boots WT R/B 17" Deep Heel Size 7
8	21405WT 8	Boots WT R/B 17" Deep Heel Size 8
9	21405WT 9	Boots WT R/B 17" Deep Heel Size 9
10	21405WT 10	Boots WT R/B 17" Deep Heel Size 10
11	21405WT 11	Boots WT R/B 17" Deep Heel Size 11
12	21405WT 12	Boots WT R/B 17" Deep Heel Size 12
13	21405WT 13	Boots WT R/B 17" Deep Heel Size 13
14	21405WT 14	Boots WT R/B 17" Deep Heel Size 14
15	21405WT 15	Boots WT R/B 17" Deep Heel Size 15
16	21405WT 16	Boots WT R/B 17" Deep Heel Size 16
17	21405WT 17	Boots WT R/B 17" Deep Heel Size 17

14" HEIGHT BOOT		
Size	Part Number	Description
7	21406WT 7	Boots WT R/B 14" Deep Heel Size 7
8	21406WT 8	Boots WT R/B 14" Deep Heel Size 8
9	21406WT 9	Boots WT R/B 14" Deep Heel Size 9
10	21406WT 10	Boots WT R/B 14" Deep Heel Size 10
11	21406WT 11	Boots WT R/B 14" Deep Heel Size 11
12	21406WT 12	Boots WT R/B 14" Deep Heel Size 12
13	21406WT 13	Boots WT R/B 14" Deep Heel Size 13
14	21406WT 14	Boots WT R/B 14" Deep Heel Size 14
15	21406WT 15	Boots WT R/B 14" Deep Heel Size 15
16	21406WT 16	Boots WT R/B 14" Deep Heel Size 16
17	21406WT 17	Boots WT R/B 14" Deep Heel Size 17

For more information

www.salisburybyhoneywell.com

Technical Service: 877.406.4501

Honeywell Industrial Safety

101 E. Crossroads Parkway Ste A

Bolingbrook, IL 60440

Tel. 877.406.4501

Fax. 866.824.4922

www.honeywellsafety.com

SAL100

© 2016 Honeywell International Inc.

Honeywell