










**Product Family**  
**Fendall Flash Flood**

Offers immediate, hands-free eye flushing, and is portable to meet the needs of changing work-place hazards. Delivers saline solution for three minutes.

**Product Numbers & Ordering Information**

Product Numbers	Details
 32-000400-0000	<b>Eyewash Station - English</b> Fendall Flash Flood Station w/ 1 gal. Saline cartridge - English (3 minute) Case Qty: 1 Case Dimensions: 13" x 11" x 15" Case Weight (lbs): 14
 32-000400-0022	<b>Eyewash Station - French (Canada)</b> Fendall Flash Flood Station w/ 1 gal. Saline cartridge - French Canadian (3 minute) Case Qty: 1 Case Dimensions: 13" x 11" x 15" Case Weight (lbs): 14
 32-000407-0000	<b>Instruction Manual - Trilingual</b> Fendall Flash Flood Instruction Manual - trilingual Case Qty: 1 Case Dimensions: 9" x 12" envelope Case Weight (lbs): 1
 32-000401-0000	<b>Fendall Flash Flood Cartridge - English</b> Fendall Flash Flood Cartridge Refills Only - English (3 minute) Case Qty: 4 Case Dimensions: 12" x 10" x 13" Case Weight (lbs): 38
 32-000401-0020	<b>Fendall Flash Flood Cartridge - English/French (Canada)</b> Fendall Flash Flood Cartridge Refills Only - English/Canadian (3 minute) Case Qty: 4 Case Dimensions: 12"x10"x13" Case Weight (lbs): 38
 32-000401-0022	<b>Fendall Flash Flood Cartridge - French (Canada)</b> Fendall Flash Flood Cartridge Refills Only - French Canadian (3 minute) Case Qty: 4 Case Dimensions: 12" x 10" x 13" Case Weight (lbs): 38
 32-000402-0000	<b>Storage Rack - Holds 4 Cartridges</b> Cartridge Storage Rack, holds 4 for Fendall Flash Flood Case Qty: 1 Case Dimensions: 17" x 10" x 11" Case Weight (lbs): 3

## Fendall Flash Flood



32-000403-0000

### Replacement Part - Pull Strap

Pull strap for Fendall Flash Flood Case Qty: 1 Case Dimensions: 7" x 5" x 5" Case Weight (lbs): 1



32-000406-0000

### Replacement Part - Nozzle Assembly

Nozzle assembly for Fendall Flash Flood Case Qty: 1 Case Dimensions: 7" x 5" x 5" Case Weight (lbs): 1

### Packaging Information

Case Dimensions: 13" x 11" x 15", Case Weight: 14 lbs Ships with 1 gallon bottle of Sperian Saline solution, installation template, instruction manual, MSDS (Material Safety Data Sheet) for the Sperian Saline solution, pull strap, nozzles, 2 screws for fastening to vertical surface

## Overview

### Key Features

Fendall Flash Flood utilizes sealed cartridges that contain one gallon of preserved and pH balanced Sperian Saline solution. The Fendall Flash Flood delivery system offers immediate, hands-free eye flushing, and is portable to meet the needs of changing work-place hazards. Removing the pull strap easily activates the system, while dual nozzles provide flushing to both eyes simultaneously. When activated, Fendall Flash Flood delivers saline solution for three minutes.

- Easy installation with no plumbing required. Can be easily wall mounted for placement near most workplace hazards.
- One-gallon cartridges are easy to store and offer quick changes without mixing or measuring.
- Highly visible green color provides easy identification in an emergency situation.
- Dual nozzles provide simultaneous flushing to both eyes.
- Unique cartridge design delivers a buffered, saline solution superior to tap water for emergency eye care.
- Lightweight, highly portable system may be easily wall or table mounted.
- Easy-to-use nozzle strap is easily removed for hands-free flushing, leaving hands free to hold eyelids open.
- Easy-to-use design features simple, highly visible operating instructions.

### Hazards

- Airborne Particulates
- Biohazard
- Chemical
- Contamination
- Gas, Vapors, Smoke
- Splash

### Regulations

- ANSI Z358.1 - ANSI Z358.1 (Supplemental Equipment) Secondary Device Does not meet ANSI 15-minute flushing requirement, intended to support, not replace, primary eyewash devices. Unit is suitable for nuisance situations such as dust or particle flushing where a 15-minute flushing device is not a requirement.

### Historical Brand

Fend-All

### Warranty Information

Sperian Eye & Face Protection, Inc., warrants that Sperian Eye & Face, Inc. Emergency Eyewash products are free of defects in material and workmanship for one (1) year from the date of shipment under the following conditions: 1. This limited warranty is effective only if the Sperian Eye & Face Protection, Inc. product is installed, maintained and used for the purpose intended and in accordance with the Sperian Eye & Face Protection, Inc. Installation and Operation Manual. 2. Sperian Eye & Face Protection, Inc.'s only obligation under this limited warranty shall be the repair or replacement, without charge, of any products or components, which upon inspection by Sperian Eye & Face Protection, Inc., are determined to be defective in materials or workmanship. 3. This limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper installation, or improper maintenance. 4. No warranty is provided if any portion of the product covered by this limited warranty is altered or modified without the express written consent of Sperian Eye & Face Protection, Inc.

## Specifications

### Solution

- One-gallon Sperian Saline cartridges

### Flow Duration

- 3 minutes

**Dimensions**

- With cartridge: 10 1/2" L x 20" H x 14" D

**Capacity**

- 1 gallon

**Maintenance**

- Replace Sperian Saline solution every 6 months

**Literature & Documents**

**Flash Flood Mounting Template\_English\_US**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Eye\\_and\\_Face\\_Protection/Emergency\\_Eyewash/20423/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Eye_and_Face_Protection/Emergency_Eyewash/20423/1033.aspx)

**MSDS\_Sterile\_Saline\_Solution**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Eye\\_and\\_Face\\_Protection/Emergency\\_Eyewash/40219/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Eye_and_Face_Protection/Emergency_Eyewash/40219/1033.aspx)

**MSDS Sperian Saline Solution 32-000400, 32-000401, 32-000502, 32-001050, 32-001052 English**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Eye\\_and\\_Face\\_Protection/Emergency\\_Eyewash/20420/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Eye_and_Face_Protection/Emergency_Eyewash/20420/1033.aspx)

<12\$%EktCertification12\$%> False <12\$%EktDocuments\_and\_Downloads\_Type12\$%> Additional Information MATERIAL DATA SAFETY SHEET HMIS Ratings Health: 0 Flammability: 0 Reactivity: 0 Identity: Sperian Saline Solution -Product #s 32-000400, 32-000401, 32-000502, 32-001050, 32-001052 Section I Manufactur e r : Sperian Eye &

**Installation and Operation Manual Flash Flood**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Eye\\_and\\_Face\\_Protection/Emergency\\_Eyewash/35893/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Eye_and_Face_Protection/Emergency_Eyewash/35893/1033.aspx)

Installation and Operation Manual Flash Flood

**Warranty Registration**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Eye\\_and\\_Face\\_Protection/Emergency\\_Eyewash/35949/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Eye_and_Face_Protection/Emergency_Eyewash/35949/1033.aspx)

Warranty Registration

**Training & Proper Use**

Unit comes with installation and operation manual

**Additional Information**

Replacement parts and accessories available.

**Technical Support**

US Sperian Customer Care: 866-257-7374