











# Gas Detection Visualisation Solutions (GDVS)

for Controllers and Transmitters

# Gas Detection Visualisation Solutions (GDVS) in latest web technology



- Client Server Architecture based on Web Server Technology from atvise®
- The development of atvises scada is based on latest technologies and standards like SVG (Scalable Vector Graphic)
- atvise® scada applies to "pure web" technology, Clients without being limited by ad-on or plug-ins such as ActiveX, Java or Silverlight
- Clients simply require the latest standard web browser and nothing else!
- Graphical User Interface in pure web technology with SVG
- · Online Engineering
- Multi-User
- Integrated Alarm-Event logging
- Alarm and Event History accessible direct from the user interface (up to 365 days). Time frame flexible definable. Selected history frame savable as csv file direct from the user interface
- Trend history accessible direct from the user interface (up to 365 days)
- Online language change (German / English)
- Available user and permission management
- Interface to other systems

### **GDVS User Interface**

- Available standard solution with user friendly and intuitive user interface and architecture
- On request customer specific solutions possible




# Consistently crisp images: high-end vector graphics


atvise® uses scalable vector graphics (SVGs) to visualise your devices, components, or even entire systems. This web standard, laid down by W3C (World Wide Web Consortium), works with any resolution. Zoom the display in or out as you wish – the images never look "pixelated", but always remain razor sharp!











## **Technical Specifications**

SYSTEM REQUIREMENTS IN SERVER			
DEVICE	PC or Server in current standard specification. Specification may differ and depend also on system size, Details on request.	Operating System	Windows 7 (32-bit or 64-bit), Windows Server 2008. Other operating systems are possible, details on request.
SYSTEM REQUIREMENTS CLIENT			
APPLICATION	PC, Notebook, Tablet, Smartphone, iPad dependant on system size .cpu + memory requirements may differ and depend also on system size. Details on request.	Web browser	Any current browser such as Internet Explorer, Chrome,Safari, Firefox and others.
OPERATING SYSTEM	Any supported operating system		



## Honeywell Gas Detection

Honeywell is able to provide gas detection solutions to meet the requirements of all applications and industries. Contact us in the following ways:

#### Find out more:

www.honeywellanalytics.com www.raesystems.com

#### Americas

Honeywell Analytics Distribution Inc. 405 Barclay Blvd. Lincolnshire, IL 60069 USA Tel: +1 847 955 8200

Toll free: +1 800 538 0363 Fax: +1 847 955 8210 detectgas@honeywell.com

RAE Systems by Honeywell Phone: 408.952.8200 Toll Free: 1.888.723.4800 Fax: 408.952.8480

#### Technical Services

EMEA: HAexpert@honeywell.com US: ha.us.service@honeywell.com AP: ha.ap.service@honeywell.com

#### Europe, Middle East, Africa

Life Safety Distribution GmbH Javastrasse 2 8604 Hegnau Switzerland Tel: +41 (0)44 943 4300 Fax: +41 (0)44 943 4398 gasdetection@honeywell.com Customer Service: Tel: 00800 333 222 44 (Freephone number) Tel: +41 44 943 4380 (Alternative number) Fax: 00800 333 222 55 Middle East Tel: +971 4 450 5800 (Fixed Gas Detection) Middle East Tel: +971 4 450 5852 (Portable Gas Detection)

#### Asia Pacific

Honeywell Industrial Safety 7F SangAm IT Tower, 434, Worldcupbuk-ro, Mapo-gu, Seoul 03922, Korea Tel: +82 (0) 2 6909 0300 Fax: +82 (0) 2 2025 0328 India Tel: +91 124 4752700

Fax: +82 (0) 2 2025 0328 India Tel: +91 124 4752700 China Tel: +86 10 5885 8788 3000 analytics.ap@honeywell.com



