



Product Family

Muck Chore Cool Safety Toe

XpressCool™ lining keeps feet cooler and comfortable in temperatures sub freezing to 95° F, 4mm CR flex-foam bootie, 100% waterproof, steel toe, Spandura® coating for added protection, vibram outsole, etc® sock liner



by Honeywell

Product Numbers & Ordering Information

	Product Numbers	Details
	CSCT-000	<p>Chore Cool Safety Toe XpressCool lining, 4mm CR flex-foam bootie, steel toe, vibram outsole Men's 5-16 Women's 6-13 (unisex)</p>

Packaging Information

1 pair per box, 4 boxes per case

Overview

Key Features

- New comfortable XpressCool™ lining material keeps your feet cool and dry in warm weather
- 4mm CR flex-foam bootie with four way stretch nylon
- 100% waterproof, lightweight and flexible
- Steel toe impact protection
- Steel shank for additional arch support
- Spandura® added to the exterior of the neoprene for added protection against wear and abrasion.
- Vibram outsole for improved durability and performance
- etc® sockliner lining to reduce friction and heat build up
- Upper is triple reinforced in the toe area and quadruple reinforced in the heel area
- Meets ASTM F2413-11 M I/75 C/75 EH

Recommended Industries/Use

- Agriculture
- Chemical
- Construction
- Manufacturing
- Oil and Gas

Hazards

- Abrasion
- Impact
- Slip
- Splash

Warranty Information

LIMITED WARRANTY

Honeywell products are covered by and subject to the terms of the Honeywell Safety Products Limited Warranty that is printed in our published price list. The Honeywell Safety Products Limited Warranty is the only written warranty of any force and effect, and all other written warranties are disclaimed in their entirety. In no event shall Honeywell Safety Products or any of its authorized dealers be liable for any damages in excess of the purchase price of the relevant product. This limitation applies to damages of any kind, including but not limited to direct or indirect damages or other special, incidental, exemplary or consequential damages, whether arising out of the use of, or inability to use the product, even if we or any of our authorized dealers has been advised of the possibility of the damages or any claim by any other party.

Specifications

Material

- Neoprene rubber / CR flex-foam bootie

Height

- 16 inch

Steel toe

- Yes

Metatarsal Guard

- No

Steel midsole

- No

Waterproof

- Yes

Outsole

- Vibram

Comfort Range

- Sub Freezing to 95° F

ASTM F2413-11 M I/75 C/75 EH

- Meets

Photos & Images

CSCT-000_Chore Cool ST

<http://www.honeywellsafety.com/assets/0/324/1042/1044/be5c44f2-cf26-4bd1-94c7-e47cf0c8ac55.jpg?n=2389>

Chore Cool Safety Toe

Literature & Documents

MUCK Safety Footwear Brochure_ 2014

[http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Footwear/Protective_Shoes_\(100J_toe_cap\)/4294984263/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Footwear/Protective_Shoes_(100J_toe_cap)/4294984263/1033.aspx)

2014 Muck Safety Footwear Brochure

Technical Support

Contact Honeywell Technical Support at 800.873.5242 (Monday -Friday 8:00 am to 7:00 pm EST) or email at hsptechsupport@honeywell.com

RELATED PRODUCTS

© Honeywell International Inc.