

Product Family

Honeywell Howard Leight™ Impact® Pro Industrial Earmuff

The Howard Leight™ Impact® Pro Industrial earmuff has the highest passive NNR (30 NRR) in electronic earmuffs on the market. The Impact Pro Industrial is built to protect worker's hearing while allowing them to have environmental awareness.

The Impact Pro Industrial has strategically placed directional stereo microphones to amplify ambient sounds, including alarms/warning, signals, and conversations while suppressing loud, impact noises down to a safe level of 82dB.

The newly designed "textile" headband with extra cushion offers all day comfort.

The Impact Pro Industrial also has audio jack connection capabilities to pair up with a personal listening device.



Honeywell

Product Numbers & Ordering Information



Key Features

- •Noise suppression of loud, impact noises down to a safe level of 82dB (noise suppression- not muting)
- More comfortable padded headband
- All-in-one up and down, on/off and volume control
- Sound amplification allows wearers to hear important communication alarms/warning signals, co-workers' voices
- Directionally placed stereo microphones amplify and enhance sound for more natural
- Non-deforming outer headband withstands rough treatment in the toughest workplaces
- Quick-Click height adjustment remains fixed during wear
- Snap-in ear cushions make replacement quick
- Features 3.5mm audio jack and cable for connection to personal listening devices

Honeywell Howard Leight Impact Pro Industrial Earmuff

Recommended Industries/Use

Agriculture
Chemical
Manufacturing
Military
Construction
Forestry
Government
Law Enforcement
Municipal Services
Steel and Metals
Utilities

Hazards

Noise

Regulations

- 29 CFR 1910.95 OSHA Occupational Noise Exposure (US)
- ANSI S3.19-1974 Attenuation Test Protocol (US)
- Part II, (R.S.C. 1985, c. L-2) Canada Labour Code
- Z94.2-1994 Attenuation Test Protocol (CAN)
- 2003/10/EC EU Hearing Directive
- 89/686/EEC EU Directive/PPE
- NOHSC: 1007 (2000) National Standard for Occupational Noise (AUS/NZ)
- NR 15 Security and Health of Work, Annexes 1 and 2, n°3.214/1978 Occupational Noise Regulations (BR)
- ANSI S12.6/1997 Method B Attenuation Test Protocol (BR)

Historical Brand

Howard Leight

Warranty Information

There is a one year guarantee against defects in material and workmanship. The guarantee does not cover damage caused by misuse, abuse or unauthorized modifications. To obtain guarantee, the guarantee certificate must be proper filled out by the dealer and then sent in together with the faulty product.

Specifications

Dielectric

No

Earcup Color

Yellow & Black

Headband Material

• Steel wire, EVA, PVC, Textile

Battery

2 AAA batteries included

NRR

• 30

Canada Class

A(L)

SNR

• 33 dB

SLC80

• 31 dB

Customer Care: 800.430.5490 (US) 888.212.7233 (Canada)

Literature & Documents

Honeywell Howard Leight FAQ Sheet http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Hearing_Protection/Earmuffs/4294997515/1033.aspx

Honeywell Howard Leight Impact Pro Industrial Earmuff

Honeywell Howard Leight FAQ Sheet

Honeywell Howard Leight Impact Pro Industrial Flyer http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Hearing_Protection /Earmuffs/4294997516/1033.aspx

Honeywell Howard Leight Impact Pro Industrial Flyer

Honeywell Howard Leight Product Information Sheet http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Hearing_Protection/Earmuffs/4294997517/1033.aspx

Honeywell Howard Leight Product Information Sheet

Technical Support

Technical Support: 800.873.5242

RELATED PRODUCTS

© Honeywell International Inc.