



Product Family
Uvex Horizon

Classic flip-up style offers versatility for workers in unique environments. Shaded lens designed to protect against high intensity light sources, while the clear lens offers impact resistance.

[Learn more about all of our Uvex plano products at uvex.us >](http://uvex.us)

[Learn more about our Uvex Rx safety frames at uvexrx.com >](http://uvexrx.com)



Product Numbers & Ordering Information

	Product Numbers	Details
	S212	Black Frame Shade 3.0 Flip Up Lens, Anti-scratch Coating
	S213	Black Frame Shade 5.0 Flip Up Lens, Anti-scratch Coating
	S214	Black Frame Cobalt Flip Up Lens, Anti-scratch Coating

Additional Information

Ind. polybag, 10/stocker, 200/case

Overview

Key Features

The Uvex Horizon™ is a classic flip-up style that offers versatility for a variety of environments. This new flip-up is perfect for welders and industrial workers who require a shaded lens while working with high intensity light sources and a traditional clear impact-resistant polycarbonate lens when their task is complete. The Uvex Horizon is lightweight, allowing greater comfort for longer wearing time and is suitable for RX lenses.

- Classic flip-up style offers versatility for workers in unique environments
- Shaded lens designed to protect against high intensity light sources, and clear impact-resistant polycarbonate lens for superior protection against flying particles
- Meets ANSI Z87+ (High Impact) standard

Recommended Industries/Use

- Steel and Metals
- Welding

Hazards

- Abrasion
- Airborne Particulates
- Biohazard
- Impact

Regulations

- ANSI Z87+ (High Impact) - Meets ANSI Z87+ (High Impact)
- ANSI.Z.87.1/1989, CA 18,830 - Meets ANSI.Z.87.1/1989, CA 18,830 (http://www.mte.gov.br/Empregador/segsau/Pesquisa/CA_DET.asp?vNRCAProc=18830&Equipamento=00&NOEquipamento=&Fabricante=00&NOFabricante=)

Historical Brand

Uvex

Warranty Information

Limited warranty

Specifications

Lens overall width

- 120 mm (4.75) "

Lens material

- Polycarbonate

Lens coating

- Hardcoat

Lens thickness

- 2.0 mm (0.08) "

Available lens tints

- Clear, Shade 3.0, Shade 5.0, Cobalt Blue

Replacement lenses available (yes/no)

- No

Rx capable

- Yes

Temple material

- PVC

Temple length

- 130 mm (5.0) "

Temple set-back

- 100 mm (4.0) "

Temple style

- Spatula with metal core

Spectacle weight

- 51.90 grams (1.8 oz.)

Frame material

- PVC

Available frame colors

- Black

Dielectric frame (yes/no)

- Yes

Country of origin

- Made in U.S.A.

Certifications

ANSI Certificate of Compliance_Eng

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Eye_and_Face_Protection/Laser_Filters___Eyewear/19294/1033.aspx

ANSI Certificate of Compliance_Eng

ANSI Certificate of Compliance_Spanish

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Eye_and_Face_Protection/Laser_Filters___Eyewear/19295/1033.aspx

ANSI Certificate of Compliance_Spanish

Training & Proper Use

All products come packaged with instructions and warnings for proper use.

Technical Support

(800) 682-0839, Sperian Protection Americas, Customer Care