Honeywell | Hand Protection

Rig Dog™ Xtreme and Cold Protect

High impact gloves with enhanced oil-grip and ANSI A6 cut protection.

We know your #1 priority is keeping your workers out of harm's way. Rig Dog™ Xtreme gloves provide the ultimate protection and enhanced grip your team needs to be safe and efficient when handling dry or oily surfaces. But, Rig Dog™ doesn't just offer safety. These gloves are durable and can absorb the sweat quickly and make your hand feel dry, so they are comfortable to wear during long shifts in tough environments. All of which helps you reduce costs and avoid downtime.

Rig Dog Xtreme:







reddot design award





FEATURES & BENEFITS

- CoreNest[™] technology: reinforced TPR (thermoplastic rubber) composite material with honeycomb structure to enhance the energy absorption feature on back of hand for providing improved impact protection on knuckles
- Elevated finger-tip protection for providing enhanced impact protection on finger tips from hammering
- Impact protection level 2 according to ANSI/ISEA 138, is notched to allow for great flexibility and dexterity
- Minimum stitching on palm for providing low oil permeability through palm for comfort and long lasting experience
- Cut and sewn construction with multilayer fabrics to provide ANSI A6 (ISO level F) cut resistance, enhanced oil grip, dry/wet grip, and level 4 abrasion resistance
- Quick dry, moisture wicking fabric to provide sweat management for all day comfort
- Reinforced thumb-crotch protection and durability
- Available with winter lining for cold environments (EN511 standard compliance)













Cut-Resistant & Oil-Grip Palm

Impact Protection Back



Slip-on cuff



Hook-and-loop closure



Cold Protect - winter lining

For more information

www.honeywellsafety.com Technical Service: 800.873.5242

Honeywell Industrial Safety

9680 Old Bailes Rd Fort Mill, SC 29707 USA 800.430.5490 Canada 888-212-7233 informationsp@honeywell.com www.honeywell.com

COMPOSITION

RIG	i DOG™ XTREME		
Back	Polyester and Spandex, with foam inside		
TPR	Thermal Plastic Rubber (Polyester spacer fabric inside)		
Palm-inner layer	Polyester		
Palm-middle layer	Aramid, Polyester, Glass fiber and Steel fiber		
Palm-outer layer	CDP + Polyester + PU (+TPU Membrane)		
Fourchette (finger side panels)	Polyester and Polyurethane		
Thumb crotch	Blended Polyester and Polyurethane		
Cuff	Black Neoprene and Nylon		
Cuff binding	Nylon and Spandex		
Hook-and-loop closure (one version)	Nylon and Polyester		
Winter version (Rig Dog Cold Protect)	Polypropylene and Polyester		

ORDERING INFORMATION					
Product name	SKU		Description	Protection Rating	Sizes
Rig Dog™ Xtreme	42-612BY	***	Impact, ANSI A6 (ISO level F) cut palm, slip-on cuff	ANSI ANSI ANSI/ISEA 138 A6 4 2 2 Cut Abrasion	6/XS to 11/XXL
	42-622BY		Impact, ANSI A6 (ISO level F) cut palm, hook-and-loop closure	4X22FP EN 420	
Rig Dog™ Cold Protect	43-612BY	₩ ₩	Impact, ANSI A6 (ISO level F) cut palm, thermal liner, slip-on cuff	ANSI ANSI ANSI/ISEA 138 A6 4 ANSI/ISEA 138 Cut Abrasion	6/XS to 11/XXL
	43-622BY		Impact, ANSI A6 (ISO level F) cut palm, thermal liner, hook-and-loop closure	EN 388 EN 511 EN 420 4X33FP 12X	

LAUNDERING/STORAGE

30°C/86°F MACHINE WASH COOL. A mild commercial laundry detergent should be used. Tumble drying possible, low temperature, exhaust temperature max: 60°C/140°F. Do not iron. Do not bleach.

It is recommended that product stored in original packaging in a cool dry place away from direct sunlight or other strong light. Away from chemicals. Recommended temperature range: 50°F to 86°F (10°C to 30°C).

09-18-722 USj - 05/2019 © 2019 Honeywell International Inc.

INDUSTRIES

Oil & Gas, Construction, Railways, Mining, Heavy Duty Industry.

APPLICATIONS

Rigging, Drilling, Material handling, Ship building.

PACKAGING

Each pair has an individual poly bag. 6 pairs per inner pack, 12 inner packs per case.

