

# HEARING PROTECTION MINI GUIDE

Designed with you in mind.

Honeywell  
HOWARD  
LEIGHT

VS B21H

**Honeywell**  
HOWARD  
LEIGHT

# EARPLUGS




## PLUG IN TO SAFETY

The Honeywell Howard Leight™ commitment to hearing loss prevention means considering all the features that make one earplug different from another: material, shape, fit, and NRR.


We make it easy to compare products and ensure that all your employees receive the right fit and protection.

# DISPOSABLE

An economical and convenient choice for work situations that demand a high degree of comfort, or where hygiene presents a problem for reuse. Formable foam is also THE material of choice when highest attenuation is required.



MAX®		
Highest NRR in disposable.		
NRR 33	MAX-1	MAX-30
CAN A(L)	Uncorded	Corded



MAX LITE®		
Low pressure foam for comfort.		
NRR 30	LPF-1	LPF-30
CAN A(L)	Uncorded	Corded



LASER LITE®		
Highly visible protection.		
NRR 32	LL-1	LL-30
CAN A(L)	Uncorded	Corded



X-TREME®		
Tapered design for comfort.		
NRR 32	XTR-1	XTR-30
CAN A(L)	Uncorded	Corded



FIRMFIT®		
Firm foam reinvented.		
NRR 30	FF-1	FF-30
CAN A(L)	Uncorded	Corded

## FOR DISPOSABLE FOAM EARPLUGS

**Inspect:** Prior to fitting, examine your earplugs.

**Discard:** Discard disposable earplugs after each use, or if earplugs are compromised.

**Hygiene:** To maintain hygiene standards, disposable earplugs should be discarded at the end of every shift.

\*Uncorded Plugs are also available in LS-500 Refills, HL400 Cannisters, and Zip Top Bag Refills

# PUSH-IN FOAM


Designed so they're easy to fully insert and remove without picking up dirt from workers' fingers, and comfortable to wear during the work day. Give workers confidence – with TrustFit® push-in foam earplugs.



## TRUSTFIT® POD

Reusable, no-roll down, push-in foam, pod-shaped earplug.

NRR 28	TRUSTFITPOD-1	TRUSTFITPOD-30
CAN A(L)	Uncorded	Corded



## TRUSTFIT® PLUS

Reusable, no-roll down, push-in foam, bell-shaped earplug.


NRR 31	TF-PLUS-1	TF-PLUS-30
CAN A(L)	Uncorded	Corded



## TRUSTFIT® TRAK

Reusable, no-roll down, push-in foam, pod-shaped metal detectable earplug.

NRR 29	TFT-POD-30
	Corded



## IT'S ALL ABOUT CHOICE FOR PUSH-IN FOAM EARPLUGS

**Inspect:** Prior to fitting, examine earplugs for dirt, damage or hardness – discard immediately if compromised.


**Clean:** Earplugs should be cleaned between each use and prior to re-insertion. To wash use mild soap and warm water, pat dry then store in protected area when not in use.

Chemicals, disinfectants, and solutions should not be used on foam earplugs.

**Hygiene:** Earplugs can be used a full work-week. Replace after 5 days or if foam tip is damaged or hardened.

# REUSABLE

Ideal for environments where employees can retain and store earplugs for reuse over time, reducing waste and saving money.



## QUIET®

Easy handling, better fit.

NRR 26	QD-1	QD-1-DS	QD-30	QD30-RC
CAN A(L)	Uncorded	LS500 Refill	Corded	Reusable Case



## FUSION®

All-day comfort, easy handling.

NRR 27	FUS30-HP
CAN A(L)	Corded



## FUSION® SMALL

For smaller ear canals.

NRR 27	FUS30S-HP
CAN A(L)	Corded



## SMARTFIT®

Personalized fit.

NRR 25	SMF-30	SMF-30W-P	SMF-30BU
CAN A(L)	Detachable cord	Cotton Cord/ Paper Bag	Corded/ Blue Nylon



## AIRSOFT®

Optimized for comfort.

NRR 27	DPAS-1	DPAS-30R
CAN A(L)	Uncorded	Corded/Red Polycord

## FOR ALL MOLDED REUSABLE EARPLUGS

**Inspect:** Prior to fitting, examine your earplugs for dirt, damage, deformation or extreme hardness — discard immediately if compromised.

**Clean:** Wash reusable earplugs with mild soap and warmwater only. Pat dry with a towel and store when not in use. Do not treat with any other substances, as the earplugs may degrade and compromise effectiveness.

**Hygiene:** With proper maintenance, reusable earplugs can be used daily for 2-4 weeks.

\*Airsoft also available in White Nylon Cord & Reusable Case

# DETECTABLE

Specially created for environments where contamination from foreign objects is unacceptable. Available in both disposable and reusable options. Detectable features (metal, visual, optical, x-ray).



## LASER TRAK®

Disposable, visual and metal detectable features.

NRR 33	LT-30
CAN A(L)	Corded



## TRUSTFIT® TRAK

Reusable, metal detectable push-in foam earplug.

NRR 29	TFT-POD-30
CAN A(L)	Corded



## SMARTFIT® DETECTABLE

Personalized fit and detectability.

NRR 25	SDT-30
CAN A(L)	Corded



## FUSION® DETECTABLE

All-day comfort, easy handling and detectability.

NRR 25	FDT-30
CAN A(L)	Corded



## FUSION® DETECTABLE SMALL

All-day comfort for smaller ear canals and detectability.

NRR 25	FDT-30-SM
CAN A(L)	Corded

# BANDED



An alternative for those who work in intermittent noise or for managers and visitors who move in and out of noisy areas.

## QB2® HYG

Supra-aural protection.

NRR 25	QB2HYG
CAN B(L)	

## FOR ALL BANDED EARPLUGS

**Inspect:** Inspect band and earpods prior to fitting.

Replace earpods if they are dirty, damaged, hard or stiff.

Replace the band if it becomes brittle or deformed.

**Clean:** Clean the band and earpods with mild soap and warmwater only, and dry thoroughly. Use of cleaners other than mild soap and water may damage the materials.

**Replace:** Replace pods every 2-4 weeks to ensure optimal protection and performance.

# DISPENSERS



## LEIGHT® SOURCE 500

### Hygienic and economical source for earplugs

The Leight Source 500 earplug dispenser provides a highly visible, user-friendly, permanent hearing protection center. Built with heavy-duty anodized aluminum and designed for wall installation, the Leight Source 500 dispenses earplugs with a simple turn of the handle, providing a hygienic and economical source for earplugs. The Leight Source 500 is ideal for large factories and process industries that have zero tolerance for packaging waste.



## HL400-AM DISPENSERS FOR EARPLUGS

### Hearing protection – hygienically dispensed

Introducing Honeywell's HL400-AM Earplug Dispenser – with built-in antimicrobial properties to protect the dispenser against stains, discoloration and odors caused by mold, mildew and bacteria.




## GET STARTED

Dispensers with prefilled canisters.



## PLUG'N PLAY

Refill canister.





## EASY REFILL

Refill bag.

# VERIPRO<sup>®</sup> FIT-TESTING SYSTEM

## TEST REAL EARPLUGS. GET REAL RESULTS.

VeriPRO<sup>®</sup>'s three-step process checks the effectiveness of an employee's earplug fit in each ear, using either Quick Check or Complete Check mode. This information is then captured in individual reports, accessible by the safety manager.



### SOFTWARE

The software for VeriPRO was created to be easy to use — as simple as an ATM or an airport ticketing kiosk. It's easy to install on any PC, easy to get started and easy to operate. Its straightforward interface is readily understandable, even for people who aren't regular computer users.

### AUDIO PROCESSOR

Converts digital signal from the VeriPRO software, calibrates it to the headphones and amplifies the sound. The Audio Processor ensures accurate delivery of VeriPRO signals and increases test reliability.

### HEADPHONES

The VeriPRO headphones are not your typical listening gear. These patented high-output headphones were designed specifically for VeriPRO. They are audiometrically optimized and calibrated to the signals used in the VeriPRO test, and can be used to test any earplug including earplugs that haven't even been invented yet.





# EARMUFFS


## **ROBUST PROTECTION. TOP PERFORMANCE.**

Every day, employees count on Honeywell Howard Leight™ earmuffs to block noise and manage sound in some of the world's most acoustically-challenging environments.

Utilizing our patented technologies, we offer a range of earmuffs with varying product features and attenuation levels targeted to fulfill the needs and meet the demands of different users and work situations.

# PASSIVE VERISHIELD™ FAMILY

Lightweight construction with steel-wire and padded headband. Comfortably adjusts to a wide range of head sizes with precision micro-adjustments. Air Flow Control technology allows higher attenuation with smaller earcups. Patented sound stabilizer design ensures optimum noise attenuation across all frequencies. Wide cup openings with snap-in replaceable memory-foam cushions for greater comfort.



## VERISHIELD™ HEADBAND

Maximum protection and durable padded metal headband.

VS110	NRR 24	CAN A	1035100-VS (Shown)
VS120	NRR 26	CAN A	1035104-VS
VS130	NRR 30	CAN A(L)	1035108-VS
VS130 HV	NRR 30	CAN A(L)	1035110-VS (HI-VIS)



## VERISHIELD™ CAP-MOUNTED

For use with a wide range of hard hats, with full brim option.

VS110H	NRR 21	CAN B	1035118-VS
VS120H	NRR 24	CAN A	1035121-VS (Shown)
VS130H	NRR 27	CAN A(L)	1035124-VS
VS130HHV	NRR 27	CAN A(L)	1035127-VS (HI-VIS)



## VERISHIELD™ NECKBAND

Sleek, anatomical behind-the-neck design.

VS110N	NRR 22	CAN B	1035112-VS
VS120N	NRR 25	CAN A(L)	1035114-VS
VS130N	NRR 28	CAN A(L)	1035116-VS (Shown)



## VERISHIELD™ FOLDING

Convenient folding design for easy storage.

VS110F	NRR 24	CAN A	1035102-VS
VS120FHV	NRR 27	CAN A(L)	1035106-VS (HI-VIS, Shown)

# PASSIVE VERISHIELD™ DIELECTRIC FAMILY

Lightweight robust non-deforming plastic with dielectric construction. ABS (Acrylonitrile Butadiene Styrene) molded and hot stamped surface finished cup withstands oily, heavy-work environments and frequent cleaning. Comfortably adjusts to a wide range of head sizes with precision micro-adjustments. Air Flow Control technology allows higher attenuation with smaller earcups. Patented sound stabilizer design ensures optimum noise attenuation across all frequencies. Wide cup openings with snap-in replaceable memory-foam cushions for greater comfort.



## VERISHIELD™ HEADBAND

Uniform headband pressure for all head sizes.

VS110D	NRR 23	CAN A	1035190-VS
VS120D	NRR 26	CAN A	1035192-VS (Shown)
VS130D	NRR 29	CAN A(L)	1035195-VS



## VERISHIELD™ CAP-MOUNTED

For use with a wide range of hard hats.  
Folds back for easy storage.

VS110DH	NRR 23	CAN A	1035200-VS
VS120DH	NRR 25	CAN A	1035201-VS
VS130DH	NRR 27	CAN A(L)	1035202-VS (Shown)



## VERISHIELD™ FOLDING

Convenient folding design for easy storage.

VS110DF	NR 25	CAN A	1035198-VS (Shown)
---------	-------	-------	--------------------

## FOR ALL EARMUFF TYPES

**Inspect:** Regularly examine earcups and ear cushions for cracks and leaks — discard if earcups are visibly damaged or compromised. Replace ear cushions if damaged.

**Clean:** Wash earcups and ear cushions regularly with mild soap and water. They should not be dipped into water. Do not treat with any other substances as the ear cushions may degrade and compromise effectiveness.

**Replace:** As ear cushions and foam inserts can degrade over time, replace these every 6-8 months under normal wear, or every 3-4 months with heavy use or in humid/extreme climates.

# PASSIVE VERISHIELD™ DIELECTRIC

## CONTINUED


Economical choice for dielectric designs with adjustable headbands for your hearing protection needs.



### VERISHIELD™ DIELECTRIC MULTI-POSITION

Inner-ventilated headband.

VS120M	NRR 25	CAN A	1035186-VS (Shown)
VS130M	NRR 30	CAN A(L)	1035187-VS




### SOUND MANAGEMENT TECHNOLOGY

SMT Earmuff protects hearing while allowing speech frequency to be heard more naturally.

VS100D	NRR 20	1035197-VS (Shown)
--------	--------	--------------------

# PASSIVE VALUE



### QM24+® MULTI-POSITION HEADBAND

Ultra-lightweight design.


QM24+	NRR 25	QM24PLUS
CAN B		

# ELECTRONIC IMPACT® FAMILY

Electronic sound amplification allows wearers to hear important communication — alarms / warning signals, co-worker’s voice.



IMPACT PRO INDUSTRIAL		
Highest passive NRR in electronic earmuffs.		
NRR 30	CAN A(L)	1030943



IMPACT SPORT		
Amplifies ambient sound while protecting hearing.		
NRR 22	CAN B(L)	R-01526 (Hunter green)
		R-02528 (MultiCam Alpine)
		R-02530 (USA Honor Collection)
NRR 22	CAN B	1030942 (Tactical black shown)

\*Contact your Honeywell Sales Representative for additional color patterns.

# ELECTRONIC SYNC® FAMILY


Combine hearing protection, high-fidelity sound, and the ability for individuals to listen to the radio or personal listening devices safely at work and at home.



**SYNC® WIRELESS BLUETOOTH®**

Easy push-button connectivity to any Bluetooth® device.

NRR 25	1030945
CAN A(L)	



**SYNC® RADIO**

AM/FM reception. Built for outdoor work environments.

NRR 25	1030331
CAN A(L)	



**SYNC® RADIO HI-VIS**

High visibility earmuffs and reflective headband for visibility.


NRR 25	1030390
CAN A(L)	



**SYNC® STEREO**

Stereo earmuff that easily connects to MP3 players.

NRR 25	1030110
CAN (L)	



**SYNC® ELECTO**

Combines high-quality FM radio with electronic sound amplification.

NRR 25	1030333
CAN (L)	




**SYNC® ELECTO H CAP-MOUNTED**

Sync Electro in cap-mounted style to fit a variety of hard hats.

NRR 24	1030334-H5
CAN B(L)	

# NOISE MONITORING HEADSETS

## VERISHIELD SMART HEARING SOLUTION



### VERISHIELD 300 SERIES HEADSETS

Monitor, analyze, and detect hazards before hearing loss appears.

The headsets provide hearing protection and gather personal and environmental sound exposure information, downloading it to VSHS Mobile App. They offer data collection, transfer capabilities and audio and visual alerts. Available in three versions: VeriShield Headband and Hard Hat over-the-ear headsets and VeriShield in-ear headset.

PART #	DESCRIPTION	COMPONENTS INCLUDED
<b>SUBSCRIPTIONS PACKAGES</b>		
1035151-VS	VS321 VeriShield Subscription	VeriShield Smart Hearing 2-Year Subscription + VS321 Over-the-Head Headset
1035153-VS	VS321H VeriShield Subscription	VeriShield Smart Hearing 2-Year Subscription + VS321H Hard Hat Headset
1035156-VS	VS332i VeriShield Subscription	VeriShield Smart Hearing 2-Year Subscription + VS332i In-Ear Headset
<b>OTHER</b>		
1035166-VS	VS32HK VeriShield Hygiene Kit VS321	1 Pair Ear Cushions + Left and Right Dust Cover + 1 Pair Microphone Foam
1035167-VS	VS300 USB Charging Cable	Charging Cable USB - USB C
1035168-VS	VS321 Rechargeable Batteries	Rechargeable Batteries AA
1035169-VS	VS321 Battery Lid Headband	Battery Lid for VS321
1035170-VS	VS321H Battery Lid	Battery Lid for VS321H
1031126-HHT	QP Protip Size Small	(CASE) Case = 6 Boxes of 200 ea
1031127-HHT	QP Protip Size Medium	(CASE) Case = 6 Boxes of 200 ea
1031128-HHT	QP Protip Size Large	(CASE) Case = 6 Boxes of 200 ea
1031129-HHT	QP Protip Size XL	(CASE) Case = 6 Boxes of 200 ea
1031130-HHT	QP Protip Start Pack	(CASE) BOX=CASE, 200 ea (CASE) Case = 6 Boxes of 200 ea

**For more information**

[sps.honeywell.com](http://sps.honeywell.com)

**Honeywell PPE**

9680 Old Bailes Rd,  
Fort Mill, SC 29707  
(803) 835-8000

US:

Tel. 800.430.5490  
Fax. 800.322.1330

Canada:

Tel. 888.212.7233  
Fax. 888.667.8477

[informationsp@honeywell.com](mailto:informationsp@honeywell.com)

HL Miniguide A5 0521  
Rev C | Rev C | 05/21  
© 2021 Honeywell International Inc.

