

Touchpoint Pro Enclosures

Specifications



19" 5U Rack Controller Enclosure

Part Number	TPPR-V-0602
Material	Mild Steel
Earthing Points	M8 (main grounding); other M6
Dimensions (H x W x D)	483 mm x 222 mm x 110 mm
Weight	10 kg

19" 5U Rack Remote Unit Enclosure

Part Number	TPPR-V-0612
Material	Mild Steel
Earthing Points	M8 (main grounding); other M6
Dimensions (H x W x D)	483 mm x 222 mm x 110 mm
Weight	9 kg

Wall Mount Controller Enclosures

Part Number	TPPR-V-1210	TPPR-V-1220	TPPR-V-1230
Material	Mild Steel	Mild Steel	Mild Steel
Dimensions (H x W x D)	600 mm x 600 mm x 300 mm	800 mm x 600 mm x 300 mm	1200 mm x 600 mm x 300 mm
Approximate Weight	37 kg	46 kg	81 kg

Wall Mount Remote Unit Enclosures

Part Number	TPPR-V-1215	TPPR-V-1225
Material	Mild Steel	Mild Steel
Dimensions (H x W x D)	600 mm x 600 mm x 300 mm	800 mm x 600 mm x 300 mm
Weight	37 kg	46 kg

Floor Standing Cabinets Front Access

Part Number	TPPR-V-1250	TPPR-V-1252	TPPR-V-1254
Ventilation Type	No Ventilation	Natural Ventilation	Forced Ventilation
Dimensions (H x W x D)	2000 mm x 800 mm x 600 mm	2000 mm x 800 mm x 600 mm	2000 mm x 800 mm x 600 mm
Approximate Weight	201 kg	201 kg	201 kg

Floor Standing Cabinets Rear Access

Part Number	TPPR-V-1260	TPPR-V-1262	TPPR-V-1264
Ventilation Type	No Ventilation	Natural Ventilation	Forced Ventilation
Dimensions (H x W x D)	2000 mm x 800 mm x 600 mm	2000 mm x 800 mm x 600 mm	2000 mm x 800 mm x 600 mm
Approximate Weight	201 kg	201 kg	201 kg

Touchpoint Pro Enclosures

Specifications continued



Hazardous Area Enclosure

The Touchpoint Pro range includes a wall mounted enclosure which is certified for use in hazardous areas/locations (ATEX/IECEX Zone 2, Class I Div 2, and Class I (Zone 2)). This enclosure can only be used as a remote unit, no controller option is available.

Wall Mount Stainless Steel Div 2/Zone 2 Remote Units

Part Number	TPPR-V-1241
Material	Stainless Steel
Dimensions (H x W x D)	780 mm x 510 mm x 300 mm
Approximate Weight	42 kg <i>Note: Please be aware that the weight may vary depending on the options selected.</i>

Honeywell Analytics Gas Detection



Honeywell Analytics is able to provide gas detection solutions to meet the requirements of all applications and industries. Contact us in the following ways:

Headquarters

Europe, Middle East, Africa

Life Safety Distribution AG

Javastrasse 2

8604 Hegnau

Switzerland

Tel: +41 (0)44 943 4300

Fax: +41 (0)44 943 4398

gasdetection@honeywell.com

Customer Service:

Tel: +800 333 222 44 (Freephone number)

Tel: +41 44 943 4380 (Alternative number)

Fax: +800 333 222 55

Middle East Tel: +971 4 450 5800 (Fixed Gas Detection)

Middle East Tel: +971 4 450 5852 (Portable Gas Detection)

Americas

Honeywell Analytics Distribution Inc.

405 Barclay Blvd.

Lincolnshire, IL 60069

USA

Tel: +1 847 955 8200

Toll free: +1 800 538 0363

Fax: +1 847 955 8210

detectgas@honeywell.com

Asia Pacific

Honeywell Analytics

Asia Pacific

#701 Kolon Science Valley (1)

43 Digital-Ro 34-Gil, Guro-Gu

Seoul 152-729

Korea

Tel: +82 (0) 2 6909 0300

Fax: +82 (0) 2 2025 0388

India Tel: +91 124 4752700

analytics.ap@honeywell.com

Technical Support Centres

Honeywell Analytics Ltd.

4 Stinsford Road

Nuffield Industrial Estate

Poole, Dorset, BH17 0RZ

United Kingdom

Tel: +44 (0) 1202 645 544

Fax: +44 (0) 1202 645 555

Honeywell Analytics

ZAC Athélia 4 - 375 avenue du Mistral

Bât B, Espace Mistral

13600 La Ciotat

France

Tel: +33 (0) 4 42 98 17 75

Fax: +33 (0) 4 42 71 97 05

Honeywell Analytics

Elsenheimerstrasse 43

80687 München

Germany

Tel: +49 89 791 92 20

Fax: +49 89 791 92 43

Honeywell Analytics

P.O. Box-45595

6th Street

Musaffah Industrial Area

Abu Dhabi

UAE

Tel: +971 2 554 6672

Fax: +971 2 554 6672

EMEA: HAexpert@honeywell.com

US: ha.us.service@honeywell.com

AP: ha.ap.service@honeywell.com

www.honeywellanalytics.com

www.raesystems.com

Honeywell Analytics
Experts in Gas Detection

BWF
Technologies
by Honeywell

RAE
SYSTEMS
by Honeywell

Please Note:

While every effort has been made to ensure accuracy in this publication, no responsibility can be accepted for errors or omissions. Data may change, as well as legislation, and you are strongly advised to obtain copies of the most recently issued regulations, standards, and guidelines. This publication is not intended to form the basis of a contract.

13455_TPPR Spec Sheet_Enclosures

V1_10/14_EMEA

© 2014 Honeywell Analytics

Honeywell