

Thor CV31 Series Configuration Guide

What are the options available on the CV31?



CV31 Basic

CV31A1A0AC000000	CV31A,Basic,12V
CV31A1A0ACCP0000	CV31A,Basic,12V,CP

Operating -20C to +50C (-4F to +122F)
External AC-DC or DC-DC power converter required

CV31 – Forklift Ready

CV31A1APAC000000	CV31A,Forklift Ready,9-36V
CV31A1APACCP0000	CV31A,Forklift Ready,9-36V,CP

Operating -20C to +50C (-4F to +122F)
Smart UPS eliminates need for "charge guards"
Ignition Control for automatic ON/OFF (cable required)

CV31 – Cold Ready (Heated Display)

CV31A1HPAC000000	CV31A,Freezer Forklift,9-36V,Heated
CV31A1HPACCP0000	CV31A,Freezer Forklift,9-36V,Heated,CP

Operating -30C to +50C (-22F to +122F)
Smart UPS eliminates need for "charge guards"
Ignition Control for automatic ON/OFF (cable required)
Heated Touch Panel to prevent condensation in cold storage.

Intermec Medallion Service




MEDV2-GLD-3	VT2: 3 Year 2 Day Onsite Standard
MEDV2-SLV-3-C	VT2: 3 Year 2 Day Return to Depot Complete
MEDV2-BRZ-3-C	VT2: 3 Year 5 Day Return to Depot Complete

Client Pack (CP) & Software Maintenance




454-023-001	License, Client Pack
ICP-SFT1	One-year maintenance subscription for Client Pack
ICP-SFT3	Three-year maintenance subscription for Client Pack

Thor CV31 Configuration Map

								Description	Notes
Standard	Touch Screen	Power	Radio	Operating System	Software Configuration	Customization	Reserved		
CV31A									
1								1.5GHz / 1GB RAM / 16GB Flash	
	A							Standard Touch Screen	
	H							Heated Touch Screen	
		0						No Internal DC Converter (12V Only)	
		P						DC-DC Power Converter (9-36V)	
			A					802.11a/b/g/n, Bluetooth and Near Field Communications (NFC)	WLAN - All Markets
				C				Windows Embedded Compact 7	
					00			No Application Software	
					CP			Client Pack (CP) Software License	CP includes Enterprise Terminal Emulator (ETE) and Enterprise Browser (EB)
						0		No Customization	
						000		Reserved	

Thor CV31 Forklift Install

Option 1 - Small Keyboard
Tethered Scanner




See Page 9 for scanner accessories

	Part Number	Description	Service
	1	CV31A1APACCP0000 CV31A,Forklift Ready,9-36V,CP	MEDV2-BRZ-3-C CV31: 3 Year 5 Day Medallion Complete
	2	VE011-2003 Mounting kit, keyboard, CV31 (Attaches small keyboard VE011-2022 to the CV31)	
	3a	805-813-001 Vehicle Mounting Kit,1½" Dual Ball Mount (5½" Mounting Arm with 1½" Ball)	
	3b	VM1004BRKTKIT RAM MOUNT KIT, FLAT CLAMP BASE, SHORT ARM, 5 inches (128mm), BALL FOR VEHICLE DOCK REAR (Requires 213-043-001 KIT, CV30 MOUNTING SCREWS)	
	4	203-950-001 KIT,WIRING,DIRECT,CV31/CV61(9-36V DC)	
	OR	203-950-002 Kit, DC/DC Converter, 6-96V, RoHS (DC/DC Power Supply, 6-96V Extended Range). <u>Requires adapter cable VE027-8024-C0.</u>	
	5	VE011-2022 Keyboard, compact, CV31 (Small (space constrained) QWERTY keyboard w/ TE template overlays)	
	6a	SR61TXR-SER001 SR61TXR (EX25) Serial Scanner Kit RS232	MEDS1-BRZ-3-C SR61: 3 Year 5 Day Medallion Complete
	6b	1280iFR-3SER 1280iFR-3: 1D, FR Focus, red scanner (1280iFR-3), RS232	HSVC1280I-SMS3 Granit 1280i: 3 Year 1-Day Service Made Simple
Optional	7	236-316-001 Ignition Control Cable - automatically turn on the CV31 when the operator turns on the vehicle.	

Thor CV31 Forklift Install

Option 2 - Small Keyboard
Bluetooth Scanner



See Page 9 for scanner accessories


	Part Number	Description	Service
	1	CV31A1APACCP0000 CV31A,Forklift Ready,9-36V,CP	MEDV2-BRZ-3-C CV31: 3 Year 5 Day Medallion Complete
	2	VE011-2003 Mounting kit, keyboard, CV31 (Attaches small keyboard VE011-2022 to the CV31)	
	3a	805-813-001 Vehicle Mounting Kit,1½" Dual Ball Mount (5½" Mounting Arm with 1½" Ball)	
	3b	VM1004BRKTKIT RAM MOUNT KIT, FLAT CLAMP BASE, SHORT ARM, 5 inches (128mm), BALL FOR VEHICLE DOCK REAR (Requires 213-043-001 KIT, CV30 MOUNTING SCREWS)	
	4	203-950-001 KIT,WIRING,DIRECT,CV31/CV61 (9-36V)	
	OR	203-950-002 Kit, DC/DC Converter, 6-96V, RoHS (DC/DC Power Supply, 6-96V Extended Range). <u>Requires adapter cable VE027-8024-C0.</u>	
	5	VE011-2022 Keyboard, compact, CV31 (Small (space constrained) QWERTY keyboard w/ TE template overlays)	
	6	SR61BXR-002 SR61 Near/Far Area Imager (EX25) with Battery	MEDS1-BRZ-3-C SR61: 3 Year 5 Day Medallion Complete
Optional	7	236-316-001 Ignition Control Cable - automatically turn on the CV31 when the operator turns on the vehicle.	

Thor CV31 Forklift Install with Tethered Scanner – Freezer Environment -30°C



	Part Number	Description	Service
1	CV31A1HPACCP0000	CV31A,Freezer Forklift,9-36V,Heated,CP	MEDV2-BRZ-3-C CV31: 3 Year 5 Day Medallion Complete
2	VE011-2003	Mounting kit, keyboard, CV31 (Attaches small keyboard VE011-2022 to the CV31)	
3	805-813-001	Vehicle Mounting Kit,1½" Dual Ball Mount (5½" Mounting Arm with 1½" Ball)	
4	203-950-001	KIT,WIRING,DIRECT,CV31/CV61 (9-36V DC)	
OR	203-950-002	Kit, DC/DC Converter, 6-96V, RoHS (DC/DC Power Supply, 6-96V Extended Range). <u>Requires adapter cable VE027-8024-C0.</u>	
5	340-054-102	Keybd,Rugged,QWERTY,5250,Xtreme Temp (DB15/USB port, recommended for continuous exposure to -30C)	
6a	SR61TXR-SER001	SR61TXR (EX25) Serial Scanner Kit RS232	MEDS1-BRZ-3-C SR61: 3 Year 5 Day Medallion Complete
6b	520-3648-N3	Heated Scanner Holder for SR61, (Requires 36 – 48 V Power)	
7	236-316-001	Ignition Control Cable - automatically turn on the CV31 when the operator turns on the vehicle.	
8	805-813-001	Vehicle Mounting Kit,1½" Dual Ball Mount (5½" Mounting Arm with 1½" Ball)	

Thor CV31 Desktop Installation / Developer Setup




	Part Number	Description	Service	
	1	CV31A1A0ACCP0000 CV31A,Basic,12V,ICP	MEDV2-BRZ-3-C	CV31: 3 Year 5 Day Medallion Complete
	2	VE011-2003 Mounting kit, keyboard, CV31 (Attaches small keyboard VE011-2022 to the CV31)		
	3	VE011-2022 Keyboard, compact, CV31 (Small (space constrained) QWERTY keyboard w/ TE template overlays)		
	4	805-815-001 Desktop Mounting Kit, 1.5" Dual Ball Mount		
	5	203-955-001 Kit, AC Wall Adapter		
	6	AC Cord See Page 10 for Country Specific AC Cord		
Optional	7	VE011-2018 Cable, Single USB Client (Developer Active Synch cable)		
Optional	8	VE011-2021 Cable ASSY,High Density DB15 and USB Receptacle (DB15 adapter with USB Receptacle for 2nd USB accessory)		

Migrating from a CV30 to Thor CV31

For migrating an existing CV30 installation to Thor CV31, most accessories can be re-used with the Thor CV31.

If using the existing CV30 power supply installation, the VE027-8024-C0 adapter cable is required to power the Thor CV31.



Part Number	Description
1 CV30A0E1100803	Available, Standard, WM5 WWE, TE2000 License, No SD, 802.11b/g ETSI [803]
2 805-813-001	Vehicle Mounting Kit, 1½" Dual Ball Mount (5½" Mounting Arm with 1½" Ball)
3 203-779-001	Kit, DC/DC Converter, <u>6-60V</u> , RoHS
OR 203-832-001	Kit, DC/DC Converter, <u>15-96V</u> , RoHS
4 VE011-2003	Mounting kit, keyboard, CV30 (Attaches small keyboard VE011-2022 to the CV30)
5 VE011-2022	Keyboard, compact, CV30

CV30 to CV31 Power Adapter Cable.

For use connecting legacy CV30 5-pin power output cables to CV31 6-pin input

VE027-8024-C0 Cable, 5 Pin Male to 6Pin Female

CV30 to CV31 Replacement Mounting Screws.

213-043-001 KIT, CV30 MOUNTING SCREWS

Adhesive-coated mounting screws resist backing out under vibration. Recommended kit for customers that want to re-install mounting balls from their CV30 to a Thor CV31.

Thor CV31 I/O Connectors



CV31, 4-wire type connector that supports Stereo Output, Microphone Input and PTT button.

Programmable Keys

Power Button

External Antenna Port (Auto Sensing)



Near Field Communication (NFC)

Touch Connect™ pairing for Vocollect Bluetooth Headset



RJ45 Ethernet

COM1 COM3
DB9M Serial Ports
+5V Pin 9
Serial Scanners

AUX DB15M USB
Ports

Power Connector



VE011-2017 - Cable, Dual USB, CVxx



203-950-001 - KIT.WIRING.DIRECT.CV31/CV61

Scanner & Accessories Options

SR61B/SR61T Mounts



825-181-001 SR61 Dangle Suspension



203-876-002 Wall Mount/Vehicle Mount Holder, SR61

SR61B Bluetooth Spare Battery



075082-002 Spare Battery W/Boot Accessory,SR61



761 Vehicle Mounted Scanner Charger
12-48V Power Required
(3rd Party Product – JLC Solutions)

SR61B Bluetooth Battery Chargers



852-907-001	Charger, 2 bay, SR61/IP30
851-095-131	Universal Supply, 12V 48W, RA 2.5x5.5 Level V
AC Cord	See Page 10 for Country Specific AC Cord



852-908-001	Charger, 4 bay, SR61/IP30
851-095-131	Universal Supply, 12V 48W, RA 2.5x5.5 Level V
AC Cord	See Page 10 for Country Specific AC Cord




852-902-001	Charger, 8 bay, SR61/IP30
851-095-131	Universal Supply, 12V 48W, RA 2.5x5.5 Level V
AC Cord	See Page 10 for Country Specific AC Cord

Miscellaneous Accessories



346-086-001 Kit, CV31 Screen Protector, 10-pack



213-042-001 Kit, CV31 Replacement Battery




858-098-001 Bar Code Swipe Reader, Visible Light



VE011-2006 Kit, Wall Mounting Bracket




VE011-2015 Kit, Replacement Stylus, 5-pack



VE011-2004 Kit, Stylus & Tethered Mount
(Contains 1 Stylus)

AC Cords

Part Number	Description
1-974030-025	AC Power Cord, Australia
071918	AC Power Cord, China
321-501-002	AC Power Cord, Denmark
1-974027-025	AC Power Cord, Europe
321-502-002	AC Power Cord, India & South Africa
321-471-002	AC Power Cord, Italy
321-500-002	AC Power Cord, Japan
321-470-001	AC Power Cord, Switzerland
1-974029-020	AC Power Cord, United Kingdom
1-974028-025	AC Power Cord, United States



VE011-2021 CBL ASSY, High Density DB15 and USB Receptacle
(DB15 adapter with USB Receptacle for 2nd USB accessory)

Disclaimer

Honeywell International Inc. ("HII") reserves the right to make changes in specification and other information contained in this document without prior notice, and the reader should in all cases consult HII to determine whether any such changes have been made. The information in this publication does not represent a commitment on the part of HII.

HII shall not be liable for technical or editorial errors or omissions contained herein; nor for incidental or consequential damages resulting the furnishing, performance, or use of this material.

This document contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be photocopied, reproduced, or translated into another language with-out prior written consent of HII.

Web Address: www.honeywellaidc.com

The Bluetooth trademarks are owned by Bluetooth SIG, Inc., U.S.A and licensed to Honeywell.

Other product names mentioned in the manual may be trademarks of registered trademarks of their respective companies and are the property of their respective owners.

© 2014 Honeywell International Inc. All rights reserved.