



# 货物运输条件鉴定书

## Certification

### for Safe Transport of Chemical Goods

#### 锂电池类货物

样品名称：无线信息终端 (EDA52-0/EDA52-1 内含锂离子蓄电池 BAT-EDA52 3.8V 4500mAh 17.1Wh)

Sample name: Mobile Computer (EDA52-0/EDA52-1 Contain Li-ion battery BAT-EDA52 3.8V 4500mAh 17.1Wh)

委托单位：码捷(苏州)科技有限公司  
Metro (Suzhou) Technologies Co., Ltd

生产单位：码捷(苏州)科技有限公司  
Metro (Suzhou) Technologies Co., Ltd



Witness Better Life  
**SICIT** 上海化工院检测有限公司  
Shanghai Institute of Chemical Industry Testing Co., Ltd



# 货物运输条件鉴定书

NO. 212100805608635

Certification for Safe Transport of Chemical Goods

Page 1/3

样品名称 Sample Name	中文 Chinese	无线信息终端 (EDA52-0/EDA52-1 内含锂离子蓄电池 BAT-EDA52 3.8V 4500mAh 17.1Wh)		
	英文 English	Mobile Computer (EDA52-0/EDA52-1 Contain Li-ion battery BAT-EDA52 3.8V 4500mAh 17.1Wh)		
委托单位 Consignor	码捷(苏州)科技有限公司 Metro(Suzhou)Technologies Co.,Ltd			
生产单位 Manufacturer	码捷(苏州)科技有限公司 Metro(Suzhou)Technologies Co.,Ltd			
检验方法、程序 Inspection method and procedure	国际海事组织《国际海运危险货物规则》(2018版) IMO International Maritime Dangerous Goods Code (2018 Edition)			
样品外观 Sample appearance	黑色塑胶外壳 Black Plastics cement shell			
包装件信息 Package information	/			
序号 NO.	电池种类 Battery type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement
1	可充电锂离子单电芯电池 Rechargeable Li-ion single cell battery	BAT-EDA52	4500mAh 17.1Wh	与设备包装在一起 Packed with equipment
鉴定 结 论	IDENTIFICATION CONCLUSION			
	1. 危险性识别 (Hazards identification) 锂离子电池。 Lithium ion battery.			
	2. 海运按照国际海事组织《国际海运危险货物规则》办理的类型 (Suggestion according to IMO IMDG Code) 根据特殊规定188, 该物品不受IMO IMDG Code其他条款限制。 The article is not subject to other provisions of IMO IMDG Code according to special provision 188.			
3. 包装要求 (Packaging requirements) 无。 None.				
检验日期: Inspection Date:		2021-06-15	签发日期: Issue Date:	2021-06-15
			生效日期: Effective Date:	2021-06-15
备注 Comment	/			



批准  
Approver: 毛军

审核  
Checker: 董学胜

主检  
Appraiser: 孙清




# 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 212100805608635

Page 2/3

序号 No.	检验结果及其他事项 Inspection results and other things
1	<p>本报告所述锂电池按照《国际海运危险货物规则》(2018版) 2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in IMDG CODE 2018 EDITION 2.9.4.5 .</p>
2	<p>本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38.3试验概要编号 The UN38.3 Test Summary No. (s) 812100300328816 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.</p> 
3	<p>锂电池完全封装在内包装内，位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.</p>
4	<p>电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.</p>
5	<p>每个包装件必须标示恰当的锂电池标记。 Each package shall be marked with the appropriate lithium battery mark.</p>
6	/
7	/

-验证码:597637-




# 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 212100805608635

Page 3/3



型号/型號/Model: BAT-EDA52  
额定容量/額定電容量/Rated Capacity: 4500mAh/17.1Wh  
标称电压/標稱電壓/Nominal Voltage: 3.8V  
充电限制电压/充電限制電壓/Limited Charge Voltage: 4.35V

\*\*\*报告结束\*\*\*

